

Product Name

LC201BK, LC203BK, LC207BK, LC209BK, LC210BK, LC211BK, LC213BK, LC217BK, LC219BK, LC221BK, LC223BK, LC227XLBK, LC229XLBK, LC231BK, LC233BK, LC237XLBK, LC239XLBK, LC261BK, LC263BK, LC609BK, LC629BK, LC639BK, LC649BK, LC663BK, LC667XLBK, LC669XLBK, LC683BK, LC687XLBK, LC689XLBK, LC697XLBK, LC699XLBK,

First Issue: Sep. 26, 2013

Revised:-

Version Number: 1

SDS No.: BHK026

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name:	LC201BK	LC203BK	LC207BK	LC209BK	LC210BK	LC211BK	LC213BK	LC217BK
Product Code:		LK7746001	LK8308001	LK8377001				
Product Name:	LC219BK	LC221BK	LC223BK	LC227XLBK	LC229XLBK	LC231BK	LC233BK	LC237XLBK
Product Code:			LK8386001	LK8418001	LK8447001			
Product Name:	LC239XLBK	LC261BK	LC263BK	LC609BK	LC629BK	LC639BK	LC649BK	LC663BK
Product Code:								
Product Name:	LC667XLBK	LC669XLBK	LC683BK	LC687XLBK	LC689XLBK	LC697XLBK	LC699XLBK	
Product Code:								

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified use(s): Cartridge contained water based ink for inkjet printing machine

1.3 Details of the supplier of the safety data sheet

Manufacturer: BROTHER INDUSTRIES, LTD.
5-1, Hamada-cho, Minami-ku, Nagoya 457-0822, JAPAN
Telephone Number for Information : +81-52-824-3445

Importer (Europe): BROTHER INTERNATIONAL EUROPE LTD.
Brother House, 1 Tame Street, Audenshaw, Manchester
M34 5JE, UK
Telephone Number for Information : +44-161-330-6531

Importer (USA): BROTHER INTERNATIONAL CORPORATION
100 Somerset Corporate Boulevard, Bridgewater,
NJ 08807-0911, USA
Telephone Number for Information : +1-908-704-1700

Importer (Canada): BROTHER INTERNATIONAL CORPORATION (Canada) LTD.
1 rue Hôtel de Ville, Dollard-des-Ormeaux, Québec, H9B 3H6, CANADA
Telephone Number for Information : +1-514-685-0600

Importer (Australia): BROTHER INTERNATIONAL (AUST.) PTY. LTD. ACN 001 393 835
Level 3, Building A, 11 Talavera Road Macquarie Park, N.S.W. 2113,
AUSTRALIA
Telephone Number for Information : +61-2-9887-4344

E-Mail (competent person): sds.ieink@brother.co.jp

1.4 Emergency telephone number

Emergency Phone No. (24 hours) We do not provide 24 hours cover for information contact.
Please telephone to the above office during our business hours.

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

EU Classification: Ink is not classified according to EU-Directive 1999/45/EC.

2.2 Label elements

Label elements according to EU Directive 1999/45/EC.: None

2.3 Other hazards

None

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

CHEMICAL NAME	CAS No.	EC No.	% by weight	EU Symbol	EU Risk Phrases
Carbon Black	1333-86-4	215-609-9	1 - 10	Not classified	Not classified
Glycerol	56-81-5	200-289-5	5 - 15	Not classified	Not classified
Diethylene glycol	111-46-6	203-872-2	1 - 9	Xn	R22
Water	7732-18-5	231-791-2	60 - 70	Not classified	Not classified

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation: Remove to fresh air area and obtain medical attention immediately.

Skin Contact: Wash with water and soap. If irritation continues, obtain medical attention.

Eye Contact: Flush immediately with gentle running water for 15 minutes at least. If irritation continues, obtain medical attention.

Ingestion: Rinse mouth with water, give one or two of glasses of water, and obtain

Product Name

LC201BK, LC203BK, LC207BK, LC209BK, LC210BK, LC211BK, LC213BK, LC217BK, LC219BK, LC221BK, LC223BK, LC227XLBK, LC229XLBK, LC231BK, LC233BK, LC237XLBK, LC239XLBK, LC261BK, LC263BK, LC609BK, LC629BK, LC639BK, LC649BK, LC663BK, LC667XLBK, LC669XLBK, LC683BK, LC687XLBK, LC689XLBK, LC697XLBK, LC699XLBK,

First Issue: Sep. 26, 2013

Revised:-

Version Number: 1

SDS No.: BHK026

- 4.2 **Most important symptoms and effects, both acute and delayed** medical attention immediately.
Inhalation: No harmful effects are expected under normal use. Over exposure to vapor or mist, may cause symptoms such as respiratory irritation, cough, dizziness, headache and nausea.
- 4.3 **Indication of any immediate medical attention and special treatment needed** None

SECTION 5: FIRE-FIGHTING MEASURES

- 5.1 **Extinguishing media**
Suitable Extinguishing Media: Water, CO₂, Foam, Dry chemical.
Unsuitable Extinguishing Media: None.
- 5.2 **Special hazards arising from the substance or mixture** May produce toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides, sulfur oxides if burning.
- 5.3 **Advice for fire-fighters** Use self-contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

- 6.1 **Personal precautions, protective equipment and emergency procedures** Avoid contact with eyes, skin and clothing.
- 6.2 **Environmental precautions** Do not release to surface water or ground water.
- 6.3 **Methods and material for containment and cleaning up** Wipe up ink with absorbent towel. Wash with water to remove remaining traces of ink.
- 6.4 **Reference to other sections** See Section: 8.

SECTION 7: HANDLING AND STORAGE

- 7.1 **Precautions for safe handling** Avoid contact with skin, eyes and clothing.
- 7.2 **Conditions for safe storage, including any incompatibilities** Keep out of reach of children. Store in a cool and dark place.
- 7.3 **Specific end use(s)** Cartridge contained water based ink for inkjet printing machine

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 **Control parameters**

Occupational Exposure Limits:

CHEMICAL NAME	OSHA PEL	ACGIH TLV	EU IOELV
Carbon Black	Limits for air contaminant TWA 3.5mg/m ³	TWA 3mg/m ³ Not classifiable as a human carcinogen.	Not established
Glycerol	(as mist) Total dust TWA 15mg/m ³	(as mist) TWA 10mg/m ³	Not established

8.2 **Exposure controls**

Appropriate engineering controls

Use in a ventilated area.

Personal Protection

Eye/face protection

Not required under normal use.

Skin protection

Not required under normal use.

Hand protection

Not required under normal use.

Respiratory protection

Not required under normal use.

Other:

Not applicable.

Environmental Exposure Controls

Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 **Information on basic physical and chemical properties**

- Appearance (20 °C) Black liquid
- Odor Slight odor
- Odor threshold (ppm) Not available
- pH (Value) 7 – 9
- Melting point (°C) / Freezing point (°C) Melting point(°C) : <-5°C
- Boiling point/boiling range (°C) Boiling point(°C) : >100°C
- Flash point (°C) Does not flash at 93.3°C or lower

Product Name

LC201BK, LC203BK, LC207BK, LC209BK, LC210BK, LC211BK, LC213BK, LC217BK, LC219BK, LC221BK, LC223BK, LC227XLBK, LC229XLBK, LC231BK, LC233BK, LC237XLBK, LC239XLBK, LC261BK, LC263BK, LC609BK, LC629BK, LC639BK, LC649BK, LC663BK, LC667XLBK, LC669XLBK, LC683BK, LC687XLBK, LC689XLBK, LC697XLBK, LC699XLBK,

First Issue: Sep. 26, 2013

Revised:-

Version Number: 1

SDS No.: BHK026

	(Tag closed cup & Cleveland opened cup)
Evaporation rate	Not available
Flammability (solid, gas)	LEL : Not available UEL : Not available
Explosive limit ranges	Not available
Vapor pressure (Pa)	Not available
Vapor density (Air=1)	Not available
Density (g/cm ³)	1.0 – 1.1 g/ml
Solubility (Water)	Soluble
Solubility (Other)	Not available
Partition coefficient (n-Octanol/water)	Not available
Auto ignition point (°C)	>400°C
Decomposition temperature (°C)	Not available
Viscosity (mPa·s)	2 – 5 mPa·s
Explosive properties	Not available
Oxidising properties	Not available
9.2 Other information	Not available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	Will not occur
10.4 Conditions to avoid	High-temperature or High-humidity
10.5 Incompatible materials	Acids, Bases, Oxidizing agents, Reducing agents
10.6 Hazardous Decomposition Product(s)	Carbon monoxide, Carbon dioxide, Nitrogen oxides, Sulfur oxides

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects	
Acute toxicity (oral):	LD ₅₀ of ink is greater than 2000mg/kg.
Skin corrosion/irritation:	Ink is classified as a NON IRRITANT
Serious eye damage/irritation:	Ink is classified as a MINIMAL IRRITANT
Respiratory or skin sensitization:	Respiratory sensitization : Not available Skin sensitization : Non-sensitizer
Mutagenicity:	Ames test : Negative
Carcinogenicity:	Specific data are not available. Carbon black has been classified by the IARC as group 2B. However, IARC reported that no significant exposure to carbon black is thought to occur during the use of products in which carbon black is bound to other materials, such as printing ink. Other ingredients of ink have not been classified as carcinogens according to IARC monographs, NTP, and OSHA regulated.
Reproductive toxicity:	Not available
STOT-single exposure:	Not available
STOT-repeated exposure:	Not available
Aspiration hazard:	Not available
Potential Health Effects:	Eye : Ink may cause slight irritation. Skin : Prolonged exposure to ink may cause irritation. Ingestion : Ink may cause gastrointestinal or other adverse effects. Inhalation : Not expected to be a route of exposure under normal use. Over exposure may cause respiratory irritation.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	Not available
12.2 Persistence and degradability	Not available
12.3 Bioaccumulative potential	Not available
12.4 Mobility in soil	Not available
12.5 Results of PBT and vPvB assessment	Not available
12.6 Other adverse effects	Not available

Product Name

LC201BK, LC203BK, LC207BK, LC209BK, LC210BK, LC211BK, LC213BK, LC217BK, LC219BK, LC221BK, LC223BK, LC227XLBK, LC229XLBK, LC231BK, LC233BK, LC237XLBK, LC239XLBK, LC261BK, LC263BK, LC609BK, LC629BK, LC639BK, LC649BK, LC663BK, LC667XLBK, LC669XLBK, LC683BK, LC687XLBK, LC689XLBK, LC697XLBK, LC699XLBK,

First Issue: Sep. 26, 2013

Revised:-

Version Number: 1

SDS No.: BHK026

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Dispose in accordance with federal, state and local regulations.

SECTION 14: TRANSPORT INFORMATION

14.1 UN number None
14.2 Proper Shipping Name None
14.3 Transport hazard class(es) None
14.4 Packing Group None

US Department of Transportation (DOT) : Not regulated as dangerous goods.
 Maritime Transport IMDG : Not regulated as dangerous goods.
 Air Transport ICAO/IATA : Not regulated as dangerous goods.

14.5 Environmental hazards Not available
14.6 Special precautions for user None
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU : All components in ink comply with REACH rules and regulations.
 Ink is not classified according to EU-Directive 1999/45/EC.
 US : All components in ink comply with TSCA rules and regulations.
 Canada : WHMIS : Not applicable. (Manufactured article)

15.2 Chemical Safety Assessment None

SECTION 16: OTHER INFORMATION

Hazard Symbol: Xn: Harmful
Risk Phrases: R22 : Harmful if swallowed.
Issue Date: Sep. 26, 2013

The following sections contain revisions or new statements: section 1

Additional information: The information only relates to this specific ink cartridge. It may not be valid for this ink cartridge, if used in combination with any other materials or in any other process. And it is based on our best knowledge as of the date of preparation (revision).

References: World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risks to Humans, Volume 93
 EU Directive 1999/45/EC
 U.S. Department of labor, 29CFR Part 1910.
 ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
 EU Commission Directive 2009/161/EU

Abbreviations: ACGIH: American Conference of Governmental Industrial Hygienists
 DOT: Department Of Transportation (US)
 IARC: International Agency for Research on Cancer
 IATA: International Air Transport Association
 ICAO: International Civil Aviation Organization
 IMDG: International Maritime Dangerous Goods
 IOELV: Indicative Occupational Exposure Limit Value
 NTP: National Toxicology Program (US)
 OSHA: Occupational Safety and Health Administration (US)
 PEL: Permissible Exposure Limit
 REACH: Registration, Evaluation, Authorization and Restriction of Chemicals (EU)
 TLV: Threshold Limit Value (ACGIH)
 TSCA: Toxic Substances Control Act (US)
 WHMIS: Workplace Hazardous Material Information System (Canada)