# **Material Safety Data Sheet**



#### Revision Date 15-Aug-2012

Version 1

# **1. PRODUCT AND COMPANY IDENTIFICATION**

Product Label Name Product name UPC Code Recommended Use	Wisk Liquid Laundry Detergent 2X - Deep Clean 50 oz WISK 6/50Z HD2 DEEP CLEAN 10072613450838 Laundry detergent liquid for clothes washing machines.
Supplier Address Sun Products Corporate Office 60 Danbury Road Wilton, CT 06897 USA	
Chemical Emergency Phone Number	Chemtrec 1-800-424-9300 (24 hour) Poison Control 1-800-222-1222 (24 hour)
Company Emergency Phone Number	Prosar: 1-800-565-5597 (24 hours)
General Questions:	Wisk - 1-800-275-9475 (Monday – Friday, 8:30AM to 6:00PM EST)
	2. HAZARDS IDENTIFICATION
	ATTENTION
	Emergency Overview
	Keep out of the reach of children
	May cause central nervous system depression
Potential Health Effects	

#### Potential Health Effects

See Section 11 for additional Toxicological information.

Ingestion	May be harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Do not taste or swallow.
Eyes	May cause slight irritation. Avoid contact with eyes.
Skin	Substance may cause slight skin irritation.
Inhalation	May be harmful if inhaled.

Chronic Effects	Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic beverage. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage. May cause adverse liver effects. Contains a known or suspected reproductive toxin.
Aggravated Medical Conditions	Central nervous system. Preexisting eye disorders. Blood disorders. Liver disorders. Overexposure may cause female and male reproductive disorder(s). Skin disorders. Respiratory disorders. Reproductive toxicity.
Environmental hazard	See Section 12 for additional Ecological Information.

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Hazardous ingredients as defined by the OSHA Hazard Communication Standard (29CFR § 1910.1200).

Chemical Name	CAS-No	Weight %
C12-C15 Alcohol Ethoxylate	68131-39-5	10-30
Sodium Laureth Sulfate	68585-34-2	10-30
BENZENESULFONIC ACID, C10-16-ALKYL DERIVATIVES, SODIUM SALTS	68081-81-2	3-7
Ethyl alcohol	64-17-5	1 - 5 %
TRIETHANOLAMINE	102-71-6	1 - 5 %

Under normal consumer household use, this product would not constitute a hazardous product by OSHA definition as OSHA is not applicable to household consumer use.

4. FIRST AID MEASURES			
Consult a physician.			
Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.			
Wash skin with soap and water.			
Move to fresh air.			
Rinse mouth. Do NOT induce vomiting. Call a physician or Poison Control Center immediately.			
Treat symptomatically.			
5. FIRE-FIGHTING MEASURES			
Not flammable.			
Not determined.			
No information available No information available			
No information available			
None.			
No information available			

Upper (UEL)		No information available				
Lower (LEL)		No information available				
Suitable Extinguishing	Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.			nstances and the	
Unsuitable Extinguishin	g Media	None.				
Protective Equipment an Precautions for Firefight		As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.			re-demand, MSHA/NIOSH	
NFPA	Health Haza	ard 2	Flammability	0	Stability 0	Physical and chemical hazards
HMIS	Health Haza	ard 2	Flammability	0	Physical Hazard 0	Personal protection -
6. ACCIDENTAL RELEASE MEASURES						
Personal precautions	ersonal precautions Ensure adequate ventilation.					
Environmental precaution	ons	Try to prevent the material from entering drains or water courses.				
Methods for Containme	nt	Prevent further leakage or spillage if safe to do so.				
Methods for cleaning up	)	Pick up and transfer to properly labeled containers.				
Other information		not applicable.				
7. HANDLING AND STORAGE						
Advice on safe handling	I	Handle in accordance with good industrial hygiene and safety practice.				
Technical measures/Sto conditions	rage	Keep cor	Keep containers tightly closed in a dry, cool and well-ventilated place.			

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m <sup>3</sup>
		(vacated) TWA: 1900 mg/m <sup>3</sup>	-
TRIETHANOLAMINE	TWA: 5 mg/m <sup>3</sup>		
102-71-6	-		
Subtilisin	Ceiling: 0.00006 mg/m <sup>3</sup> as	(vacated) STEL: 0.00006 mg/m <sup>3</sup>	STEL: 0.00006 mg/m <sup>3</sup> 60 min
9014-01-1	crystalline active enzyme	60 min	Subtilisins

NIOSH IDLH: Immediately Dangerous to Life or Health

•

Other Exposure Guidelines	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).
Engineering Measures	None under normal use conditions
Personal Protective Equipment Eye/Face Protection Skin and body protection	No protective equipment is needed under normal use conditions No protective equipment is needed under normal use conditions.

#### **Respiratory protection**

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

#### **Hygiene measures**

Remove and wash contaminated clothing before re-use.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state Color Odor Threshold Specific Gravity	liquid blue No information available 1.060 SPECIFIC GRAVITY - 20C	Appearance Odor pH Density	CLEAR LIQUID Tropical 7.800 pH. no data available
Viscosity, kinematic Method Decomposition temperature Melting point Water solubility Vapor pressure VOC Content(%)	500.000 cps VISCOSITY - 70F No information available no data available no data available Soluble in water no data available not applicable	Flash point Autoignition temperature Boiling point/boiling range Freezing Point Evaporation rate Vapor density	no data available No information available 212 °C / 414 °F no data available no data available No data available
Flammability Limits in Air Upper Flammability Limit Lower Flammability Limit	no data available no data available	Explosion Limits Upper (UEL) Lower (LEL)	no data available no data available

# **10. STABILITY AND REACTIVITY**

Stability	Stable under recommended storage conditions.
Incompatible products	Strong oxidizing agents, strong acids, and strong bases.
Conditions to Avoid	Extremes of temperature and direct sunlight. Do not freeze.
Hazardous Decomposition Products	s None known based on information supplied.
Hazardous Reactions	None known based on information supplied.
Hazardous Polymerization	Hazardous polymerization does not occur.

# **11. TOXICOLOGICAL INFORMATION**

#### Acute toxicity

Ingestion		May be harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Do not taste or swallow.		
Eye contact	May cause slight irritation	May cause slight irritation. Avoid contact with eyes.		
Skin contact	, , , , , , , , , , , , , , , , , , , ,	Substance may cause slight skin irritation. Prolonged contact may cause redness and irritation. Prolonged or repeated contact may dry skin and cause irritation.		
Inhalation	May cause irritation of res	May cause irritation of respiratory tract.		
Product Safety Profile		Product is safe for its intended use based on the formulation, testing results, and the long history of safe consumer use.		
Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation	

C12-C15 Alcohol Ethoxylate	2 g/kg (Rat)		
BENZENESULFONIC ACID, C10-16-ALKYL DERIVATIVES, SODIUM SALTS	1000 mg/kg(Rat)	730 mg/kg(Rabbit)	
Ethyl alcohol	7060 mg/kg (Rat)		124.7 mg/L (Rat)4 h
TRIETHANOLAMINE	4190 mg/kg (Rat)	16 mL/kg (Rat)2000 mg/kg ( Rabbit)	

#### Chronic toxicity

Chronic toxicity

Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic beverage. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage. May cause adverse liver effects. Contains a known or suspected reproductive toxin.

#### Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethyl alcohol	A3	Group 1	Known	Х
TRIETHANOLAMINE		Group 3		

ACGIH: (American Conference of Governmental Industrial Hygienists)
A2 - Suspected Human Carcinogen
A3 - Animal Carcinogen
IARC: (International Agency for Research on Cancer)
Group 1 - Carcinogenic to Humans
Group 3 - Not Classifiable as to Carcinogenicity in Humans
NTP: (National Toxicity Program)
Known - Known Carcinogen
OSHA: (Occupational Safety & Health Administration)
X - Present

Sensitization	None known.
Germ Cell Mutagenicity	None known.
Reproductive toxicity	This product does not contain any known or suspected reproductive hazards
Developmental Toxicity	None known
Target Organ Effects	Blood, Central nervous system, Eyes, Liver, Reproductive system, Respiratory system, Skin
Interactions with Other Chemicals	Use of alcoholic beverages may enhance toxic effects

# **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

The environmental impact of this product has not been fully investigated

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Ethyl alcohol		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	EC50 = 35470 mg/L 5 min	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static

#### WISK 6/50Z HD2 DEEP CLEAN

TRIETHANOLAMINE	216: 72 h Desmodesmus	10600 - 13000: 96 h	1386: 24 h Daphnia magna
-	subspicatus mg/L EC50 169:		mg/L EC50
	96 h Desmodesmus	LC50 flow-through 1000: 96	g,
	subspicatus mg/L EC50	h Pimephales promelas	
		mg/L LC50 static 450 - 1000:	
		96 h Lepomis macrochirus	
		mg/L LC50 static	

No data is available on the product itself.

#### Persistence and degradability

Not likely to bioaccumulate.

Mobility

**Bioaccumulation** 

Not Determined .

Chemical Name	log Pow
Ethyl alcohol	-0.32
TRIETHANOLAMINE	-2.53

### 13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements
Contaminated packaging	Do not re-use empty containers
US EPA Waste Number	U108 U154

California Hazardous Waste Codes 561

#### California Waste Status

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Ethyl alcohol	Toxic
	Ignitable

# **14. TRANSPORT INFORMATION**

Not regulated
Not regulated
Not regulated
Not regulated
Not regulated

# **15. REGULATORY INFORMATION**

		1
International Inventories		
TSCA	-	
DSL	•	

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### U.S. Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories	
Acute Health Hazard	no
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

#### **Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium Dodecylbenzenesulfonate	1000 lb			Х
Sodium Hydroxide	1000 lb			Х
Sulfuric acid	1000 lb			Х

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Sodium Dodecylbenzenesulfonate	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ
Sodium Hydroxide	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ
Sulfuric acid	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ
Methyl Alcohol	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ
Hydrogen Peroxide		1000 lb	
1,4-Dioxane	100 lb		RQ 100 lb final RQ RQ 45.4 kg final RQ

#### U.S. State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
Ethyl alcohol	Carcinogen
	Developmental

#### U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Ethyl alcohol	Х	Х	Х		
TRIETHANOLAMINE	Х	Х	Х		

Magnesium Nitrate X X X X
---------------------------

#### Mexico

Chemical Name	Carcinogen Status	Exposure Limits
Ethyl alcohol		Mexico: TWA 1000 ppm
		Mexico: TWA 1900 mg/m <sup>3</sup>

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

Non-controlled

Legend NPRI - National Pollutant Release Inventory

16. OTHER INFORMATION		
Prepared By	Sun Products Corporation Regulatory Affairs	
Revision Date	15-Aug-2012	
Revision Note	no data available.	
Status	0	
PROTYP	E	
Disclaimer		
The (M)SDS is intended to	provide a brief summary of our knowledge and guidance regarding the use of this material.	
	here has been compiled from sources considered by Sun Products Corporation to be	

The information contained here has been compiled from sources considered by Sun Products Corporation to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. Sun Products Corporation assumes no responsibility for injury to the recipient of third persons, or for any damage to any property resulting from misuse of the product.

End of Material Safety Data Sheet