Product Name : Print Cartridge Black Type MP C5000/C5050/LD550C MSDS Number : 841284 Date Prepared : 25/12/2007 Date Modified : 05/07/2012 Date : 11/07/2012

# RICOH

# Material Safety Data Sheet (ANSI form)

Section1 : Chemical Product and Company Identification		
Product Name General Use MSDS Number	: Print Cartridge Black Type MP C5000/C5050/LD550C (Black toner) : The Image Formation of Printing Machine or Copier : 841284	
Address Telephone Number Telefax Number E-mail	<ul> <li>: 5 Dedrick Place, West Caldwell, NJ 07006</li> <li>: 1-973-882-2000 or 1-973-882-5218 (For product information) or 1-800-336-6737 (For emergencies)</li> <li>: 1-973-882-3959</li> <li>: environmentinfo@ricoh-usa.com</li> </ul>	

## Section2 : Composition, Information on Ingredients

Ingredients	Chemical	Contents	ACGIH	(TLV)		OSHA (	(PEL)
CAS No./Common Name	Formula	(%)	TWA	STEL	С	TWA	С
Confidential Polyester Resin	Confidential	50-90	N.A	N.A	N.A	N.A	N.A
Confidential Wax	Confidential	<10	2(wax fume)mg/ m3	N.A	N.A	N.A	N.A
1333-86-4 Carbon Black	С	<10	3.0mg/m3	N.A	N.A	3.5mg/m3	N.A
7631-86-9 Silica	O2Si	<10	10mg/m3	N.A	N.A	15mg/m3	N.A
13463-67-7 Titan Oxide	TiO2	0.1-1	10mg/m3	N.A	N.A	15mg/m3	N.A

This product does not contain any of the following substances as ingredients. Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated diphenyleters (PBDE), SVHC (substances of very high concern: published by ECHA). And if it contains any impurities, it does not exceed any of the thresholds of RoHS.

Hazardous Ingredients Information

Chemical Name : Carbon Black			
CAS Number	: 1333-86-4	EEC Number	: 215-609-9
OSHA Z-Tables (USA)	: 3.5mg/m3	ACGIH-TLV	: 3.0mg/m3
NTP (USA)	: Not listed	IARC Monographs	: Group 2B
Symbol (EU)	: Not listed	R-Phrase (EU)	: Not listed
DFG-MAK (GER)	:III 3B	OELs-TWA (Australia)	: 3.0mg/m3
California Proposition 65 (USA)	: Listed		
Chemical Name : Titan Oxide			
CAS Number	: 13463-67-7	EEC Number	: 236-675-5
OSHA Z-Tables (USA)	: 15mg/m3	ACGIH-TLV	: 10mg/m3
NTP (USA)	: Not listed	IARC Monographs	: Group 2B
Symbol (EU)	: Not listed	R-Phrase (EU)	: Not listed
DFG-MAK (GER)	: Not listed	OELs-TWA (Australia)	: 10mg/m3
California Proposition 65 (USA)	: Not listed		

# RICOH

	Section3 : H	lazards Identificati	on	
	なな	r ☆ ☆ ☆ Emergenc	y Overview ☆☆☆:	☆ ☆
HMIS	Health: 1	Flammabilit : 1	Reactivity : 0	PPE:See section 8
NFPA	Health: 1	y Flammabilit:1 y	Reactivity : 0	
ne Most In	nportant Hazards			
Adverse H	luman Health Eff	ects :		
	-	hazards expected with	n intended use.	
	ealth Effects			
	ntry Routes :			
Innalatio Skin	n ; Yes			
	; Yes n ; Yes			
	ental Effects :			
-		hazards expected with	n intended use	
	ind Chemical Ha			
		hazards expected with	n intended use.	
Specific H	azards :	•		
		st finely grained organi	c powders)	
lain Symp				
	alation Toxicity			
		amount of dust may ca	use physical irritation to	o respiratory tract.
	I Toxicity cute toxicity in an	mal experiment		
		inai experiment.		
Acute Eye Irritation May cause slight transient irritation.				
	n Irritation			
May be	e non-irritant.			
Sensitizat				
			expected . (Only few ca	ases reported on incidental
		ivitis or dermatitis.)		
Chronic E		a haa haan waxawtad in	voto unon obvonio inho	
at 4mg show t normal	/m3 every day fo hat exposure to e use and handlin	r 2 years. No pulmona excessive amounts of p	ry change was found at owder may cause dam	lation exposure to a toner : 1mg/m3. These findings age to lungs. However, n inhalation of excessive
amoun Carcinoge	ts of powder.			
		im dioxide contained i	n this product are class	ified to Group 2B of IARC
		n test in use of rat.		
But ora	al/skin test does r	ot show carcinogenici	ty.	
		rbon black did not sho	w carcinogenicity in chr	onic inhalation exposure
	use of rat.	t with yory high conco	ntration of titanium diax	rida (avaassiya burdan af
In the animal experiment with very high concentration of titanium dioxide (excessive burden of rat's lungs clearance mechanism (overload phenomenon)), the rat alone showed lung tumor. Under a normal use practice, the concentration should be far lower than the above; and it is				
	a normal use pra ed that there is n		n should be far lower th	an the above; and it is
			I work exposure of titan	ium dioxide is not
	ed with epidemic			
Medical C	onditions Aggrav	ated by Exposure		
	plicable			
	tion of the Chemi			
	iviture le not clace	ified as dangerous.		



### Section4 : First Aid Measures

Inhalation :

Remove from exposure into fresh air and rinse mouth with water. Seek medical advice. Skin Contact :

Wash thoroughly with soapy water.

Eye Contact :

Flush with a large amount of water until particles are removed. Seek medical advice. Ingestion :

Drink several glasses of water to dilute ingested toner. Seek medical advice.

Immediate Medical Attention :

Immediate medical attention is not required.

### Section5 : Fire Fighting Measures

Flash Point (degrees centigrade) Burning Rate (mm/sec) Autoignition Temperature (degrees centigrade)	<ul><li>Not applicable</li><li>0.223 or below</li><li>Not available</li></ul>
Flammable Limits(%) : LEL Not ava	ailable UEL Not available
Extinguishing Media to Avoid : Not applicable.	
Specific Hazards :	
Can form explosive dust-air mixtures whe	en finely dispersed in air.
Fire-Fighting Instructions / Specific Method :	
	red. Sprinkling or fire extinguishers can be used.
Protection of Firefighters :	

Wear gloves, glasses, a mask if necessary.

#### Section6 : Accidental Release Measures

**Personal Precautions :** 

Do not breathe in dust.

**Environment Precautions :** 

Do not flush into sewers or watercourses.

Methods for Cleaning Up :

Fine powder may form explosive dust-air mixture. Confirm there is no source of fire and if there is a source, remove it. Sweep up spilled powder slowly and clean reminder with wet cloth. If a vacuum cleaner is used, a dust explosion-proof type must be chosen.

## Section7 : Handling and Storage

Handling :

**Technical Measures/Precautions** 

Not applicable

Safe Handling Advice

Do not handle in areas where there is wind or draught, this may cause dust to get into eyes. Avoid breathing in dust.

Storage :

**Technical Measures** 

Not applicable

Storage Conditions Keep out of reach of children.

Store in dry, well-ventilated area, to maintain quality the temperature should not exceed 35degrees centigrade for a long time. Avoid direct sunlight.

Packaging material

Not applicable

Specific Use(s) :

Image formation in printing machines or copiers.



## Section8 : Exposure Controls/Personal Protection

Technical measures : Use adequate ventilation. None required with intended use. Control Parameters Exposure Limit Value (1)	
USA OSHA PEL: 15mg/m3 (Total dust)	5.0mg/m3 (Respirable fraction)
(TWA)	g
ACGIH TLV (TWA) : 10mg/m3 (Inhalable fraction)	3.0mg/m3 (Respirable fraction)
DFG MAK : 4.0mg/m3 (Total dust)	1.5mg/m3 (Respirable fraction)
Personal Protection	
Respiratory Protections (Specify Type)	
None required in normal use. If the limit of exposure concentration	on is exceeded, use authorised
respirator.	
Eye Protection Put on goggles if necessary.	
Protective Gloves	
Use vinyl or rubber gloves if necessary.	
Protective Clothing or Equipment	
Wear chemical-resistant apron or other impervious clothing if ne	cessan/
Hygiene Measures	
Wash hands after handling.	
Habit hando akor handing.	

Section9 : Physical and Chemical Properties

Appearance Physical state : Solid Form : Pow Colour : Blac	/der		
Odor	: Slightly plastic odor		
pН	: Not applicable		
Boiling Point (degrees centigrade)	: Not applica	ble	
Vapor Pressure (Pa)	Not applicable		
Vapor Density (AIR=1)	: Not applicable		
Density (g/cm3) Formula Weight		Measuring Temp (degrees centigrade) : 25	
Melting Point (degrees : (Softening point) Approx.110 centigrade)			
Decomposition temper centigrade)	rature (degrees	: Not available	
Viscosity (Pa·s)	: Not applicable		
Volatile (%)	: 0.2 or below		
Evaporation Rate (Butyl Acetate = 1) : Not applicable			
Water Solubility (g/L) : Insoluble			
Chloroform Solubility (	g/L) : Slightly soluble	9	

## Section10 : Stability and Reactivity

Stability : Stable Hazardous Reaction : Dust explosion, like most finely grained organic powders. Condition to Avoid : Not applicable in normal use. Materials to Avoid : Not applicable in normal use. Hazardous Polymerization : None Hazardous Decomposition or Byproducts : Decomposition products will not occur.



# Section11 : Toxicological Information

Acute Toxicity Acute Oral Toxicity (LD50) : 5000 or over [mg/kg] (Rat) (Based on other product test results of similar ingredients.) Acute Dermal Toxicity : Not available Acute Inhalation Toxicity : Not available Local effects Acute Skin Irritation(PII) : 1.0 or below (Rabbit) (Based on other product test results of similar ingredients.) Acute Eye Irritation : Non-irritant (Based on other product test results of similar ingredients.)
Sensitization
Acute Allergenic Effects :
Non-skinsensitive (Marmot) (Based on other product test results of similar ingredients.) Specific Effects
Carcinogenicity :
Carbon black and titanium dioxide contained in this product are classified to Group 2B of IARC as the result of inhalation test in use of rat. But oral/skin test does not show carcinogenicity.
The toner containing carbon black did not show carcinogenicity in chronic inhalation exposure test in use of rat.
In the animal experiment with very high concentration of titanium dioxide (excessive burden of rat's lungs clearance mechanism (overload phenomenon)), the rat alone showed lung tumor. Under a normal use practice, the concentration should be far lower than the above; and it is assumed that there is no such use.
Also, relation between respiratory disease and work exposure of titanium dioxide is not observed with epidemiological survey.
Mutagenicity : Negative (Ames test)
Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health.
Teratogenic : Not available
Section12 : Ecological Information

Mobility : No da Persistence/Degradabilit : Not av	ta are available on any adverse effects on the environment.
V	
Bioaccumulation : Not av	vailable
Ecotoxicity	
Acute Toxicity for Fish (LC50)	: Not classified as toxic (EU Directive 1999/45/EC)mg/I/96hr
Acute Toxicity for Daphnia (EC50)	: Not classified as toxic (EU Directive 1999/45/EC)mg/l/48hr
Algae Inhibition Test (IC50)	: Not classified as toxic (EU Directive 1999/45/EC)mg/I/72hr



### Section13 : Disposal Consideration

General information:

Dispose of waste and residues in accordance with local authority requirements.

Disposal methods:

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations.

Precautions

Do not throw the toner cartridge or toner into an open flame. Hot toner may scatter and cause burns or other damage.

#### Section14 : Transport Information

International Regulations Land Transport **RID/ADR** : Not applicable DOT 49 CFR : Not applicable ADNR : Not applicable Sea Transport IMDG Code : Not applicable Air Transport ICAO-TI/IATA-DGR : Not applicable **UN Number** : Not applicable : Not applicable Class Specific Precautionary Transport Measures and Conditions

Avoid direct sunlight in quality.

#### Section15 : Regulatory Information

Regulations **US** Information Information on the label : Not required TSCA (Toxic Substances Control Act) : This toner complies with all applicable rules and regulations under TSCA. SARA (Superfund Amendments and Reauthorization Act) Title III 313 Reportable Ingredients : Not regulated California Proposition 65 : Not regulated Canada Information WHMIS Controlled product : Not a controlled product **EU** Information Information on the label (1999/45/EC and 67/548/EEC) Symbol & Indication : Not required R-Phrase : Not required S-Phrase : Not required Special Precautions under 1999/45/EC Annex V : Not required 76/769/EEC This product complies with applicable rules and regulations under 76/769/EEC Product Name : Print Cartridge Black Type MP C5000/C5050/LD550C MSDS Number : 841284 Date Prepared : 25/12/2007 Date Modified : 05/07/2012 Date : 11/07/2012



# Section16 : Other Information

Explanation of Hazardous Materials Identification System [HMIS]& National Fire Protection Association							
[NFPA] Hazard Rating Systems: Both the HMIS and NFPA systems use number from "0" to "4" to show the degree of hazard in an							
uncontrolled situation:							
	0=Minimum Hazard 1=Slight Hazard 2=Moderate Hazard 3=Serious Hazard 4=Severe Hazard						
	be used in both systems:						
	zard <b>Red</b> =Fire Hazard <b>Yellow</b> =Reactivity Hazard <b>White</b> =Indicate a special hazard y any Personal Protective Equipment regired [PPE],						
	y OX(oxidizer), Acid(acid), ALK(Alkali), COR(Corrosive), W(use no water),						
xx(Radioactive).							
Literature Refere							
ANSI Z400.1-1	993						
ISO 11014-1							
	irective 91/155/EEC						
	ARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans,						
pp149-261	g Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon,						
	Ilman, O.Creutzenberg, C.Dasenbrock, H.Emst, R.Kilpper, J.C.MacKenzie, P.Morrow,						
	enaka and R.Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation						
	ats" Fundamental and Applied Toxicology 17,pp280-299						
•	ARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans,						
Vol.93"							
	ENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation						
•	nal Exposure to Titanium Dioxide DRAFT"						
ACGIH-TLV	: Threshold Limit Values for Chemical Substances and Physical Agents and						
	Biological Exposure Indices						
OSHA Z-Table	es : US Department of Labor, 29CFR Part 1910 , Tables Z-1, Z-2, and Z-3 : US Department of Health and Human Services National Toxicology						
NTP (USA)	Program Annual Report on Carcinogens						
	DFG-MAK(GER): DFG List of MAK and BAT Value						
Symbol (EC)	: EU Directive 67/548/EEC						
91/155/ EEC	: EU Directive 91/155/ EEC						
1999/45/EC Ar							
76/769/EEC	: EU Directive 76/769/EEC						
EC 304/2003	: Regulation (EC) No 304/2003 of the European Parliament and of the						
	Council of 28 January 2003 concerning the export and import of dangerous chemicals						
WHMIS Contro							
product							
OELs-TWA (A	ustralia) : Guidance Note on the Interpretation of Exposure Standards for						
Υ.	Átmospheric Contaminants in the Occupational Environment [NOHSC:						
	3008 (1995)]						
Abbreviations :							
OSHA PEL ACGIH-TLV	PEL (Permissible Exposure Limit) under Occupational Safety and Health Act TLV (Threshold Limit Values) under American Conference of Governmental Industrial						
ACGIN-TLV	Hygienists						
REACH	EC)No.1907/2006:Council Regulation concerning the Registration, Evaluation,						
	Authorization and Restriction of Chemicals						
SVHC	Substances of Very High Concern						
ECHA	The European Chemicals Agency						
DFG-MAK	MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft						
RoHS	Restriction of the use of certain Hazardous Substances in Electrical and Electronic						
<b>T</b> ) 4 / 4							
TWA	Time Weighted Average						
IARC NTP	International Agency for Research on Cancer National Toxicology Program						
WHMIS	Workplace Hazardous Information System						
NOHSC National Occupational Health and Safety Commission Act 1985							
Disclaimer(S) :							
	n is furnished without warranty, expressed or implied, except that it is accurate to the best						
	Ricoh Americas Corporation.						
it relates only to	o the specific material designated herein, and does not relate to use in combination with						

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Ricoh Americas Corporation assumes no legal responsibility for use or reliance upon this information.