

**VICKS®
DayQuil®
COLD & FLU
Multi-Symptom Relief**

Drug Facts

<i>Active ingredients (in each LiquiCap)</i>	<i>Purpose</i>
Acetaminophen 325 mg	Pain reliever/fever reducer
Dextromethorphan HBr 10 mg	Cough suppressant
Phenylephrine HCl 5 mg	Nasal decongestant

Uses

temporarily relieves common cold/flu symptoms:

- nasal congestion
- cough due to minor throat & bronchial irritation
- sore throat
- headache
- minor aches & pains
- fever

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4 doses in 24 hrs, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks daily while using this product

Sore throat warning

If sore throat is severe, lasts for more than 2 days, occurs with or is followed by fever, headache, rash, nausea, or vomiting, see a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- heart disease
- thyroid disease
- diabetes
- high blood pressure
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

When using this product, do not use more than directed.

Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- symptoms get worse or last more than 5 days (children) or 7 days (adults)
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back, or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

Taking more than directed can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults & for children even if you do not notice any signs or symptoms.

Directions

- take only as directed - see [Overdose warning](#)
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	2 LiquiCaps with water every 4 hrs
children 4 to under 12 yrs	ask a doctor
children under 4 yrs	do not use

- **when using other DayQuil or NyQuil products, carefully read each label to insure correct dosing**

Other information

- store at room temperature

Inactive ingredients

FD&C Red No. 40, FD&C Yellow No. 6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol special, titanium dioxide

Questions?

1-800-251-3374

Made in Canada

**Dist. by Procter & Gamble,
Cincinnati OH 45202.**

PRINCIPAL DISPLAY PANEL - 16 LiquiCap Carton

VICKS®

DayQuil®

COLD & FLU

Multi-Symptom Relief

Acetaminophen, Phenylephrine, Dextromethorphan

- **Aches, Fever & Sore Throat**
- **Nasal Congestion**
- **Cough**

Non-Drowsy

16 LiquiCaps®

128 Code Area

128 Code Area

Failure to follow these warnings could result in serious consequences.

Drug Facts

Active Ingredients (in each LiquiCap) Purpose
 Acetaminophen 25 mg Pain reliever/fever reducer
 Dextromethorphan HBr 10 mg Cough suppressant
 Phenylephrine HCl 5 mg Nasal decongestant

Uses Temporary relief was common cold/flu symptoms:

- nasal congestion
- cough due to minor throat & bronchial irritation
- sore throat
- headache
- minor aches & pains
- fever

Warnings

Liver warnings: This product contains acetaminophen. Severe liver damage may occur if you take more than 4 doses in 24 hrs, which is the maximum daily amount for this product.
 • with other drugs containing acetaminophen • 3 or more alcoholic drinks daily while using this product
See throat warning: If sore throat is severe, lasts for more than 2 days, occurs with or is followed by fever, headache, rash, nausea, or vomiting, see doctor promptly.

Do not use

- with any other drug containing acetaminophen (in prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease) for 14 days after stopping the MAOI drug, if you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic coughs or occurs with smoking, asthma, or emphysema
- diabetes

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

When using this product, do not use more than directed.

Stop use and ask a doctor if

- symptoms get worse or last more than 5 days (6 days for children) or 7 days (adults)
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back, or occurs with rash or headache that lasts. The second day signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before reuse.

Keep out of reach of children. Overdose warning: Taking more than directed can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults & for children even if you do not notice early signs or symptoms.

QUIET ZONE
P&G
 80% GTIN
 VERSION A
 AREA GAUGE
 QUIET ZONE
 3 23900 01442 8



DayQuil

COLD & FLU



DayQuil®

COLD & FLU

Multi-Symptom Relief

Acetaminophen, Phenylephrine, Dextromethorphan

- ♥ Aches, Fever & Sore Throat
- ♥ Nasal Congestion
- ♥ Cough



16 LiquiCaps®

Non-Drowsy

Drug Facts (continued)

Inactive Ingredients FD&C Red No. 40, FD&C Yellow No. 6, gelatin, glycerin, polyethylene glycol, polyurethane, polyurethane glycol, purified water, sorbitol, sodium citrate, titanium dioxide

Questions? 1-800-251-3374

www.vicks.com

Drug Facts (continued)

Directions

- Take only as directed - see Overdose warning
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	2 LiquiCaps with water every 4 hrs
children 4 to under 12 yrs	ask a doctor
children under 4 yrs	do not use

Other Information

- when using other DayQuil or Nyquil products, carefully read each label to insure correct dosing
- store at room temperature

PARENTS:

Learn about teen medicine abuse

www.StopTeenMedicineAbuse.org

TAMPER EVIDENT: This package is safety sealed & child resistant. Use only if blister is unbroken. If difficult to open, use scissors.

Made in Canada
Dist. by Procter & Gamble,
Cincinnati OH 45202. 99 6 99 637

Date Code Area

VICKS DAYQUIL COLD AND FLU MULTI-SYMPTOM RELIEF

acetaminophen, dextromethorphan hydrobromide, and phenylephrine hydrochloride capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37000-558
Route of Administration	ORAL	DEA Schedule	

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Acetaminophen (UNII: 362O9ITL9D) (Acetaminophen - UNII:362O9ITL9D)	Acetaminophen	325 mg
Dextromethorphan Hydrobromide (UNII: 9D2RTI9KYH) (Dextromethorphan - UNII:7355X3ROTS)	Dextromethorphan Hydrobromide	10 mg
Phenylephrine Hydrochloride (UNII: 04JA59TNSJ) (Phenylephrine - UNII:1WS297W6MV)	Phenylephrine Hydrochloride	5 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C Yellow No. 6 (UNII: H77VEI93A8)	
FD&C Red No. 40 (UNII: WZB9127XOA)	
gelatin (UNII: 2G86QN327L)	
glycerin (UNII: PDC6A3C0OX)	
polyethylene glycols (UNII: 3WJQ0SDW1A)	
povidones (UNII: FZ989GH94E)	
propylene glycol (UNII: 6DC9Q167V3)	
water (UNII: 059QF0K00R)	
sorbitol (UNII: 506T60A25R)	
titanium dioxide (UNII: 15FIX9V2JP)	

Product Characteristics

Color	ORANGE	Score	no score
Shape	OVAL	Size	21mm
Flavor		Imprint Code	DQuil

Contains**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37000-558-02	2 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:37000-558-16	8 in 1 CARTON		
2		2 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:37000-558-24	12 in 1 CARTON		
3		2 in 1 BLISTER PACK; Type 0: Not a Combination Product		
4	NDC:37000-558-48	24 in 1 CARTON		
4		2 in 1 BLISTER PACK; Type 0: Not a Combination Product		
5	NDC:37000-558-72	36 in 1 CARTON		
5		2 in 1 BLISTER PACK; Type 0: Not a Combination Product		
6	NDC:37000-558-08	4 in 1 CARTON		
6		2 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	06/09/2011	

Labeler - The Procter & Gamble Manufacturing Company (004238200)

Revised: 9/2014

The Procter & Gamble Manufacturing Company