



Cra-Z-Art(Dongguan)co.,Ltd
Building C2A District One Xicheng
Science park Hengli Town
Dongguan Guang Dong China
Phone:(769)8265 0603
Fax : (769)8220 8078
USA/Canada Emergency Calls:(973)543-2037 Fax:(973)588-3810
E-mail :RGinelli@CRA-Z-ART.com

MATERIAL SAFETY DATA SHEET

THE OSHA HAZARD COMMUNICATION STANDARD(29 CFR 1910.1200)REQUIRES THAT THE INFORMATION ON THIS SHEET BE MADE AVAILABLE TO YOUR WORKERS. INSTRUCT YOUR WORKERS TO HANDLE THIS PRODUCT PROPERLY.

FOR PAINTING STATIONERY USE ONLY

PRODUCT NAME:#10651,#10652,#10611 Water color

BASE TYPE : Stationery pigment

SIGNAL WORD THIS MATERIAL IS NOT A “HEALTH HAZARD” OR A “PHYSICAL HAZARD” AS DETERMINED WHEN REVIEWED ACCORDING TO REQUIREMENTS OF THE OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION HAZARD COMMUNICATION STANDARD,29 CFR PART 1910.1200.

CHEMICAL HAZARD RATING(HMIS)

HEALTH -0

FIRE -0

REACTIVITY -0

SARA TITLE III HAZARDOUS INGREDIENTS / REPORTED HEALTH EFFECTS SECTION 313 SUPPLIER NOTIFICATION:

THIS PRODUCT CONTAINS NO TOXIC CHEMICALS SUBJECT TO THE REPORTING REQUIREMENTS OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW ACT OF 1986, 40 CFR 372 AND OSHA 29 SFR 1910.1200

COMPOSITION/INFORMATION ON INGREDIENTS

CAS#	COMPONENTS	PERCENT %
7732-18-5	Pure water	29.562%
9000-40-2	Peach gum	11.264%
69-79-4	Maltose	18.862%
9002-93-1	Surfactant	0.129%
99-76-3	Preservative	0.864%
19569-21-2	Calcium carbonate	34.903%
7440-21-3	Defoamer	0.122%
13463-67-7	White colorant	4.294%

PHYSICAL DATA

VISCOSITY- SOLID

PERCENT SOLID 70%

PH 3-4

APPEARANCE Various colors solid

ODOR- Slight

ACUTE HEALTH HAZARD DATA

SKIN ABSORPTION: NO HAZARDS KNOWN

INGESTION: NO HAZARDS KNOWN

INHALATION: NO HAZARDS KNOWN

SKIN CONTACT: NO HAZARDS KNOWN

EYE CONTACT: NO HAZARDS KNOWN

HANDLING PRECAUTIONS

INHALATION: AVOID PROLONGED OR REPEATED BREATHING OF VAPOR

SKIN: AVOID PROLONGED OR REPEATED BREATHING OF VAPOR

EYES: AVOID PROLONGED OR REPEATED BREATHING OF VAPOR

THOROUGHLY AFTER HANDLING

EMERGENCY FIRST AID PROCEDURES

INHALATION: REMOVE TO FRESH AIR

SKIN CONTACT: IN CASE OF IRRITATION, FLUSH WITH WATER

EYE CONTACT: IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. HOLD EYELIDS APART DURING IRRITATION TO INSURE WATER CONTACT WITH ENTIRE SURFACE OF EYES AND LIDS. IF IRRITATION PERSISTS CALL PHYSICIAN

FIRE AND EXPLOSION HAZARD DATA

WON'T BURN UNLESS WATER EVAPORATED. IN CASE OF FIRE, USE WATER SPRAY, DRY CHEMICAL, FOAM OR CO₂. USE WATER TO COOL FIRE-EXPOSED CONTAINERS.

REACTIVITY DATA

NORMALLY STABLE AS DEFINED IN NFPA 704-12(4-3.1)

MAJOR DECOMPOSITION PRODUCTS ARE CO, CO₂

SPECIAL PROTECTION INFORMATION

APPROVED RESPIRATORY PROTECTION REQUIRED IN ABSENCE OF PROPER ENVIRONMENTAL CONTROL. WEARING SAFETY GLASSES, SAFETY SHOES, HARD HATS AND SUITABLE CLOTHING IS STANDARD PRACTICE IN MANY INDUSTRIAL OPERATIONS.

SPILL OR LEAK PROCEDURES

LARGE QUANTITIES ENCLOSED WITH DIKING MATERIAL TO PREVENT SEEPAGE INTO NATURAL BODIES OF WATER, THEN CONSULT CRA-Z-ART.

SMALL QUANTITIES SOAK UP WITH ABSORBENT MATERIAL AND REMOVE TO A CHEMICAL DISPOSAL AREA.

WASTE DISPOSAL METHOD

RECOVER FREE LIQUID. ABSORB RESIDUE AND DISPOSE OF ACCORDING TO LOCAL, STATE, AND FEDERAL REQUIREMENTS.

All recommendations and statements made, if any, are based on our research and experience. However, we can not guarantee the results obtained through the use of our products, and all products are sold and samples given without any warranty, express or implied, of merchantability or of fitness for any particular purpose, or otherwise, and upon condition that the buyer shall determine the suitability of the products for their purpose. Buyer assumes the responsibility for all risks and liabilities that may result from the possession or use of our products.