

1. Product and Company Identification

| | | |
|--------------------------------------|---|-------------|
| Product identifier | Travel Wipes | SDS 0070-00 |
| Other means of identification | Not available | |
| Recommended use | Antibacterial skin wipe | |
| Recommended restrictions | None known. | |
| Manufacturer | Professional Disposables International, Inc Two Nice-Pak Park, Orangeburg, NY 10962-1376 or Distributed By: Professional Disposables International, LTD Vaughan, Ontario L4L 4K9 Canada Phone: (USA) 1-845-365-1700 (M-F 9am - 5pm) Phone: (CANADA) 1-800-263-7067 Emergency Phone: 1-800-999-6423 | |

2. Hazards Identification

| | | |
|------------------------------|-----------------------------------|-------------|
| Physical hazards | Flammable liquids | Category 3 |
| Health hazards | Serious eye damage/eye irritation | Category 2B |
| Environmental hazards | Not classified. | |
| OSHA defined hazards | Not classified. | |

Label elements



| | | | |
|--|--|--|--|
| Signal word | Warning | | |
| Hazard statement | Flammable liquid and vapor. Causes eye irritation. | | |
| Precautionary statement | | | |
| Prevention | Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Wash thoroughly after handling. | | |
| Response | If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse. In case of fire: Use appropriate media to extinguish. | | |
| Storage | Store away from incompatible materials. | | |
| Disposal | Dispose of waste and residues in accordance with local authority requirements. | | |
| Hazard(s) not otherwise classified (HNOC) | None known. | | |
| Supplemental information | Not applicable. | | |

3. Composition/Information on Ingredients

Mixture

| Chemical name | Common name and synonyms | CAS number | % |
|---|--------------------------|------------|---------|
| Ethanol | | 64-17-5 | 10 - 30 |
| Alkyl dimethyl benzyl ammonium chloride | | 8001-54-5 | 0.13 |

Composition comments Not applicable to DIN products. Refer to product label for active ingredient content.

4. First Aid Measures

| | |
|---------------------|--|
| Inhalation | Not a normal route of exposure. If symptoms develop, move person to fresh air. If symptoms persist, obtain medical attention. |
| Skin contact | In case of skin irritation, discontinue use of product. |
| Eye contact | If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |

| | |
|---|---|
| Ingestion | Not a normal route of exposure. May result in obstruction and irritation if ingested. Call a poison control center or doctor for treatment advice. |
| Most important symptoms/effects, acute and delayed | Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Symptoms may include redness, edema, drying, defatting and cracking of the skin. |
| Indication of immediate medical attention and special treatment needed | Treat patient symptomatically. |
| General information | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Take container, label or product name and DIN Number with you when seeking medical attention. Follow label directions carefully. |

5. Fire Fighting Measures

| | |
|--|--|
| Suitable extinguishing media | Alcohol resistant foam. Dry chemical powder. Carbon dioxide. Water Fog. Water. |
| Unsuitable extinguishing media | Not available. |
| Specific hazards arising from the chemical | During fire, gases hazardous to health may be formed. |
| Special protective equipment and precautions for firefighters | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. |
| Fire-fighting equipment/instructions | In the event of fire, cool product with water spray. Move product from fire area if you can do so without risk. |
| Specific methods | In the event of fire and/or explosion do not breathe fumes. Move products from fire area if you can do so without risk. Cool product exposed to flames with water until well after the fire is out. Use standard firefighting procedures and consider the hazards of other involved materials. |
| General fire hazards | Flammable liquid and vapor. |
| Hazardous combustion products | May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Chloride compounds |
| Explosion data | |
| Sensitivity to mechanical impact | Not available. |
| Sensitivity to static discharge | Not available. |

6. Accidental Release Measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Wear appropriate protective equipment and clothing during clean-up. For personal protection, see section 8 of the SDS. |
| Methods and materials for containment and cleaning up | Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). For waste disposal, see section 13 of the SDS. |
| Environmental precautions | Do not discharge into lakes, streams, ponds or public waters. |

7. Handling and Storage

| | |
|---|---|
| Precautions for safe handling | Avoid contact with eyes. Keep away from heat and sources of ignition. Use according to package label instructions. Practice good housekeeping. |
| Conditions for safe storage, including any incompatibilities | Keep away from heat, sparks and open flame. Keep container tightly closed. Store in a well-ventilated place. Store in a cool, dry place out of direct sunlight. Store away from incompatible materials (see Section 10 of the SDS). |

8. Exposure Controls/Personal Protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Type | Value |
|-----------------------|------|------------|
| Ethanol (CAS 64-17-5) | PEL | 1900 mg/m3 |
| | | 1000 ppm |

US. ACGIH Threshold Limit Values

| Components | Type | Value |
|-----------------------|------|----------|
| Ethanol (CAS 64-17-5) | STEL | 1000 ppm |

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|-----------------------|------|------------------------------------|
| Ethanol (CAS 64-17-5) | TWA | 1900 mg/m ³ 1000 ppm |

| | |
|--|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | See above |
| Appropriate engineering controls | General ventilation normally adequate. |
| Individual protection measures, such as personal protective equipment | |
| Eye/face protection | Not normally required when used as directed. |
| Skin protection | |
| Hand protection | In case of skin irritation, discontinue use of product. |
| Other | Not normally required. |
| Respiratory protection | Not normally required. |
| Thermal hazards | Not available. |
| General hygiene considerations | Follow good hygienic and housekeeping practices. When using do not smoke. Avoid contact with eyes. |

9. Physical and Chemical Properties

| | |
|---|-----------------------------|
| Appearance | Liquid saturated on wipe |
| Physical state | Solid. |
| Form | Pre-moistened towelette. |
| Color | White |
| Odor | Slight citrus |
| Odor threshold | Not available. |
| pH | 3.5 - 4.5 |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | 214 °F (101.11 °C) (liquid) |
| Pour point | Not available. |
| Specific gravity | Not available. |
| Partition coefficient (n-octanol/water) | Not available. |
| Flash point | 104.0 °F (40.0 °C) (liquid) |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Flammable solid. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not available. |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not available. |
| Vapor density | Not available. |
| Relative density | Not available. |
| Solubility(ies) | Wipe not soluble |
| Auto-ignition temperature | Not available. |
| Decomposition temperature | Not available. |
| Viscosity | Not available. |

10. Stability and Reactivity

| | |
|---|---|
| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. |
| Chemical stability | Material is stable under normal conditions. |

| | |
|---|--|
| Conditions to avoid | Contact with incompatible materials. Heat, flames and sparks. |
| Incompatible materials | Strong oxidizing agents. |
| Hazardous decomposition products | May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Chloride compounds |

11. Toxicological Information

Routes of exposure Inhalation. Ingestion. Skin contact. Eye contact.

Information on likely routes of exposure

| | |
|---------------------|---|
| Ingestion | Health injuries are not known or expected under normal use. |
| Inhalation | No adverse effects due to inhalation are expected. |
| Skin contact | Health injuries are not known or expected under normal use. |
| Eye contact | Direct contact with eyes may cause temporary irritation. |

Symptoms related to the physical, chemical and toxicological characteristics Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Symptoms may include redness, drying, defatting and cracking of the skin.

Information on toxicological effects

Acute toxicity

| Components | Species | Test Results |
|---|---------------|---|
| Alkyl dimethyl benzyl ammonium chloride (CAS 8001-54-5) | | |
| Acute | | |
| <i>Dermal</i> | | |
| LD50 | Rat | 1420 mg/kg 1100 mg/kg 704 mg/kg |
| <i>Inhalation</i> | | |
| LC50 | Not available | |
| <i>Oral</i> | | |
| LD50 | Mouse | 150 mg/kg |
| | Rat | 240 mg/kg |
| Ethanol (CAS 64-17-5) | | |
| Acute | | |
| <i>Dermal</i> | | |
| LD50 | Rabbit | > 15800 mg/kg |
| <i>Inhalation</i> | | |
| LC50 | Mouse | 39 mg/l, 4 Hours |
| | Rat | 31623 ppm, 4 Hours 20000 ppm, 10 Hours |
| <i>Oral</i> | | |
| LD50 | Dog | 5500 mg/kg |
| | Guinea pig | 5600 mg/kg |
| | Mouse | 3450 mg/kg |
| | Rat | 7060 mg/kg |

Skin corrosion/irritation In case of skin irritation, discontinue use of the product.

| | |
|-------------------------|----------------|
| Exposure minutes | Not available. |
| Erythema value | Not available. |
| Oedema value | Not available. |

Serious eye damage/eye irritation Direct contact with eyes may cause temporary irritation.

| | |
|-------------------------------------|----------------|
| Corneal opacity value | Not available. |
| Iris lesion value | Not available. |
| Conjunctival reddening value | Not available. |
| Conjunctival oedema value | Not available. |
| Recover days | Not available. |

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity Non-hazardous by WHMIS/OSHA criteria.

Mutagenicity Non-hazardous by WHMIS/OSHA criteria.

Carcinogenicity Non-hazardous by WHMIS/OSHA criteria.

IARC Monographs. Overall Evaluation of Carcinogenicity

Ethanol (CAS 64-17-5)

Volume 44, Volume 96, Volume 100E
Volume 96, Volume 100E

Reproductive toxicity Non-hazardous by OSHA/WHMIS criteria.

Teratogenicity Non-hazardous by WHMIS/OSHA criteria.

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure Not classified.

Aspiration hazard Not classified.

Chronic effects Non-hazardous by WHMIS/OSHA criteria.

Further information Not available.

Name of Toxicologically Synergistic Products Not available.

12. Ecological Information

Ecotoxicity See below

Components

Species

Test Results

Alkyl dimethyl benzyl ammonium chloride (CAS 8001-54-5)

Aquatic

Fish LC50 Guppy (*Poecilia reticulata*) 1.3 mg/l, 96 hours

Ethanol (CAS 64-17-5)

Crustacea EC50 Daphnia 11744.5 mg/L, 48 Hours

Aquatic

Crustacea EC50 Water flea (*Daphnia magna*) 7.7 - 11.2 mg/l, 48 hours

Fish LC50 Fathead minnow (*Pimephales promelas*) > 100 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Mobility in general Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal Considerations

Disposal instructions Dispose of contents/container in accordance with local/regional/national/international regulations. Follow container label directions carefully. Do not reuse towel. Dispose of used towel in trash. Do not flush in toilet. Do not reuse empty container. Wrap container and put in trash collection.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code Assign as required.

Waste from residues / unused products Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport Information

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

In accordance with the UN Classification Procedures, Test Methods and Criteria; Part 3, Section 33.2.1.4 - N.1 Test method for readily combustible solids (UNO).

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory Information

Canadian federal regulations This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

Canada NPRI VOCs with Additional Reporting Requirements: Mass reporting threshold/Identification Number

Ethanol (CAS 64-17-5) 1 TONNES

Canada WHMIS Ingredient Disclosure: Threshold limits

Ethanol (CAS 64-17-5) 0.1 %

WHMIS classification Exempt - Registered product - (DIN 02319284)

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

US CAA Section 111 Volatile Organic Compounds: Listed substance

Ethanol (CAS 64-17-5) Listed.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - Yes
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance No

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)
Not regulated.

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

Food and Drug Administration (FDA) Regulated as a drug.

US state regulations This product is not subject to warning labeling under the California Proposition 65 regulation.

US - California Hazardous Substances (Director's): Listed substance

Ethanol (CAS 64-17-5) Listed.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

US - Illinois Chemical Safety Act: Listed substance

Ethanol (CAS 64-17-5) Listed.

US - Louisiana Spill Reporting: Listed substance

Ethanol (CAS 64-17-5) Listed.

US - Minnesota Haz Subs: Listed substance

Ethanol (CAS 64-17-5) Listed.

US - New Jersey RTK - Substances: Listed substance

Ethanol (CAS 64-17-5) Listed.

US - Texas Effects Screening Levels: Listed substance

Ethanol (CAS 64-17-5) Listed.

US. Massachusetts RTK - Substance List

Ethanol (CAS 64-17-5) Listed.

US. Pennsylvania RTK - Hazardous Substances

Ethanol (CAS 64-17-5)

Listed.

US. Rhode Island RTK

Not regulated.

Inventory status


| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|---|------------------------|
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

| LEGEND | |
|----------|---|
| Severe | 4 |
| Serious | 3 |
| Moderate | 2 |
| Slight | 1 |
| Minimal | 0 |

| | |
|----------------------------|-----|
| HEALTH | / 2 |
| FLAMMABILITY | 2 |
| PHYSICAL HAZARD | 0 |
| PERSONAL PROTECTION | X |

**Disclaimer**

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date

3-June-2015

Effective date

3-June-2015

Expiry date

3-June-2018

Further information

For any questions surrounding this SDS, please contact the supplier/manufacturer listed on the first page of the document.

Revision 0.
Based on bulk liquid # 4OQ59401.

Prepared by

Professional Disposables International, Inc Phone: 1-845-365-1700

Other information

This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).
This SDS conforms to the ANSI Z400.1/Z129.1-2010 Standard.