

# SAFETY DATA SHEET

Issuing Date No data available

Revision Date 08-Sep-2015

Revision Number 2



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

Product Name DRY ERASER MARKER(Staples)

### Other means of identification

Synonyms None

### Recommended use of the chemical and restrictions on use

Recommended Use Markers

Uses advised against No information available

### Details of the supplier of the safety data sheet

Supplier Name Beifa Gourp Co., Ltd

Supplier Address No.298 Jiangnan Road(East)Beilun,Ningbo,315801 P.R. China  
Ningbo  
Zhejiang  
315801  
CN

Supplier Phone Number Phone:86-574-56786827

Supplier Email soniaxu@beifa.com

### Emergency telephone number

Company Emergency Phone Number 001-626-8391443

## 2. HAZARDS IDENTIFICATION

### Classification


This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Specific target organ toxicity (single exposure)

Category 3



**GHS Label elements, including precautionary statements****Emergency Overview**

|   |                       |                                  |                               |
|---|-----------------------|----------------------------------|-------------------------------|
| <b>Signal word</b>  | <b>Warning</b>        |                                  |                               |
| <b>Hazard Statements</b>  |                       |                                  |                               |
| May cause drowsiness or dizziness   |                       |                                  |                               |
|  |                       |                                  |                               |
| <b>Appearance</b> /   | <b>Physical state</b> | Solid containing liquid<br>Solid | <b>Odor</b> No data available |

**Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray  
Use only outdoors or in a well-ventilated area

**Precautionary Statements - Response****Inhalation**

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
Call a POISON CENTER or doctor/physician if you feel unwell

**Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed  
Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

Not applicable

**Unknown Toxicity**

27 % of the mixture consists of ingredient(s) of unknown toxicity

**Other information**

May be harmful if inhaled  
Causes mild skin irritation  
Toxic to aquatic life

**Interactions with Other Chemicals**

No information available.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name        | CAS No     | Weight-% | Trade Secret |
|----------------------|------------|----------|--------------|
| Ethanol              | 64-17-5    | >100     | *            |
| 1-methoxypropan-2-ol | 107-98-2   | 15 - 40  | *            |
| Propylene glycol     | 57-55-6    | 10 - 30  | *            |
| Polyvinyl butyral    | 63148-65-2 | 3 - 7    | *            |
| Pigment blue 15      | 147-14-8   | 3 - 7    | *            |
| Ci 74260             | 1328-53-6  | 3 - 7    | *            |
| Carbon black         | 1333-86-4  | 3 - 7    | *            |
| Propan-2-ol          | 67-63-0    | 1 - 5    | *            |

\*The exact percentage (concentration) of composition has been withheld as a trade secret

### 4. FIRST AID MEASURES

#### First aid measures

#### General Advice

Show this safety data sheet to the doctor in attendance.

#### Eye contact

Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.

#### Skin contact

Wash with soap and water.

#### Inhalation

Remove to fresh air.

#### Ingestion

Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician.

#### Most important symptoms and effects, both acute and delayed

#### Most Important Symptoms and Effects

Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

#### Indication of any immediate medical attention and special treatment needed

#### Notes to Physician

Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### **Unsuitable extinguishing media**

CAUTION: Use of water spray when fighting fire may be inefficient.

### **Specific hazards arising from the chemical**

No information available.

### **Hazardous Combustion Products**

Carbon oxides.

### **Explosion Data**

**Sensitivity to Mechanical Impact** No.

**Sensitivity to Static Discharge** No.

### **Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### **Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Avoid contact with eyes. Ensure adequate ventilation. Use personal protective equipment as required.

**Other Information** Refer to protective measures listed in Sections 7 and 8.

### **Environmental precautions**

**Environmental precautions** Refer to protective measures listed in Sections 7 and 8.

### **Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

**Handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes.

### Conditions for safe storage, including any incompatibilities

**Storage** Keep container tightly closed.

**Incompatible Products** None known based on information supplied.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Exposure Guidelines

| Chemical Name                    | ACGIH TLV                                   | OSHA PEL  | NIOSH IDLH  |
|----------------------------------|---|---|---|
| Ethanol<br>64-17-5               | STEL: 1000 ppm                              | TWA: 1000 ppm<br>TWA: 1900 mg/m <sup>3</sup><br>(vacated) TWA: 1000 ppm<br>(vacated) TWA: 1900 mg/m <sup>3</sup>  | IDLH: 3300 ppm 10% LEL<br>TWA: 1000 ppm<br>TWA: 1900 mg/m <sup>3</sup>  |
| 1-methoxypropan-2-ol<br>107-98-2 | STEL: 100 ppm<br>TWA: 50 ppm                | (vacated) TWA: 100 ppm<br>(vacated) TWA: 360 mg/m <sup>3</sup><br>(vacated) STEL: 150 ppm<br>(vacated) STEL: 540 mg/m <sup>3</sup>  | TWA: 100 ppm<br>TWA: 360 mg/m <sup>3</sup><br>STEL: 150 ppm<br>STEL: 540 mg/m <sup>3</sup>  |
| Pigment blue 15<br>147-14-8      | TWA: 1 mg/m <sup>3</sup> Cu dust and mist   | -   | IDLH: 100 mg/m <sup>3</sup> Cu dust and mist<br>TWA: 1 mg/m <sup>3</sup> Cu dust and mist   |
| Ci 74260<br>1328-53-6            | TWA: 1 mg/m <sup>3</sup> Cu dust and mist   | -   | IDLH: 100 mg/m <sup>3</sup> Cu dust and mist<br>TWA: 1 mg/m <sup>3</sup> Cu dust and mist   |
| Carbon black<br>1333-86-4        | TWA: 3 mg/m <sup>3</sup> inhalable fraction | TWA: 3.5 mg/m <sup>3</sup><br>(vacated) TWA: 3.5 mg/m <sup>3</sup>  | IDLH: 1750 mg/m <sup>3</sup><br>TWA: 3.5 mg/m <sup>3</sup><br>TWA: 0.1 mg/m <sup>3</sup> Carbon black in presence of Polycyclic aromatic hydrocarbons PAH |
| Propan-2-ol<br>67-63-0           | STEL: 400 ppm<br>TWA: 200 ppm               | TWA: 400 ppm<br>TWA: 980 mg/m <sup>3</sup><br>(vacated) TWA: 400 ppm<br>(vacated) TWA: 980 mg/m <sup>3</sup><br>(vacated) STEL: 500 ppm<br>(vacated) STEL: 1225 mg/m <sup>3</sup> | IDLH: 2000 ppm<br>TWA: 400 ppm<br>TWA: 980 mg/m <sup>3</sup><br>STEL: 500 ppm<br>STEL: 1225 mg/m <sup>3</sup>   |

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

**Other Exposure Guidelines** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992)

### Appropriate engineering controls

**Engineering Measures** Showers  
Eyewash stations  
Ventilation systems



**Individual protection measures, such as personal protective equipment**

|                                 |  |
|---------------------------------|--|
| <b>Eye/face protection</b>      | No special protective equipment required.  |
| <b>Skin and body protection</b> | Wear protective gloves and protective clothing.  |
| <b>Respiratory protection</b>   | No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. |
| <b>Hygiene Measures</b>         | Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product.                              |

|  |
|--|
| <b>9. PHYSICAL AND CHEMICAL PROPERTIES</b> |
|--|

**Physical and Chemical Properties**

|                       |                                |                       |                          |
|-----------------------|--------------------------------|-----------------------|--------------------------|
| <b>Physical state</b> | Solid containing liquid, Solid | <b>Odor</b>           | No data available        |
| <b>Appearance</b>     | /                              | <b>Odor Threshold</b> | No information available |
| <b>Color</b>          | No information available       |                       |                          |

| <b><u>Property</u></b>                        | <b><u>Values</u></b> | <b><u>Remarks</u></b> | <b><u>Method</u></b> |
|---|----------------------|-----------------------|----------------------|
| <b>pH</b>                                     | No data available    | None known            |                      |
| <b>Melting / freezing point</b>               | No data available    | None known            |                      |
| <b>Boiling point / boiling range</b>          | No data available    | None known            |                      |
| <b>Flash Point</b>                            | No data available    | None known            |                      |
| <b>Evaporation Rate</b>                       | No data available    | None known            |                      |
| <b>Flammability (solid, gas)</b>              | No data available    | None known            |                      |
| <b>Flammability Limit in Air</b>              |                      |                       |                      |
| <b>Upper flammability limit</b>               | No data available    |                       |                      |
| <b>Lower flammability limit</b>               | No data available    |                       |                      |
| <b>Vapor pressure</b>                         | No data available    | None known            |                      |
| <b>Vapor density</b>                          | No data available    | None known            |                      |
| <b>Specific Gravity</b>                       | No data available    | None known            |                      |
| <b>Water Solubility</b>                       | No data available    | None known            |                      |
| <b>Solubility in other solvents</b>           | No data available    | None known            |                      |
| <b>Partition coefficient: n-octanol/water</b> | No data available    | None known            |                      |
| <b>Autoignition temperature</b>               | No data available    | None known            |                      |
| <b>Decomposition temperature</b>              | No data available    | None known            |                      |
| <b>Kinematic viscosity</b>                    | No data available    | None known            |                      |
| <b>Dynamic viscosity</b>                      | No data available    | None known            |                      |
| <b>Explosive properties</b>                   | No data available    |                       |                      |
| <b>Oxidizing properties</b>                   | No data available    |                       |                      |

**Other Information**

|                                   |                   |
|-----------------------------------|-------------------|
| <b>Softening Point</b>            | No data available |
| <b>VOC Content (%)</b>            | No data available |
| <b>Particle Size</b>              | No data available |
| <b>Particle Size Distribution</b> |                   |

## 10. STABILITY AND REACTIVITY

### Reactivity

No data available.

### Chemical stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

### Hazardous Polymerization

Hazardous polymerization does not occur.

### Conditions to avoid

None known based on information supplied.

### Incompatible materials

None known based on information supplied.

### Hazardous Decomposition Products

Carbon oxides.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

|                     |   |
|---------------------|---|
| <b>Inhalation</b>   | Specific test data for the substance or mixture is not available. May cause drowsiness or dizziness. (based on components). |
| <b>Eye contact</b>  | Specific test data for the substance or mixture is not available.   |
| <b>Skin contact</b> | Specific test data for the substance or mixture is not available.   |
| <b>Ingestion</b>    | Specific test data for the substance or mixture is not available.   |

#### Component Information

| Chemical Name                    | Oral LD50             | Dermal LD50              | Inhalation LC50                                  |
|----------------------------------|-----------------------|--------------------------|--|
| Ethanol<br>64-17-5               | -                     | -                        | = 124.7 mg/L ( Rat ) 4 h                         |
| 1-methoxypropan-2-ol<br>107-98-2 | = 5200 mg/kg ( Rat )  | = 13 g/kg ( Rabbit )     | = 54.6 mg/L ( Rat ) 4 h<br>> 24 mg/L ( Rat ) 1 h |
| Propylene glycol<br>57-55-6      | = 20000 mg/kg ( Rat ) | = 20800 mg/kg ( Rabbit ) | -  |
| Ci 74260<br>1328-53-6            | > 3000 mg/kg ( Rat )  | -                        | -  |
| Carbon black<br>1333-86-4        | > 15400 mg/kg ( Rat ) | > 3 g/kg ( Rabbit )      | -  |
| Propan-2-ol<br>67-63-0           | = 4396 mg/kg ( Rat )  | = 12800 mg/kg ( Rabbit ) | = 16000 ppm ( Rat ) 8 h                          |

### Information on toxicological effects

#### Symptoms

Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.



**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Sensitization** No information available.

**Mutagenic Effects** No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage. This product contains carbon black which is classified as a possible carcinogen when present as respirable dust. This is not relevant for this product since it is not in a respirable form.

| Chemical Name             | ACGIH | IARC     | NTP   | OSHA |
|---------------------------|-------|----------|-------|------|
| Ethanol<br>64-17-5        | A3    | Group 1  | Known | X    |
| Carbon black<br>1333-86-4 | A3    | Group 2B |       | X    |
| Propan-2-ol<br>67-63-0    |       | Group 3  |       | X    |

**ACGIH (American Conference of Governmental Industrial Hygienists)**

A3 - Animal Carcinogen

**IARC (International Agency for Research on Cancer)**

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

**NTP (National Toxicology Program)**

Known - Known Carcinogen

**OSHA (Occupational Safety and Health Administration of the US Department of Labor)**

X - Present

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Chronic Toxicity** No known effect based on information supplied.

**Target Organ Effects** Respiratory system. Eyes. Skin. Gastrointestinal tract (GI).

**Aspiration Hazard** No information available.

**Numerical measures of toxicity Product Information**

The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)**

8,448.00 mg/kg

**ATEmix (dermal)**

18,405.00 mg/kg (ATE)

**ATEmix (inhalation-dust/mist)**

46.94 mg/l

**ATEmix (inhalation-vapor)**

1,014.90 ATEmix



## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Toxic to aquatic organisms.

| Chemical Name                    | Toxicity to Algae  | Toxicity to Fish   | Toxicity to Microorganisms                          | Daphnia Magna (Water Flea)  |
|----------------------------------|--|--|---|---|
| Ethanol<br>64-17-5               |  | 96h LC50: > 100 mg/L<br>(Pimephales promelas) 96h<br>LC50: 13400 - 15100 mg/L<br>(Pimephales promelas) 96h<br>LC50: 12.0 - 16.0 mL/L<br>(Oncorhynchus mykiss)  | EC50 = 34634 mg/L 30 min<br>EC50 = 35470 mg/L 5 min | 48h LC50: 9268 - 14221<br>mg/L 48h EC50: = 2 mg/L<br>24h EC50: = 10800 mg/L |
| 1-methoxypropan-2-ol<br>107-98-2 |  | 96h LC50: = 20.8 g/L<br>(Pimephales promelas) 96h<br>LC50: 4600 - 10000 mg/L<br>(Leuciscus idus)   |   | 48h EC50: = 23300 mg/L  |
| Propylene glycol<br>57-55-6      | 96h EC50: = 19000 mg/L<br>(Pseudokirchneriella<br>subcapitata)   | 96h LC50: = 51600 mg/L<br>(Oncorhynchus mykiss) 96h<br>LC50: 41 - 47 mL/L<br>(Oncorhynchus mykiss) 96h<br>LC50: = 51400 mg/L<br>(Pimephales promelas) 96h<br>LC50: = 710 mg/L<br>(Pimephales promelas) | EC50 = 710 mg/L 30 min                              | 24h EC50: > 10000 mg/L<br>48h EC50: > 1000 mg/L                             |
| Pigment blue 15<br>147-14-8      |  | 48h LC50: > 100 mg/L<br>(Oryzias latipes)  |   |   |
| Ci 74260<br>1328-53-6            |  | 96h LC50: = 752.4 mg/L<br>(Lepomis macrochirus)  | EC50 > 10000 mg/L 30 min                            | 24h EC50: > 500 mg/L  |
| Carbon black<br>1333-86-4        |  |  |   | 24h EC50: > 5600 mg/L   |
| Propan-2-ol<br>67-63-0           | 96h EC50: > 1000 mg/L<br>(Desmodesmus subspicatus)<br>72h EC50: > 1000 mg/L<br>(Desmodesmus subspicatus) | 96h LC50: > 1400000 µg/L<br>(Lepomis macrochirus) 96h<br>LC50: = 11130 mg/L<br>(Pimephales promelas) 96h<br>LC50: = 9640 mg/L<br>(Pimephales promelas)   |   | 48h EC50: = 13299 mg/L  |

### Persistence and Degradability

No information available.

### Bioaccumulation

| Chemical Name                    | Log Pow |
|----------------------------------|---------|
| Ethanol<br>64-17-5               | -0.32   |
| 1-methoxypropan-2-ol<br>107-98-2 | -0.437  |
| Pigment blue 15<br>147-14-8      | 6.6     |
| Propan-2-ol<br>67-63-0           | 0.05    |

### Other adverse effects

No information available.

**13. DISPOSAL CONSIDERATIONS**

**Waste treatment methods**

**Disposal methods**

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

**Contaminated Packaging**

Dispose of contents/containers in accordance with local regulations.

**California Hazardous Waste Codes 331**

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name               | California Hazardous Waste |
|-----------------------------|----------------------------|
| Ethanol<br>64-17-5          | Toxic<br>Ignitable         |
| Pigment blue 15<br>147-14-8 | Toxic                      |
| Ci 74260<br>1328-53-6       | Toxic                      |
| Propan-2-ol<br>67-63-0      | Toxic<br>Ignitable         |

**14. TRANSPORT INFORMATION**

**DOT**  
 Proper Shipping Name NOT REGULATED  
 Hazard Class NON REGULATED  
 N/A

**TDG** Not regulated

**MEX** Not regulated

**ICAO** Not regulated

**IATA**  
 Proper Shipping Name Not regulated  
 Hazard Class NON REGULATED  
 N/A

**IMDG/IMO**  
 Hazard Class Not regulated  
 N/A

**RID** Not regulated

**ADR** Not regulated

**ADN** Not regulated

**15. REGULATORY INFORMATION**



**International Inventories**

TSCA Complies  
 DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory  
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name              | CAS No   | Weight-% | SARA 313 - Threshold Values % |
|----------------------------|----------|----------|-------------------------------|
| Pigment blue 15 - 147-14-8 | 147-14-8 | 3 - 7    | 1.0                           |
| Propan-2-ol - 67-63-0      | 67-63-0  | 1 - 5    | 1.0                           |

**SARA 311/312 Hazard Categories**

|                                   |     |
|-----------------------------------|-----|
| Acute Health Hazard               | Yes |
| Chronic Health Hazard             | No  |
| Fire Hazard                       | No  |
| Sudden release of pressure hazard | No  |
| Reactive Hazard                   | No  |

**CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name               | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|-----------------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Pigment blue 15<br>147-14-8 |                             | X                      |                           |                            |

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

**US State Regulations****California Proposition 65**

This product contains the following Proposition 65 chemicals. Ethyl alcohol is only a considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

| Chemical Name            | California Proposition 65   |
|--------------------------|-----------------------------|
| Ethanol - 64-17-5        | Carcinogen<br>Developmental |
| Carbon black - 1333-86-4 | Carcinogen                  |

**U.S. State Right-to-Know Regulations**

| Chemical Name                    | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|----------------------------------|------------|---------------|--------------|--------------|----------|
| Ethanol<br>64-17-5               |            | X             |              |              |          |
| 1-methoxypropan-2-ol<br>107-98-2 | X          | X             | X            |              |          |



|                             |   |   |   |   |   |
|-----------------------------|---|---|---|---|---|
| Propylene glycol<br>57-55-6 | X |   | X |   |   |
| Ci 74260<br>1328-53-6       |   |   | X | X |   |
| Carbon black<br>1333-86-4   | X | X | X |   | X |
| Pigment blue 15<br>147-14-8 |   |   | X | X |   |
| Propan-2-ol<br>67-63-0      | X | X | X | X |   |

**International Regulations**

**Mexico**

**National occupational exposure limits**

| Component                         | Carcinogen Status | Exposure Limits   |
|-----------------------------------|-------------------|---|
| Ethanol<br>64-17-5 (>100)         |                   | Mexico: TWA 1000 ppm<br>Mexico: TWA 1900 mg/m <sup>3</sup>  |
| Carbon black<br>1333-86-4 (3 - 7) |                   | Mexico: TWA 3.5 mg/m <sup>3</sup><br>Mexico: STEL 7 mg/m <sup>3</sup>   |
| Propan-2-ol<br>67-63-0 (1 - 5)    |                   | Mexico: TWA 400 ppm<br>Mexico: TWA 980 mg/m <sup>3</sup><br>Mexico: STEL 500 ppm<br>Mexico: STEL 1225 mg/m <sup>3</sup> |

Mexico - Occupational Exposure Limits - Carcinogens

**Canada**

**WHMIS Hazard Class**

Not determined

**16. OTHER INFORMATION**

|             |                         |                       |                          |  |
|-------------|-------------------------|-----------------------|--------------------------|--|
| <b>NFPA</b> | <b>Health Hazards</b> 1 | <b>Flammability</b> 0 | <b>Instability</b> 0     | <b>Physical and Chemical Hazards</b> - |
| <b>HMIS</b> | <b>Health Hazards</b> 2 | <b>Flammability</b> 0 | <b>Physical Hazard</b> 0 | <b>Personal Protection</b><br>X        |

**Prepared By** Product Stewardship  
23 British American Blvd.  
Latham, NY 12110  
1-800-572-6501

**Revision Date** 08-Sep-2015

**Revision Note** No information available

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**

