

(Inhalable fraction)

		MA	TERIAL	SAFETY DA	TA SHEET	Product Code:	3482B / R00-5015
SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING							
Product Name:	Canon Cartridge 324 II (for Laser Beam Printer)						
Product Code:	3482B / R00-5015						
Company Name:	Canon Inc.	Canon Inc.					
Address:	30-2, Shim	30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan					
Use of the Product:	Toner for e	electroph	otographic a	pparatus			
SECTION 2	HAZARDS	IDENTI	FICATION	[
EU Classification:	Not clas	sified as	dangerous.				
Emergency Overvie	ew: Black fin	ne powd	er, slight pla	stic odor.			
Potential Health Ef Inhalation:	·	-		use physical irri	tation to respira	tory tract	
Ingestion:			uust may ca	use physical inf	tation to respira	tory tract.	
	xicity. Inges	tion is a	minor route	of entry for inte	nded use of this	product.	
Eye: May cause tr							
Skin: May be non-	irritant.						
Chronic Effects: Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.							
Medical Conditions Generally known to be Aggravated by Exposure: Not determined							
SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS							
< Ingredient(s) > Chemical Name / Generic Name	CAS # / EC #	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Polyester resin	Confidential	45-55	None None	Not established	Not established	Not established	Not established
Ferrite	Confidential	40-50	None None	Not established	Not established	Not established	Not established
Amorphous silica	7631-86-9/	1-2	None None	20 mppcf,	Not established	Not established	4 mg/m^3

< Carcinogen >

No component of this toner is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) 1272/2008.

80 (mg/m³)/%SiO₂

< PBT substance and vPvB substance >

231-545-4

No component of this toner is a PBT or vPvB subtance under Regulation (EC)1907/2006.



SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

Skin:

Wash with soap and water. If irritation persists, obtain medical advice.

Note to Physicians:

None

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

CO2, water, dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

Can form explosive dust-air mixtures when finely dispersed in air.

Fire and Explosive Properties (See also SECTION 9):

Hazardous Combustion Products:

CO2, CO

Other Properties:

Not available

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid breathing dust.

Environmental Precautions:

Do not wash away into sewer.

Method for Cleaning Up:

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

SECTION 7 HANDLING AND STORAGE

Handling:

Avoid breathing dust.

Use with adequate ventilation.

Storage:

Keep out of the reach of children.

Keep away from oxidizing materials.

Specific Uses:

Toner for electrophotographic apparatus.

For more information, please refer to the instruction of this product.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

USA OSHA PEL (TWA):	15 mg/m ³ (Total dust), 5 mg/m ³ (Respirable fraction)
	10 mg/m ³ (Inhalable fraction), 3 mg/m ³ (Respirable fraction)
DFG MAK:	4 mg/m ³ (Inhalable fraction), 1.5 mg/m ³ (Respirable fraction)
(Also refer to SECTION 3)

Engineering Controls:

Use adequate ventilation.

Personal Protection Equipment(s):

Respiratory Protection:	
	Not Required
Eye/Face Protection:	Required
	Not Required
Skin Protection:	Required
	Not Required

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Black fine powder	
Odor:	Slight plastic odor	
pH:	Not applicable	
Boiling Point/Range(°C):	Not applicable	
Melting Point/Range(°C):	100-150 (Softening point)	
Decomposition Temperature(°C):	> 200	
Flash Point(°C):	Not applicable	
Flammable (Explosive) Limits:	Not applicable	
Autoignition Temperature(°C):	Not available	
Flammability:	Not-flammable (Test method: Directive 92/69/EEC, A10 Flammability (Solids))	
Explosive Properties:	Can form explosive dust-air mixtures when finely dispersed in air.	
Oxidizing Properties:	Not available	
Vapor Pressure:	Not applicable	
Vapor Density:	Not applicable	
Density / Specific Gravity:	1.4-1.8	
Water Solubility:	Negligible	
Fat Solubility:	Partially soluble in toluene and xylene.	
Partition Coefficient (n-Octanol/Water)	Not applicable	
Percent Volatile:	Negligible	
Evaporation Rate:	Not applicable	
Viscosity (mPa s):	Not applicable	

			Page 4 of 7
Canon		MSDS #:	TC1940-0102
	MATERIAL SAFETY DATA SHEET	Product Code:	3482B / R00-5015
SECTION 10 STABILITY A	ND REACTIVITY		
Stability:	⊠ Stable □ Unstable		
Conditions to Avoid:	None		
Materials to Avoid:	Strong oxidizers		
Hazardous Decomposition Produ	cts: <u>CO, CO2</u>		
Hazardous Polymerization:	☐ May Occur ⊠ Will Not Occur		
Conditions to Avoid:	None		
SECTION 11 TOXICOLOG	ICAL INFORMATION		
Acute Toxicity: Inhalation: Not available			
Ingestion: Estimate: Rat, LD50 > 2000	mg/kg (See SECTION 16)		
Eye:			
-	light conjunctival irritation only. (See SECTION 16	5)	
Skin: Estimate: Rabbit, non-irritar	nt (See SECTION 16)		
Sensitization: Estimate: skin: Non-sensitiz	ing (See SECTION 16)		
Mutagenicity:			
Ames Test (S. typhimurium	, E. coli): Negative		
Reproductive Toxicity: Not available			
Carcinogenicity: Not available			
Others:			
respirable-sized particles co is most relevant to potential	nary response upon chronic inhalation exposure in 1 mpared to commercial toner. No pulmonary change human exposure. A minimal to mild degree of fibro ild to moderate degree of fibrosis was observed in 9	was found at osis was noted	1 mg/m ³ which in 22% of the

mg/m^3 .

These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.



SECTION 12 ECOLOG	JICAL INFORMATION			
Mobility:	Not available			
Persistence / Degradability:	Not available			
Bioaccumulation:	Not available			
Ecotoxicity:	Estimate: Fish, 96h LL50 > 1000 mg/l (WAF) Estimate: Crustaceans, 48h EL50 > 1000 mg/l (WAF) Estimate: Algae, EbL50(72h), ErL50(0-72h) > 1000 mg/l (WAF) (See SECTION 16)			
Other Adverse Effects:	Not available			
SECTION 13 DISPOSA	AL CONSIDERATIONS			
container, unless dust-expl	er container into fire; heated toner may cause severe burns. DO NOT shred a toner losion preventing measures are taken. Finely dispersed particles form explosive hould be subject to federal, state and local laws.			

CECTION 14

SECTION 14	TRANSPORT INFORMATION
UN #:	2807
UN Shipping Name	:Magnetized material
UN Classification:	9
UN Packing Group	
Marine Pollutant:	☐ Yes Chemical name (wt%): ☑ No
Special Precaution	s:25 or more of these products shipped together, by air, are regulated as magnetized material.
SECTION 15	REGULATORY INFORMATION
< EU Information :	>
Information on th	
Symbol & Indi	cation: Not required
R-Phrase: Not required	
S-Phrase: Not required	
Dangerous Con Not required	nponent(s):
Special Precaut Not required	ions under 1999/45/EC Annex V:
-	s in Relation to Protection of Man or the Environment: 006 Annex XVII (Restrictions): Not regulated
(EC) No 1005/2	Not regulated
(EC) No 689/20	
	Not regulated
Others:	None

< USA Information >		
Information on the Label under O	SHA:	
Signal Word: Not required		
Hazard warning: Not required		
Safety Advice: Not required		
Hazardous Component(s): Not required		
SARA Title III §313:		
Chemical Name		Weight %
None		_
California Proposition 65:		
Chemical Name		Weight %
None		_
< Canada Information >		
WHMIS Controlled Product:	Not applicable (Manufactured article)	
< Australia Information > Statement of Hazardous Nature:	Not classified as hazardous according to criteria o	f NOHSC.
	k	

SECTION 16 OTHER INFORMATION

Estimate: Estimate based on test data on similar toner/developer/drum and/or the raw materials of this product.

Literature References:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens

- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans

- DFG, List of MAK and BAT Values
- EU Directive (EC) No 1907/2006 Annex XVII (Restrictions), 1999/45/EC
- EU Regulation (EC) No 1005/2009, (EC) No 689/2008, (EC) No 1907/2006, (EC) No 1272/2008
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008]

Canon

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA).

ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average.

STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System.

NOHSC: National Occupational Health and Safety Commission.

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.