Product Name: RICOH TONER TYPE 3110D BLACK (Black toner) SDS Number:



888181

Date Prepared: 12/02/2002 Date Modified: 07/10/2017 Date Printed:

05/03/2018

Safety Data Sheet

Section1: Chemical Product and Company Identification

(a) Product identifier used on the label

Product Name : RICOH TONER TYPE 3110D BLACK (Black toner)

(b) Other means of identification

SDS Number : 888181

(c) Recommended use of the chemical and restrictions on use

General Use : The Image Formation of Printing Machine or Copier

(d) Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company Name : Ricoh USA, Inc.

Department : Environmental Sustainability and Product Compliance

Address : 5 Dedrick Place West Caldwell, NJ 07006 USA

(e) Emergency phone number.

Telephone Number : 1-973-882-2000 or 1-973-882-5218 (For product information) or

1-800-336-6737 (for emergencies)

Telefax Number : 1-973-882-3959

E-mail : environmentinfo@ricoh-usa.com

Section2: Hazards Identification

Classification

	EXPLOSIVES	Classification not possible
	FLAMMABLE GASES	Not Applicable
	FLAMMABLE AEROSOLS	Not Applicable
	OXIDIZING GASES	Not Applicable
	GASES UNDER PRESSURE	Not Applicable
	FLAMMABLE LIQUIDS	Not Applicable
	FLAMMABLE SOLIDS	Classification not possible
	SELF-REACTIVE SUBSTANCES AND	Not Applicable
	MIXTURES	
PHYSICAL HAZARD(S)	PYROPHORIC LIQUIDS	Not Applicable
i i i siene i ine i i i i i i i i i i i i i i i	PYROPHORIC SOLIDS	Classification not possible
	SELF-HEATING SUBSTANCES AND	Classification not possible
	MIXTURES	Classification flot possible
	SUBSTANCES AND MIXTURES,	
	WHICH ON CONTACT WITH WATER,	Classification not possible
	EMIT FLAMMABLE GASES	
	OXIDIZING LIQUIDS	Not Applicable
	OXIDIZING SOLIDS	Classification not possible
	ORGANIC PEROXIDES	Classification not possible
	CORROSIVE TO METALS	Classification not possible
	ACUTE TOXICITY(ORAL)	Not Classified
	ACUTE TOXICITY(DERMAL)	Classification not possible
	ACUTE TOXICITY	Not Applicable
	(INHALATION - GAS)	нос Аррисаые
	ACUTE TOXICITY	Not Applicable
	(INHALATION - VAPOUR)	нос Аррисаые
	ACUTE TOXICITY	Classification not possible
	(INHALATION - DUST AND MIST)	
	SKIN CORROSION/IRRITATION	Not Classified
	SERIOUS EYE DAMAGE/EYE	Classification not possible
	IRRITATION	classification flot possible
HEALTH HAZARD(S)	RESPIRATORY SENSITIZER	Classification not possible

Ī	<u> </u>	+	
	SKIN SENSITIZER	Not Classified	
	GERM CELL MUTAGENICITY	Classification not possible	
	CARCINOGENICITY	Classification not possible	
	TOXIC TO REPRODUCTION	Classification not possible	
	TARGET ORGAN SYSTEMIC		
	TOXICITY FOLLOWING SINGLE	Classification not possible	
	EXPOSURE		
	TARGET ORGAN SYSTEMIC		
	TOXICITY FOLLOWING REPEAT	Classification not possible	
	EXPOSURE		
	ASPIRATION HAZARD	Classification not possible	
ENVIRONMENTSL HAZARD(S)	ACUTE HAZARDS TO	Classification not possible	
	THE AQUATIC ENVIRONMENT	Classification not possible	
	CHRONIC HAZARDS TO	Classification not possible	
	THE AQUATIC ENVIRONMENT	Classification flot possible	
	HAZARDOUS TO THE OZONE LAYER	Classification not possible	

Label element

Pictogram:	
Signal word(s):	Not applicable
Hazard statement(s):	Not applicable
Precautionary	Not applicable
statement(s)	
[Prevention]	
[Response]	Not applicable
[Storage]	Not applicable
[Disposal]	Not applicable

Specific Hazards

Dust explosion (like most finely grained organic powders)

Section3: Composition, Information on Ingredients

Ingredients	Contents
CAS No./Chemical name	(%)
Confidential	>80
Polyester Resin	
1333-86-4	<20
Carbon Black	
7631-86-9	<5
Silica	

Section4: First Aid Measures

(a) Necessary measures

Inhalation:

Remove from exposure into fresh air and rinse mouth with water. Seek medical advice.

Skin Contact:

Wash thoroughly with soapy water.

Eye Contact:

Flush with a large amount of water until particles are removed. Seek medical advice.

Ingestion:

Drink several glasses of water to dilute ingested toner. Seek medical advice.

(b) Most important symptoms/effects, acute and delayed.

Not available

(c) Indication of immediate medical attention and special treatment needed.

SDS:RICOH TONER TYPE 3110D BLACK (Black toner)		
Immediate edical Attention :		
Immediate medical attention is not required.		

Section5: Fire Fighting Measures

(a) Suitable (and unsuitable) extinguishing media.

Extinguishing Media to Avoid:

Not applicable.

(b) Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products).

Specific Hazards:

Can form explosive dust-air mixtures when finely dispersed in air.

(c) Special protective equipment and precautions for fire-fighters.

Fire-Fighting Instructions / Specific Method :

No special fire protecting method is required. Sprinkling or fire extinguishers can be used.

Protection of Firefighters:

Wear gloves, glasses, a mask if necessary.

Section6: Accidental Release Measures

(a) Personal precautions, protective equipment, and emergency procedures.

Personal Precautions:

Do not breathe in dust.

Environment Precautions:

Do not flush into sewers or watercourses.

(b) Methods and materials for containment and cleaning up.

Methods for Cleaning Up:

Fine powder may form explosive dust-air mixture. Confirm there is no source of fire and if there is a source, remove it. Sweep up spilled powder slowly and clean reminder with wet cloth. If a vacuum cleaner is used, a dust explosion-proof type must be chosen.

Section7: Handling and Storage

(a) Precautions for safe handling.

Handling:

Technical Measures/Precautions

Not applicable

Safe Handling Advice

Do not handle in areas where there is wind or draught, this may cause dust to get into eyes. Avoid breathing in dust.

(b) Conditions for safe storage, including any incompatibilities.

Storage:

Technical Measures

Not applicable

Storage Conditions

Keep out of reach of children.

Store in dry, well-ventilated area, to maintain quality the temperature should not exceed 35degrees centigrade for a long time. Avoid direct sunlight.

Packaging material

Not applicable

Specific Use(s):

Image formation in printing machines or copiers.

Section8: Exposure Controls/Personal Protection

(a) OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit

Control Parameters

Exposure Limit Value (I)

USA OSHA PEL (TWA): 15mg/m3 (Total dust) 5.0mg/m3 (Respirable fraction)

ACGIH TLV (TWA) : 10mg/m3 (Inhalable fraction) 3.0mg/m3 (Respirable fraction)

DFG MAK : 4.0mg/m3 (Total dust) 1.5mg/m3 (Respirable fraction)

Personal Protection

(b) Appropriate engineering controls.

Technical measures:

Use adequate ventilation. None required with intended use.

(c) Individual protection measures, such as personal protective equipment.

Respiratory Protections (Specify Type)

None required in normal use. If the limit of exposure concentration is exceeded, use authorised respirator.

Eye Protection

Put on goggles if necessary.

Protective Gloves

Use vinyl or rubber gloves if necessary.

Protective Clothing or Equipment

Wear chemical-resistant apron or other impervious clothing if necessary.

Hygiene Measures

Wash hands after handling.

Section9: Physical and Chemical Properties

(a) Appearance (physical state, color, etc.)

Physical state : Solid

Form : Powder

Colour : Black

(b)Odor : Slightly plastic odor

(c)Odor threshold : Not available

(d)pH : Not applicable

(e)Melting point/freezing point : (Softening point) Approx.110

(degrees centigrade)

(f)Initial boiling point and boiling : Not applicable

range

(g)Flash point : Not applicable

(h)Evaporation Rate (Butyl Acetate = 1): Not applicable

(i)Flammability (solid, gas) : Not flammable

(j)Upper/lower flammability or explosive : Upper Not available Lower Not available

limits

(k) Vapor Pressure (Pa) : Not applicable

(I)Vapor Density (AIR=1) : Not applicable

(m)Relative density : Approx. 1.2

(n)Solubility(ies)

Water Solubility (g/L) Insoluble

Chloroform Solubility (g/L) Slightly soluble

(o)Partition coefficient: n-octanol/water : Not available

(p)Auto-ignition temperature : Not available

(q)Decomposition : Not available

temperature

(degrees centigrade)

(r)Viscosity (Pa • s) : Not applicable

Section 10: Stability and Reactivity

(a)Reactivity

Hazardous Reaction:

Dust explosion, like most finely grained organic powders.

(b)Chemical stability:

Stable

(c)Possibility of hazardous reactions:

Not available

Not available

Acute Skin Irritation(PII):

Local effects

1.0 or below (Rabbit) (PII=0.13)

Acute Eye Irritation:

Not available (Ingredients are not classified as dangerous according to Regulation (EC) No 1272/2008.)

Sensitization

Acute Allergenic Effects:

0 % (Marmot)

Mutagenicity : Negative (Ames test)

Reproduction Toxicity: Does not contain substances listed as hazardous to reproductive health.

Teratogenic : Not available

(d)Numerical measures of toxicity (such as acute toxicity estimates)

Not available

(e)Whether the hazardous chemical is listed in the National Toxicology Program (NTP)

Report on Carcinogens (latest edition) or has been found to be a potential carcinogen

in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA.

Carbon black contained in this product is classified to Group 2B of IARC as the result of inhalation test in use of rat.

But oral/skin test does not show carcinogenicity.

The toner containing carbon black did not show carcinogenicity in chronic inhalation exposure test in use of rat.

Section12: Ecological Information

Mobility : No data are available on any adverse effects on the environment.

Persistence/Degradability: Not available

Bioaccumulation : Not available

Ecotoxicity

Acute Toxicity for Fish (LC50) : Not classified as toxic (Regulation (EC) No 1272/2008).mg/l/96hr

Acute Toxicity for Daphnia (EC50) : Not classified as toxic (Regulation (EC) No 1272/2008).mg/l/48hr

Algae Inhibition Test (IC50) : Not classified as toxic (Regulation (EC) No 1272/2008).mg/l/72hr

Section13: Disposal Consideration

General information:

Dispose of waste and residues in accordance with local authority requirements.

Disposal methods:

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations.

Precautions

Do not throw the toner cartridge or toner into an open flame. Hot toner may scatter and cause burns or other damage.

Section14: Transport Information

International Regulations

Land Transport

RID/ADR : Not applicable

DOT 49 CFR : Not applicable

ADNR : Not applicable

Sea Transport

SDS:RICOH TONER TYPE 3110D BL	ACK (Black toner)	
IMDG Code	: Not applicable	
Air Transport		
ICAO-TI/IATA-DGR	: Not applicable	
UN Number	: Not applicable	
Class	: Not applicable	
Specific Precautionary Trar	asport Measures and Conditions	
Avoid direct sunlight i	n quality.	
	Section15 : Regulatory Information	
Regulations		
gama.e		
US Information		
Information on the I	abel:	
Not required		
TSCA (Toxic Substar	ces Control Act):	
This toner compli	es with all applicable rules and regulations under TSCA.	
SARA (Superfund Amendments and Reauthorization Act) Title III		
313 Reportable Ingredients :		
Not regulated		
California Propositio	n 65	
Not regulated		

 $https://www2.notes.ricoh.co.jp/...sds.nsf/MSDSSearchforName_RAC/F4418530B2D9FF42492582030012280E?OpenDocument \cite{Soliton} 2/2/2018 3:41:25 PM\cite{Soliton} 2/2/2018 3:41:2$

Canada Information

SDS:RICOH TONER TYPE 3110D BLACK (Black toner)

WHMIS Controlled product:

Not a controlled product

EU Information

Information on the label (EU Regulation (EC)No. 1272/2008)

Symbol & Indication : Not required Hazard Statement : Not required

Precautionary statement: Not required

Special Precautions under EU Regulation 1272/2008 Annex II:

Not required

This product complies with applicable rules and regulations under 76/769/EEC

Section 16: Other Information

Explanation of Hazardous Materials Identification System [HMIS]& National Fire Protection Association [NFPA] Hazard Rating Systems:

Both the HMIS and NFPA systems use number from "0" to "4" to show the degree of hazard in an uncontrolled situation:

0=Minimum Hazard 1=Slight Hazard 2=Moderate Hazard 3=Serious Hazard 4=Severe Hazard Colors may also be used in both systems:

Blue=Health Hazard Red=Fire Hazard Yellow=Reactivity Hazard White=Indicate a special hazard HMIS will specify any Personal Protective Equipment reqired [PPE],

NFPA will specify OX(oxidizer), Acid(acid), ALK(Alkali), COR(Corrosive), W(use no water), xx(Radioactive).

Literature References:

ANSI Z400.1-1993

ISO 11014-1

Commission Directive 91/155/EEC

IARC (1996) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.65, Printing Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon, pp149-261

H.Muhle, B.Bellman, O.Creutzenberg, C.Dasenbrock, H.Emst, R.Kilpper, J.C.MacKenzie, P.Morrow, U.Mohr, S.Takenaka and R.Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats" Fundamental and Applied Toxicology 17,pp280-299

IARC (2008) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.93"

NIOSH CURRENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for Occupational Exposure to Titanium Dioxide DRAFT"

ACGIH-TLV : Threshold Limit Values for Chemical Substances and Physical Agents and

Biological Exposure Indices

OSHA Z-Tables : US Department of Labor, 29CFR Part 1910, Tables Z-1, Z-2, and Z-3

NTP (USA) : US Department of Health and Human Services National Toxicology

Program Annual Report on Carcinogens

DFG-MAK (GER): DFG List of MAK and BAT Value

Symbol (EC) : Regulation (EC)No.1272/2008

91/155/ EEC : EU Directive 91/155/ EEC

1999/45/EC : EU Directive 1999/45/EC

CLP (EC)No.1272/2008 : Regulation (EC)No.1272/2008 of the European Parliamant and of the

Council of 16 December 2008 on classification, labelling and packaging of

substances and mixtures, amending and repealing Directive 67/548/EEC and

1999/45/EC, and amending Regulation (EC)No. 1907/2006

EC 304/2003 : Regulation (EC) No 304/2003 of the European Parliament and of the Council

of 28 January 2003 concerning the export and import of dangerous

chemicals

WHMIS Controlled : Canada Workplace Hazardous Information System

product

OELs-TWA (Australia) : Guidance Note on the Interpretation of Exposure Standards for

Atmospheric Contaminants in the Occupational Environment [NOHSC: 3008

(1995)]

Abbreviations:

OSHA PEL PEL (Permissible Exposure Limit) under Occupational Safety and Health Act

ACGIH-TLV TLV (Threshold Limit Values) under American Conference of Governmental Industrial

Hygienists

REACH EC)No.1907/2006:Council Regulation concerning the Registration, Evaluation, Authorization

and Restriction of Chemicals

SVHC Substances of Very High Concern ECHA The European Chemicals Agency

DFG-MAK MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft

RoHS Restriction of the use of certain Hazardous Substances in Electrical and Electronic

Equipment

TWA Time Weighted Average

IARC International Agency for Research on Cancer

NTP National Toxicology Program

WHMIS Workplace Hazardous Information System

NOHSC National Occupational Health and Safety Commission Act 1985

Disclaimer(S):

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Ricoh USA, Inc.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Ricoh USA, Inc assumes no legal responsibility for use or reliance upon this information.