

# SAFETY DATA SHEET

HCS-2012 APPENDIX D TO §1910.1200

Version 1

Product Name 【TLp032CC】 Lithium ion battery

Issue Date 12-May-2015

Revision date 12-May-2015

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### Product identifier

Product Name 【TLp032CC】 Lithium ion battery  
Chemical Name Lithium ion Battery

### Other means of identification

Product Code TLp032CC  
Voltage: 3.7V;Watt-hour: 11.988WH;

### Recommended use of the chemical and restrictions on use

Recommended Use Power supply  
Uses advised against No information available

### Details of the supplier of the safety data sheet

Supplier Huizhou TCL Hyperpower Batteries Inc  
Address No.3,Hechang Dongliu Rd.,Huitai Industrial Zone,Huicheng District,Huizhou City,Guangdong Province,China  
Postal Code 516006  
Phone +86-752-2365544  
FAX +86-752-2367644  
E-mail wuxf@tcl.com

### Emergency telephone number

+86-752-2365544

## 2. HAZARDS IDENTIFICATION

### GHS Classification

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

### Label elements

Symbols/Pictograms None  
Signal word None  
Hazard Statements None  
Precautionary Statements  
Prevention None  
Response None  
Storage None  
Disposal None

### Hazards not otherwise classified (HNOC)

No information available

### Unknown acute toxicity

.?% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Chemical nature

Mixture

Chemical Name	CAS No	Weight-%
---------------	--------	----------

Lithium Cobalt Oxide (CoLiO <sub>2</sub> )	12190-79-3	40.60
Graphite	7782-42-5	16.80
Phosphate(1-), hexafluoro-, lithium	21324-40-3	10.60
Copper	7440-50-8	9.80
Aluminum	7429-90-5	9.57
Polypropylene	9003-07-0	8.40
Carbon black	1333-86-4	1.06
Epoxy resin	38891-59-7	1.05
Nickel	7440-02-0	0.54
Styrene-Butadiene polymer	9003-55-8	0.61
1,1-Difluoroethylene polymer	24937-79-9	0.61
Sodium carboxymethyl cellulose	9004-32-4	0.23
Polyethylene	9002-88-4	0.065
1,4-Benzenedicarboxylic acid, polymer with [1,1'-biphenyl]-4,4'-diol, 1,2-ethanediol and 4-hydroxybenzoic acid	124417-30-7	0.065

#### 4. FIRST AID MEASURES

##### Description of first aid measures

General advice	Remove contaminated clothing and shoes. If symptoms persist, call a physician.
Inhalation	Not an expected route of exposure. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin Contact	Wash hands thoroughly after handling. .
Eye contact	Not an expected route of exposure. .
Ingestion	Rinse mouth Get medical attention Never give anything by mouth to an unconscious person

##### Most important symptoms and effects, both acute and delayed

No information available.

##### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

##### Extinguishing media

Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	No information available.

##### Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors

##### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

##### Personal precautions, protective equipment and emergency procedures

- Evacuate personnel to safe areas
- Ensure adequate ventilation, especially in confined areas
- Remove all sources of ignition
- Use personal protection recommended in Section 8

##### Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so  
 Pick up and transfer to properly labeled containers

Avoid release to the environment

**7. HANDLING AND STORAGE**

**Precautions for safe handling**

- Handle in accordance with good industrial hygiene and safety practice
- Ensure adequate ventilation, especially in confined areas
- Avoid creating dust
- Avoid contact with eyes
- Wash thoroughly after handling
- Use personal protection recommended in Section 8

**Conditions for safe storage, including any incompatibilities**

- Keep containers tightly closed in a dry, cool and well-ventilated place
- Keep away from heat

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control parameters**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	Denmark	European Union
Lithium Cobalt Oxide (CoLiO <sub>2</sub> ) (CAS #: 12190-79-3)	TWA: 0.02 mg/m <sup>3</sup> Co	-	-	TWA: 0.01 mg/m <sup>3</sup>	-
Graphite (CAS #: 7782-42-5)	TWA: 2 mg/m <sup>3</sup> respirable fraction all forms except graphite fibers	-	-	TWA: 2.5 mg/m <sup>3</sup>	-
Aluminum (CAS #: 7429-90-5)	TWA: 1 mg/m <sup>3</sup> respirable fraction	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 5 mg/m <sup>3</sup> Al Aluminum	TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust TWA: 5 mg/m <sup>3</sup> Al	TWA: 5 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup>	-
Phosphate(1-), hexafluoro-, lithium (CAS #: 21324-40-3)	TWA: 2.5 mg/m <sup>3</sup> F	-	-	TWA: 2.5 mg/m <sup>3</sup>	-
Copper (CAS #: 7440-50-8)	TWA: 0.2 mg/m <sup>3</sup> fume TWA: 1 mg/m <sup>3</sup> Cu dust and mist	-	-	TWA: 1.0 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>	-
Nickel (CAS #: 7440-02-0)	TWA: 1.5 mg/m <sup>3</sup> inhalable fraction	TWA: 1 mg/m <sup>3</sup> (vacated) TWA: 1 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> IDLH: 10 mg/m <sup>3</sup> Ni TWA: 0.015 mg/m <sup>3</sup> TWA: 0.015 mg/m <sup>3</sup> except Nickel carbonyl Ni	TWA: 0.05 mg/m <sup>3</sup>	-
Carbon black (CAS #: 1333-86-4)	TWA: 3 mg/m <sup>3</sup> inhalable fraction	-	-	TWA: 3.5 mg/m <sup>3</sup>	-

Chemical Name	Latvia	France	Finland	Germany	Italy
Aluminum (CAS #: 7429-90-5)	TWA: 2 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	TWA: 1.5 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup> TWA: 1.5 mg/m <sup>3</sup>	-
Nickel (CAS #: 7440-02-0)	TWA: 0.05 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>	Skin	-

Chemical Name	Poland	Portugal	Spain	Switzerland	Netherlands
Aluminum (CAS #: 7429-90-5)	TWA: 2.5 mg/m <sup>3</sup> TWA: 1.2 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>

Nickel (CAS #: 7440-02-0)	TWA: 0.25 mg/m <sup>3</sup>	TWA: 1.5 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	-
---------------------------	-----------------------------	----------------------------	--------------------------	----------------------------	---

Chemical Name	Norway	United Kingdom	Australia	Austria	Belgium
Lithium Cobalt Oxide (CoLiO <sub>2</sub> ) (CAS #: 12190-79-3)	-	-	-	Skin	-
Graphite (CAS #: 7782-42-5)	-	-	3 mg/m <sup>3</sup>	STEL 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	-
Aluminum (CAS #: 7429-90-5)	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>	STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup>	10 mg/m <sup>3</sup> 5 mg/m <sup>3</sup>	STEL 20 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>	-
Phosphate(1-), hexafluoro-, lithium (CAS #: 21324-40-3)	-	-	2.5 mg/m <sup>3</sup>	-	-
Copper (CAS #: 7440-50-8)	-	-	1 mg/m <sup>3</sup> 0.2 mg/m <sup>3</sup>	STEL 4 mg/m <sup>3</sup> STEL 0.4 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>	-
Nickel (CAS #: 7440-02-0)	TWA: 0.05 mg/m <sup>3</sup> STEL: 0.15 mg/m <sup>3</sup>	STEL: 1.5 mg/m <sup>3</sup> TWA: 0.5 mg/m <sup>3</sup>	1 mg/m <sup>3</sup>	-	-
Carbon black (CAS #: 1333-86-4)	-	-	3 mg/m <sup>3</sup>	-	-

### Appropriate engineering controls

Showers  
Eyewash stations  
Ventilation systems

### Individual protection measures, such as personal protective equipment

Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
Hand Protection	Wear protective gloves.
Eye/face protection	No special technical protective measures are necessary.
Skin and body protection	Wear suitable protective clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Appearance	Solid
Color	silver
Odor	Odorless
Odor Threshold	Not determined
pH	Not determined
Melting point/freezing point	Not determined
Boiling point / boiling range	Not determined
Flash point	Not applicable
Evaporation rate	Not determined
Flammability (solid, gas)	Not determined
Flammability Limit in Air	Not determined
Vapor Pressure	Not applicable
Vapor density	Not determined
Density	Not determined
Relative density	Not determined
Bulk density	Not determined
Specific gravity	Not determined
Water solubility	Not determined
Partition coefficient (LogPow)	Not determined
Autoignition temperature	Not determined

<b>Decomposition temperature</b>	Not determined
<b>Kinematic viscosity</b>	Not determined
<b>Dynamic viscosity</b>	Not determined
<b>Explosive properties</b>	Not an explosive
<b>Oxidizing properties</b>	Not determined

**Other information**

No information available

**10. STABILITY AND REACTIVITY****Reactivity**

Stable under recommended storage and handling conditions (see SECTION 7, handling and storage).

**Chemical stability**

Stable under normal conditions

**Possibility of Hazardous Reactions**

None under normal processing

**Conditions to avoid**

Strong heating. Incompatible materials

**Incompatible materials**

Strong acids Strong bases Strong oxidizing agents

**Hazardous Decomposition Products**

None known based on information supplied

**11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation	Inhalation of vapors in high concentration may cause irritation of respiratory system
Eye contact	Contact with eyes may cause irritation
Skin Contact	Substance may cause slight skin irritation Ingestion may cause irritation to mucous membranes

**Information on toxicological effects****Acute toxicity**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Aluminum (CAS #: 7429-90-5)	LD50> 15900 mg/kg bw(rat)	-	LC50> 0.888 mg/L/4 h(rat)
Copper (CAS #: 7440-50-8)	> 2500 mg/kg bw(rat)	> 2000 mg/kg bw(rat)	=1.03 mg/L/4 h(rat)
Polypropylene (CAS #: 9003-07-0)	>5 g/kg	-	-
Nickel (CAS #: 7440-02-0)	> 9000 mg/kg ( Rat )	-	-

**Skin corrosion/irritation**

Non-irritating to the skin

**Serious eye damage/eye irritation**

No eye irritation

**Sensitization**

No information available

**Germ cell mutagenicity**

No information available

**Carcinogenicity**

The table below indicates whether each agency has listed any ingredient as a carcinogen

Chemical Name	ACGIH	IARC	NTP	OSHA
Lithium Cobalt Oxide (CoLiO <sub>2</sub> ) (CAS #: 12190-79-3)	A3	-	-	-
Nickel (CAS #: 7440-02-0)	-	Group 2B	Known Reasonably Anticipated	X
Carbon black (CAS #: 1333-86-4)	A3	-	-	-

**Reproductive toxicity**

No information available

**STOT - single exposure**

No information available

**STOT - repeated exposure**

No information available

**Aspiration hazard**

No information available

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

Chemical Name	Algae/aquatic plants EC50	Fish LC50	Crustacea EC50
Lithium Cobalt Oxide (CoLiO <sub>2</sub> ) (CAS #: 12190-79-3)	-	275 mg/L/96h (Fundulus heteroclitus)	-
Aluminum (CAS #: 7429-90-5)	-	> 50 mg/L/96h	-
Copper (CAS #: 7440-50-8)	0.031 - 0.054 mg/L/96h Pseudokirchneriella subcapitata static 0.0426 - 0.0535 mg/L/72h Pseudokirchneriella subcapitata static	-	-
Nickel (CAS #: 7440-02-0)	0.18 mg/L/72h Pseudokirchneriella subcapitata 0.174 - 0.311 mg/L/96h Pseudokirchneriella subcapitata static	100 mg/L/96h Brachydanio rerio 1.3 mg/L/96h Cyprinus carpio semi-static 10.4 mg/L/96h Cyprinus carpio static	100 mg/L/48h Daphnia magna 1 mg/L/48h Daphnia magna Static

**Persistence and degradability**

No information available

**Bioaccumulative potential**

No information available

**Mobility in soil**

No information available

**Other adverse effects**

No information available

**13. DISPOSAL CONSIDERATIONS**

**Waste treatment methods**

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and regulations  
 Contaminated packaging Dispose of in accordance with federal, state and local regulations

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Nickel 7440-02-0	-	Included in waste streams: F006, F039	-	-
Chemical Name		California Hazardous Waste Status		
Lithium Cobalt Oxide (CoLiO2) 12190-79-3		Toxic		
Aluminum 7429-90-5		Ignitable powder		
Copper 7440-50-8		Toxic		
Nickel 7440-02-0		Toxic powder Ignitable powder		

**14. TRANSPORT INFORMATION**

US DOT, The batteries are not subject to the requirements of the Department of Transportation (DOT) subchapter C, Hazardous Material Regulations since each battery meets the exceptions under 173.185 (b). The batteries are exempted from the US DOT regulations as long as they are separated to prevent short circuits and packed in strong packing for conditions normally encountered in transportation.

ICAO and IATA, IMDG all batteries are regulated as Hazardous Material by the International Civil Aviation Organization (ICAO), the International Air Transport Association (IATA) and International Maritime Dangerous Goods Regulations (IMDG). The only DOT requirement for shipping these batteries is special provision 130 which states: "Batteries, dry are not subject. They must be transported according to Section 38.3 of the Fifth Revised of the Recommendations on the transport of Dangerous Goods and Drop test of Section II of Packing Instructions 968~970 of 56th DGR Manual of IATA .

The battery has passed the test UN38.3.

**DOT / IMDG / IATA**

<b>UN/ID No.</b>	Not regulated
<b>Proper shipping name</b>	Not regulated
<b>Hazard Class</b>	Not regulated
<b>Packing Group</b>	Not regulated
<b>Special precautions</b>	No information available
<b>Marine pollutant</b>	Not applicable

**15. REGULATORY INFORMATION**

**International Inventories**

Component	AICS	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	TSCA
Lithium Cobalt Oxide (CoLiO2) 12190-79-3 ( 15 - 40 )	X	X	X	X	X	X	-	X
Graphite 7782-42-5 ( 10 - 30 )	X	X	X	-	X	X	X	X
Aluminum 7429-90-5 ( 10 - 30 )	X	X	X	-	X	X	X	X
Phosphate(1-), hexafluoro-, lithium 21324-40-3 ( 7 - 13 )	X	X	X	X	X	X	X	X
Copper 7440-50-8 ( 7 - 13 )	X	X	X	-	X	X	X	X
Polypropylene 9003-07-0 ( 3 - 7 )	X	X	-	X	X	X	X	X
Nickel 7440-02-0 ( 1 - 5 )	X	X	X	-	X	X	X	X
Polyethylene 9002-88-4 ( 1 - 5 )	X	X	-	X	X	X	X	X
1,4-Benzenedicarboxylic acid, polymer with [1,1'-biphenyl]-4,4'-diol, 1,2-ethanediol and 4-hydroxybenzoic acid 124417-30-7 ( 1 - 5 )	-	-	-	-	X	-	-	-
Styrene-Butadiene polymer 9003-55-8 ( 0.1 - 1 )	X	X	-	X	X	X	X	X
Carbon black 1333-86-4 ( 0.1 - 1 )	X	X	X	X	X	X	X	X
1,1-Difluoroethylene polymer 24937-79-9 ( 0.1 - 1 )	X	X	-	X	X	X	X	X



Sodium carboxymethyl cellulose 9004-32-4 ( 0.1 - 1 )	X	X	-	X	X	X	X	X
--	---	---	---	---	---	---	---	---

"-" Not Listed

"X" Listed

**US Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Aluminum - 7429-90-5	1.0
Nickel - 7440-02-0	0.1

**SARA 311/312 Hazard Categories**

Does not apply

**CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Copper 7440-50-8	-	X	X	-
Nickel 7440-02-0	-	X	X	-

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Nickel 7440-02-0	100 lb	-	RQ 100 lb final RQ RQ 45.4 kg final RQ

**US State Regulations**

**California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Nickel - 7440-02-0	Carcinogen
Carbon black - 1333-86-4	Carcinogen

**U.S. State Right-to-Know Regulations**

This product may contain substances regulated by state right-to-know regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Aluminum 7429-90-5	X	X	X
Nickel 7440-02-0	X	X	X

**16. OTHER INFORMATION**

**Revision Note**

Issue Date	12-May-2015
Revision date	12-May-2015
Revision Note	Not applicable

**Key or legend to abbreviations and acronyms used in the safety data sheet**

**TWA** - TWA (time-weighted average)

**STEL** - STEL (Short Term Exposure Limit)

**Ceiling** - Maximum limit value

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

----- End of Safety Data Sheet -----