

SAFETY DATA SHEET

Date Issued: 1-10-2022

SECTION 1. PRODUCT/COMPANY IDENTIFICATION

Product Name Brand Product Number	Instant Hand Sanitizer with Moisturizers Perk™ PK55489, PK55491
Recommended Use Uses advised against	Hand Sanitizer Uses other than those identified on the product label are not recommended.
Supplier Name Supplier Address	WorkLife Brands, LLC. 500 Staples Drive Framingham, MA 01702, USA
Supplier Phone Number SDS Internet Address:	800-270-9151 http://sds.staples.com
Emergency telephone number:	888-322-0912

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	: Category 3
Eye irritation	: Category 2A
GHS label elements Hazard pictograms	
Signal word	: Warning

Version 1.0	SDS Number: 40000000690
Hazard statements	: H226 Flammable liquid and vapour. H319 Causes serious eye irritation.
Precautionary statements	 Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P280 Wear eye protection/ face protection. Response: P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ attention. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. Storage: P403 + P235 Store in a well-ventilated place. Keep cool. Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (%)
Ethyl Alcohol	64-17-5	>= 50 - < 70
Isopropyl Alcohol	67-63-0	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice. 	
If inhaled	: If inhaled, remove to fresh air. If symptoms persist, call a physician.	
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if irritation develops and persists.	
In case of eye contact	 In case of contact, immediately flush eyes with plenty of wate for at least 15 minutes. If easy to do, remove contact lens, if worn. 	r

Version 1.0	SDS Number: 40000000690
	Seek medical advice.
If swallowed	: If swallowed, DO NOT induce vomiting. Rinse mouth with water. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	: Causes serious eye irritation.
Protection of first-aiders	: First Aid responders should pay attention to self-protection and use the recommended protective clothing

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.	
Unsuitable extinguishing media	:	High volume water jet	
Specific hazards during firefighting	:	Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. May form explosive mixtures in air. Carbon oxides	
Hazardous combustion products	:	Carbon oxides	
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.	
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.	
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	 Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Material can create slippery conditions.
Environmental precautions	: Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Version 1.0	SDS Number: 40000000690
	Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	 Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapours/mists with a water spray jet. Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly while observing environmental regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 For personal protection see section 8. Keep away from heat. Use with local exhaust ventilation. Avoid contact with eyes.
Conditions for safe storage	 Take measures to prevent the build up of electrostatic charge. Keep in properly labelled containers. Keep containers tightly closed in a dry, cool and well- ventilated place. Store in accordance with the particular national regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

		-		
Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Isopropyl Alcohol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1

Components with workplace control parameters

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Isopropyl Alcohol	67-63-0	Acetone	Urine	End of shift at end of workweek	40 mg/l	ACGIH BEI

SDS Number: 40000000690

Personal protective equipme	nt
Respiratory protection	: No personal respiratory protective equipment normally required.
Hand protection Remarks	: No special protective equipment required.
Eye protection	: Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	: No special measures necessary provided product is used correctly.
Protective measures	 Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Ensure that eye flushing systems and safety showers are located close to the working place.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	clear, light green
Odour	:	pleasant, alcohol-like
Odour Threshold	:	No data available
рН	:	6.5 - 8.5, (20 °C)
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	76.00 °C
Flash point	:	24.00 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available

SDS Number: 40000000690

Relative vapour density	: No data available
Density	: 0.8743 g/cm3
Solubility(ies) Water solubility	: soluble
Partition coefficient: n- octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Thermal decomposition	: The substance or mixture is not classified self-reactive.
Viscosity Viscosity, kinematic	: 3500 - 23000 mm2/s (20 °C)
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	 Strong oxidizing agents Flammable solids Self-reactive substances and mixtures Water-reactive substances
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure Inhalation Eye contact

Skin contact

Acute toxicity

Not classified based on available information.

Components: **Ethyl Alcohol:**

Version 1.0	SDS Number: 40000000690
Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour
Isopropyl Alcohol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 72.6 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Ethyl Alcohol: Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

Isopropyl Alcohol:

Species: Rabbit Result: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Ethyl Alcohol: Species: Rabbit Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405

Isopropyl Alcohol:

Species: Rabbit Result: Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Components:

Ethyl Alcohol: Test Type: Local lymph node assay (LLNA) Exposure routes: Skin contact Species: Mouse Result: negative

Isopropyl Alcohol:

Test Type: Buehler Test Exposure routes: Skin contact

SDS Number: 40000000690
line 406
ailable information.
: Test Type: In vitro mammalian cell gene mutation test Result: negative
: Test Type: Rodent dominant lethal test (germ cell) (in vivo) Test species: Mouse Application Route: Ingestion Result: negative
: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Test species: Mouse Application Route: Intraperitoneal injection Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Isopropyl Alcohol: Species: Rat Application Route: inhalation (vapour) Exposure time: 104 weeks Method: OECD Test Guideline 451 Result: negative

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

SDS Number: 40000000690

er	sion 1.0	SI	DS Number: 40000000690		
	Components:				
	Ethyl Alcohol: Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative		
	Isopropyl Alcohol: Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative		
	Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative		
	STOT - single exposure				
	Not classified based on availab	ole	information.		
	<u>Components:</u> Isopropyl Alcohol: Assessment: May cause drowsiness or dizziness.				
	STOT - repeated exposure Not classified based on availab	ole	information.		
	Repeated dose toxicity				
	Components: Ethyl Alcohol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y				
	Isopropyl Alcohol: Species: Rat NOAEL: 5000 ppm Application Route: inhalation (Exposure time: 104 w Method: OECD Test Guideline				
	Aspiration toxicity Not classified based on availab	ole	information.		

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Ethyl Alcohol: Toxicity to fish

: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h

SDS Number: 40000000690

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	: EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d
Toxicity to bacteria	: EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h
Isopropyl Alcohol:	
Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 24 h
Toxicity to bacteria	: EC50 (Pseudomonas putida): > 1,050 mg/l Exposure time: 16 h
Persistence and degradabilit	ty
Components:	
<u>Components:</u> Ethyl Alcohol:	
	: Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 20 d
Ethyl Alcohol: Biodegradability	Biodegradation: 84 %
Ethyl Alcohol:	Biodegradation: 84 %
Ethyl Alcohol: Biodegradability Isopropyl Alcohol: Biodegradability Bioaccumulative potential	Biodegradation: 84 % Exposure time: 20 d
Ethyl Alcohol: Biodegradability Isopropyl Alcohol: Biodegradability	Biodegradation: 84 % Exposure time: 20 d
Ethyl Alcohol: Biodegradability Isopropyl Alcohol: Biodegradability Bioaccumulative potential <u>Components:</u> Ethyl Alcohol:	Biodegradation: 84 % Exposure time: 20 d
Ethyl Alcohol: Biodegradability Isopropyl Alcohol: Biodegradability Bioaccumulative potential Components:	Biodegradation: 84 % Exposure time: 20 d
Ethyl Alcohol: Biodegradability Isopropyl Alcohol: Biodegradability Bioaccumulative potential Components: Ethyl Alcohol: Partition coefficient: n-	Biodegradation: 84 % Exposure time: 20 d : Result: rapidly degradable
Ethyl Alcohol: BiodegradabilityIsopropyl Alcohol: BiodegradabilityBioaccumulative potentialComponents: Ethyl Alcohol: Partition coefficient: n- octanol/waterIsopropyl Alcohol: Partition coefficient: n- octanol/waterIsopropyl Alcohol: Partition coefficient: n- octanol/waterMobility in soil	 Biodegradation: 84 % Exposure time: 20 d Result: rapidly degradable log Pow: -0.35
Ethyl Alcohol: BiodegradabilityIsopropyl Alcohol: BiodegradabilityBiodegradabilityBioaccumulative potentialComponents: Ethyl Alcohol: Partition coefficient: n- octanol/waterIsopropyl Alcohol: Partition coefficient: n- octanol/waterIsopropyl Alcohol: Partition coefficient: n- octanol/waterMobility in soil No data available	 Biodegradation: 84 % Exposure time: 20 d Result: rapidly degradable log Pow: -0.35
Ethyl Alcohol: BiodegradabilityIsopropyl Alcohol: BiodegradabilityBioaccumulative potentialComponents: Ethyl Alcohol: Partition coefficient: n- octanol/waterIsopropyl Alcohol: Partition coefficient: n- octanol/waterIsopropyl Alcohol: Partition coefficient: n- octanol/waterMobility in soil	 Biodegradation: 84 % Exposure time: 20 d Result: rapidly degradable log Pow: -0.35

Version 1.0	SDS Number: 40000000690
Product:	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	: Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation	
IATA-DGR UN/ID No. Proper shipping name	: UN 1987 : Alcohols, n.o.s. (Ethanol, Propan-2-ol)
Class	: 3
Packing group Packing instruction (cargo aircraft)	: III : 366
Packing instruction (passenger aircraft)	: 355
IMDG-Code UN number Proper shipping name Class Packing group Labels EmS Code Marine pollutant National Regulations	 UN 1987 ALCOHOLS, N.O.S. (Ethanol, Propan-2-ol) 3 III 3 F-E, S-D no
49 CFR UN/ID/NA number Proper shipping name Class Packing group ERG Code Marine pollutant	: UN 1987 : Alcohols, n.o.s. : 3 : III : 127 : no

SDS Number: 40000000690

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Fire Hazard Acute Health Hazard		
SARA 302	:	No chemicals in this materia requirements of SARA Title	•	eporting
SARA 313	:	The following components are subject to reporting levels established by SARA Title III, Section 313:		ng levels
		Isopropyl Alcohol	67-63-0	3.4086 %

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Ethyl Alcohol	64-17-5	65.2821 %
Isopropyl Alcohol	67-63-0	3.4086 %

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

Clean Water Act

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know			
Ethyl Alcohol	64-17-5	50 - 70 %	
Isopropyl Alcohol	67-63-0	1 - 5 %	
Pennsylvania Right To Know			
Ethyl Alcohol	64-17-5	50 - 70 %	
Water (Aqua)	7732-18-5	20 - 30 %	
Isopropyl Alcohol	67-63-0	1 - 5 %	
New Jersey Right To Know			
Ethyl Alcohol	64-17-5	50 - 70 %	
Water (Aqua)	7732-18-5	20 - 30 %	
Isopropyl Alcohol	67-63-0	1 - 5 %	


California Prop 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other
	reproductive harm

Version 1.0	SDS Number: 40000000690			
The components of this product are reported in the following inventories:TSCA: On the inventory, or in compliance with the inventory				
AICS	: On the inventory, or in compliance with the inventory			
DSL	: On the inventory, or in compliance with the inventory			
ENCS	: On the inventory, or in compliance with the inventory			
ISHL	: On the inventory, or in compliance with the inventory			
KECI	: On the inventory, or in compliance with the inventory			
PICCS	: On the inventory, or in compliance with the inventory			
IECSC	: On the inventory, or in compliance with the inventory			
NZIoC	: On the inventory, or in compliance with the inventory			

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION



Prepared By: Regulatory Specialist, WorkLife Brands, (508) 253-5000

Always follow label directions carefully when using this or any other chemical product. If information about this product is required, please contact Perk at 800-270-9151 or visit our website at www.perkgoods.com. Keep Safety Data Sheets filed and organized in an area accessible to workers according to all applicable regulations.

All information contained in this SDS is provided to the best of Suppliers' knowledge. No warranty is made with respect to this information expressed or implied, including warranties of merchantability or fitness for a particular purpose. Users are responsible for verifying the information under their own operating conditions to determine whether the products listed in the SDS are suitable for their intended use. Users are responsible for compliance with all laws and regulations as may be required by their receipt of the information and use of the products provided with this SDS.