# **SAFETY DATA SHEET**

# **1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**

Product identifier			
Product Name	Lithium ion Battery		
Other means of identification			
Synonyms	None		
Recommended use of the chemica	l and restrictions on use		
Recommended Use	LITHIUM ION BATTERIES		
Uses advised against	No information available		
Details of the supplier of the safety data sheet			
Supplier Name Supplier Address	Dongguan Joysun New Energy Co., Ltd NO.21,Shuibian Industrial Zone, Hengli Town,Dongguan, Guangdong ,China 518000 China		
Supplier Phone Number	Phone:+ 86-769-8917 8866 Fax: +86-769-8917 8866 Contact Phone: +86-769-8917 8866		
Supplier Email Emergency telephone number	66992978@qq.com		


# 2. HAZARDS IDENTIFICATION

<u>Classification</u> The hazards indicated are for a ruptured battery.

Skin corrosion/irritation	Category 2A
Serious eye damage/eye irritation	Category 2A
Carcinogenicity	Category 2A
Specific target organ toxicity (repeated exposure)	Category 1

#### GHS Label elements, including precautionary statements

Emergency Overview		
Signal word	Danger	
Hazard Statements	_	



Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Contaminated work clothing should not be allowed out of the workplace Wear protective gloves Do not breathe dust/fume/gas/mist/vapors/spray

Wear eye/face protection

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention Specific treatment (see supplemental first aid instructions on this label)

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

#### Skin

IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse If skin irritation or rash occurs: Get medical advice/attention

#### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

### **Unknown Toxicity**

#### Other information

Very toxic to aquatic life with long lasting effects Repeated or prolonged skin contact may cause allergic reactions with susceptible persons

#### **Interactions with Other Chemicals**

No information available

### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name

CAS No.

Weight %

Lithium Cobalt Oxide (CoLiO2)	12190-79-3	41.2
Styrene-Butadiene polymer	9003-55-8	0.8
1,1-Difluoroethylene polymer	24937-79-9	0.3
Graphite	7782-42-5	29.5
Sodium carboxymethyl cellulose	9004-32-4	0.3
Phosphate(1-), hexafluoro-, lithium	21324-40-3	17.6
Copper	7440-50-8	6.4
Aluminum	7429-90-5	3.4
Polyethylene	9002-88-4	0.2
Nickel	7440-02-0	0.3

#### 4. FIRST AID MEASURES

<u>First aid measures</u> <u>General Advice</u>	First aid is upon rupture of sealed battery. Show this safety data sheet to the doctor in attendance	
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area	
Skin Contact	Wash off immediately with soap and plenty of water for at least 15 minutes. In the case of skin irritation or allergic reactions see a physician. May cause an allergic skin reaction.	
Inhalation	Remove to fresh air. If symptoms persist, call a physician. Get medical attention immediately if symptoms occur.	
Ingestion	Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician.	
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wear personal protective clothing (see section 8)	
Most important symptoms and effects, both acute and delayed		
Most Important Symptoms and Effects	Burning sensation. Coughing and/ or wheezing. Difficulty in breathing. Itching. Rashes. Hives.	

Indication of any immediate medical attention and special treatment neededNotes to PhysicianMay cause sensitization of susceptible persons. Treat symptomatically

# **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable Extinguishing Media

CAUTION: Use of water spray when fighting fire may be inefficient

#### **Specific Hazards Arising from the Chemical**

Product is or contains a sensitizer. May cause sensitization by skin contact.

#### Hazardous Combustion Products

# Explosion Data Sensitivity to Mechanical Impact

Sensitivity to Mechanical Impact	No.
Sensitivity to Static Discharge	No.

<u>Protective equipment and precautions for firefighters</u> As in any fire, wear self-contained breathing apparatus pressure-demand,MSHA/NIOSH (approved or equivalent) and full protective gear.

# **6. ACCIDENTAL RELEASE MEASURES**

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions Other Information	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation.Use personal. protective equipment as required. Evacuate personnel to safe areas. Refer to protective measures listed in Sections 7 and 8
Environmental Precautions Environmental Precautions	Refer to protective measures listed in Sections 7 and 8.
Methods for cleaning up	Pick up and transfer to properly labeled containers
Methods for Containment Methods for cleaning up	Prevent further leakage or spillage if safe to do so. Pick up and transfer to properly labeled containers.

# 7. HANDLING AND STORAGE

Precautions for safe handling	l l	
Handling In case of rupture. Use personal protection equipment. Avoid contact skin, eyes or clothing.		
Conditions for safe storage,	including any incompatibilities	
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place.	
Incompatible Products	Strong acids. Strong oxidizing agents. Strong bases.	

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Lithium Cobalt Oxide 12190-79-3	TWA: 0.02 mg/m <sup>3</sup>		
Graphite 7782-42-5	TWA: 2 mg/m <sup>3</sup> respirable fraction all forms except graphite fibers	TWA: 15 mg/m <sup>3</sup> total dust synthetic TWA: 5 mg/m <sup>3</sup> respirable fraction synthetic (vacated) TWA: 2.5 mg/m <sup>3</sup> respirable dust natural (vacated) TWA: 10 mg/m <sup>3</sup> total dust synthetic (vacated) TWA: 5 mg/m <sup>3</sup>	IDLH: 1250 mg/m <sup>3</sup> TWA: 2.5 mg/m <sup>3</sup> respirable dust

Copper 7440-50-8	TWA: 0.2 mg/m <sup>3</sup> fume TWA: 1 mg/ mg/m <sup>3</sup> Cu dust and mist	respirable fraction synthetic TWA: 15 mppcf natural TWA: 0.1 mg/m <sup>3</sup> fume TWA: 1 mg/m <sup>3</sup> dust and mist (vacated) TWA: 0.1 mg/m <sup>3</sup> Cu dust, fume, mist	IDLH: 100 mg/m <sup>3</sup> dust, fume and mist TWA: 1 mg/m <sup>3</sup> dust and mist TWA: 0.1 mg/m <sup>3</sup> fume
Aluminum 7429-90-5	TWA: 1 mg/m <sup>3</sup> respirable fraction	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 5 mg/m <sup>3</sup> Al Aluminum	TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust
Nickel 7440-02-0	TWA: 1.5 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> (vacated) TWA: 1 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> TWA: 0.015 mg/m <sup>3</sup>

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health

Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

**Other Exposure Guidelines** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters

#### .

Engineering Measures	r <u>ols</u> Showers Eyewash stations Ventilation systems	
Individual protection measure	s, such as personal protective equipment	
Eye/Face Protection	If splashes are likely to occur:. Wear safety glasses with side shields (or goggles). None required for consumer use.	
Skin and Body Protection	Wear protective gloves and protective clothing. Long sleeved clothing. Impervious gloves	
Respiratory Protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.	
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Wash hands before breaks and immediately after handling the product.	

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### **Physical and Chemical Properties**

<b>Physical State</b>	e Solid
Appearance	Silver
Color	No information available

Odor Odor Threshold

Odorless No information available

**Property** pН

<u>Values</u> No data available **Remarks/ Method** None known

Melting / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash Point	No data available	None known
Evaporation Rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Specific Gravity	No data available	None known
Water Solubility	No data available	None known
Solubility in other solvents	No data available	None known
Partition coefficient: n-octanol/water	0.00001	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	0.00001	None known
Explosive properties	No data available	
Oxidizing Properties	No data available	

#### **Other Information**

Softening Point VOC Content (%) Particle Size **Particle Size Distribution**  No data available No data available No data available

# **10. STABILITY AND REACTIVITY**

#### **Reactivity**

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### **Hazardous Polymerization**

Hazardous polymerization does not occur.

#### Conditions to avoid

None known based on information supplied.

#### Incompatible materials

Strong acids. Strong oxidizing agents. Strong bases.

#### **Hazardous Decomposition Products**

Carbon oxides.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information In case of rupture
Inhalation	Specific test data for the substance or mixture is not available. Corrosive by inhalation.(based on components).
Eye Contact	Specific test data for the substance or mixture is not available.

Expected to be and irritant based on components. Irritating to eyes. May cause redness, itching, and pain. May cause temporary eye irritation.

Specific test data for the substance or mixture is not available. **Skin Contact** Expected to be an irritant based on components. Irritating to skin. Prolonged contact may cause redness and irritation. Ingestion Specific test data for the substance or mixture is not available.

Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May be harmful if swallowed. (based on components).

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Graphite 7782-42-5	> 10000 mg/kg ( Rat )	-	-
Nickel 7440-02-0	> 9000 mg/kg ( Rat )	-	-

#### Information on toxicological effects

Symptoms

Erythema (skin redness). May cause redness and tearing of the eyes. Coughing and/ or wheezing. Itching. Rashes Hives.

Delayed and immediate effects as well as chronic effects from short and long-term exposure				
Sensitization	May cause sensitization of susceptible persons. May cause sensitization by skin contact. May cause sensitization by inhalation.			
Mutagenic Effects	No information available			
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen			

Chemical Name	ACGIH	IARC	NTP	OSHA
Lithium Cobalt Oxide (CoLiO2) 12190-79-3	A3	Group 2B		Х
Nickel 7440-02-0		Group 2B	Reasonably Anticipated	х

#### ACGIH (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor) X- Present

Reproductive Toxicity	Contains a known or suspected reproductive toxin
STOT - single exposure	No information available.
STOT - repeated exposure	Causes damage to organs through prolonged or repeated exposure. Based on classification criteria from the 2012 OSHA Hazard Communication Standard (29 CFR1910.1200), this product has been determined to cause systemic target organ toxicity from chronic or repeated exposure. (STOT RE).
Chronic Toxicity	No known effect based on information supplied. Contains a known or suspected carcinogen. Contains a known or suspected reproductive toxin. Possible risk of irreversible effects. Avoid

repeated exposure. Prolonged exposure may cause chronic effects. May cause adverse effects on the bone marrow and blood-forming system. Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons. May cause adverse liver effects.

Target Organ EffectsRespiratory system. Eyes. Skin. Gastrointestinal tract (GI).<br/>Reproductive System. Blood.Central Nervous System (CNS).<br/>Central Vascular System (CVS). Kidney. Lungs. Nasal cavities.<br/>Cardiovascular system. Systemic Toxicity. Liver.

Aspiration Hazard No information available.

Numerical measures of toxicity Product Information The following values are calculated based on chapter 3.1 of the GHS document ATEmix (oral) ATEmix (dermal) ATEmix (inhalation-dust/mist)

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Very toxic to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Copper 7440-50-8	96h EC50: 0.031 - 0.054 mg/L (Pseudokirchneriella subcapitata) 72h EC50: 0.0426 - 0.0535 mg/L (Pseudokirchneriella subcapitata)	96h LC50: 0.0068 - 0.0156 mg/L (Pimephales promelas) 96h LC50: = 0.112 mg/L (Poecilia reticulata) 96h LC50: = 0.3 mg/L (Cyprinus carpio) 96h LC50: = 0.8 mg/L (Cyprinus carpio) 96h LC50: = 1.25 mg/L (Lepomis macrochirus) 96h LC50: = 0.052 mg/L (Oncorhynchus mykiss) 96h LC50: = 0.2 mg/L (Pimephales promelas) 96h LC50: < 0.3 mg/L (Pimephales promelas)		48h EC50: = 0.03 mg/L
Nickel 7440-02-0	72h EC50: = 0.18 mg/L (Pseudokirchneriella subcapitata) 96h EC50: 0.174 - 0.311 mg/L (Pseudokirchneriella subcapitata)	96h LC50: > 100 mg/L (Brachydanio rerio) 96h LC50: = 1.3 mg/L (Cyprinus carpio) 96h LC50: = 10.4 mg/L (Cyprinus carpio)		48h EC50: > 100 mg/L 48h EC50: = 1 mg/L

#### Persistence and Degradability

No information available.

#### **Bioaccumulation**

No information available.

#### Other adverse effects

No information available.

	13. DISPOSAL CONSIDERATIONS				
Waste treatment m Disposal methods Contaminated Pac		Should not be released into the environment. Dispose of in accordance with federal, state and local regulations.			
US EPA Waste Nur	nber	Dispose of contents/containers in accordance with local regulations.			
Chemical Name	RCRA		RCRA - Basis for	RCRA - D Series	RCRA - U Series

		Listing	Wastes	Wastes	
Nickel 7440-02-0	(hazardous constituent - no waste number)	Included in waste streams: F006, F039			

#### California Hazardous Waste Codes 141

Chemical Name	California Hazardous Waste
Lithium Cobalt Oxide (CoLiO2) 12190-79-3	Toxic
Nickel 7440-02-0	Toxic powder Ignitable powder
Aluminum 7429-90-5	Ignitable powder
Copper 7440-50-8	Toxic

## **14. TRANSPORT INFORMATION**

Note:	The transportation of primary lithium cells and batteries is regulated by the International Civil Aviation Organization, International Air Transport Association, International Maritime Dangerous Goods Code and the US Department of Transportation. The batteries must meet the following criteria for shipment: 1. Air shipments must meet the requirements listed in Special Provision A45 of the International Air Transport Association Dangerous Goods Regulations. 2. Meet the requirements for the US Department of Transportation listed in 49 CFR 173.185. 3. The transport of primary lithium batteries is prohibited aboard passenger aircraft. Refer to the Federal Register December 15, 2004 (Hazardous Materials; Prohibited on the Transportation of Primary Lithium Batteries and Cells Aboard Passenger Aircraft; Final Rule) Lithium batteries shipped as"Lithium batteries", "Lithium batteries packed with equipment", or"Lithium batteries contained in equipment" may not be classified as"Dangerous Goods" when shipped in accordance with "special provision A45 of IATA-DGR" or "special provision 188 of IMO-IMDG Code"
<u>DOT</u>	NOT REGULATED
Proper Shipping Name	NON REGULATED
Hazard Class	N/A
TDG	Not regulated
MEX	Not regulated
	Not regulated
<u>IATA</u>	Not regulated
Proper Shipping Name	Not regulated
Hazard Class	N/A
IMDG/IMO Drener Shinning Neme	Not regulated NON-REGULATED PER SP 188
Proper Shipping Name Hazard Class	NON-REGULATED PER SP 188 N/A
EmS No.	
RID	F-A, S-I Not regulated
	Not regulated
<u>ADR</u> AND	Not regulated Not regulated
	NUL TEGUIALEU

# **15. REGULATORY INFORMATION**

### **International Inventories**

TSCA Complies DSL All components are listed either on the DSL or NDSL. TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List US Federal Regulations SARA 313 Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Lithium Cobalt Oxide (CoLiO2)	12190-79-3	41.2	0.1
Nickel	7440-02-0	0.3	0.1
Aluminum	7429-90-5	3.4	1.0
Copper	7440-50-8	6.4	1.0

#### SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Copper 7440-50-8		Х	Х	
Nickel 7440-02-0		Х	Х	

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Copper 7440-50-8	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

#### **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

Chemical Name	California Proposition 65	
Nickel - 7440-02-0	Carcinogen	

#### **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Lithium Cobalt Oxide (CoLiO2) 12190-79-3	Х		Х	Х	Х
Graphite 7782-42-5	Х	X	Х		
Nickel 7440-02-0	Х	X	X	X	X
Copper 7440-50-8	Х	X	X	Х	Х
Aluminum 7429-90-5	Х	Х	Х	Х	

#### International Regulations

Mexico

#### National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Graphite		Mexico: TWA= 2 mg/m <sup>3</sup>
7782-42-5		_
Copper		Mexico: TWA= 1 mg/m <sup>3</sup>
7440-50-8		Mexico: TWA= 0.2 mg/m <sup>3</sup>

	Mexico: STEL= 2 mg/m <sup>3</sup>
Aluminum	Mexico: TWA= 10 mg/m <sup>3</sup>
7429-90-5	
Nickel	Mexico: TWA 1 mg/m <sup>3</sup>
7440-02-0	

Mexico - Occupational Exposure Limits - Carcinogens

#### Canada

WHMIS Hazard Class Non-controlled

Non-controlled

## **16. OTHER INFORMATION**

NFPA	Health Hazards 1	Flammability 0	Instability 0	Physical and Chemical Hazards -
HMIS	Health Hazards 0	Flammability 0	Physical Hazard 0	Personal Protection
Prepared By Dongguan Joysun New Energy Co., Ltd				
lssuing Revisio Revisio	n Date	15-Sep-2017 No information avail	able	

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet