

# SAFETY DATA SHEET

1. Identification

Important information \*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. \*\*\*

Product identifier HP Color LaserJet W2012A-X Yellow Print Cartridge

Other means of identification None

**Recommended use**This product is a yellow toner preparation that is used in HP Color LaserJet Enterprise M856dn,

M856x, HP Color LaserJet Managed E85055dn series printers.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

HP Inc.

1501 Page Mill Road Palo Alto, CA 94304-1112

**United States** 

**Telephone** 650-857-1501

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

**HP Inc. Customer Care** 

Line

 (Toll-free within the US)
 1-800-474-6836

 (Direct)
 1-208-323-2551

 Email:
 sustainability@hp.com

# 2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.
OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement Not available.

Precautionary statement

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

Hazard(s) not otherwise classified (HNOC)

None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH.

OSHA UI ACGIH.

**Supplemental information** This product is not classified as hazardous according to OSHA CFR 1910.1200 (HazCom 2012).

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%	
Styrene acrylate copolymer		CBI	<90	
Wax	Wax	CBI	<10	

Material name: W2012A-X SDS US

15055 Version #: 09 Revision date: 19-Jul-2022 Issue date: 26-Sep-2019

% **Chemical name** Common name and synonyms **CAS** number <5 **Pigment** Pigment **CBI** 

4. First-aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Ingestion Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a

physician.

Most important

symptoms/effects, acute and

delayed

Not available.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

CO2, water, or dry chemical None known.

Specific hazards arising from

the chemical

Like most organic material in powder form, toner can form explosive dust-air mixtures when finely

dispersed in air. Not available.

Special protective equipment and precautions for firefighters

Fire fighting

equipment/instructions

If fire occurs in the printer, treat as an electrical fire.

Specific methods None established.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Minimize dust generation and accumulation.

Methods and materials for containment and cleaning up

Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust

explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations.

**Environmental precautions** 

Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.

### 7. Handling and storage

Precautions for safe handling

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

Conditions for safe storage, including any incompatibilities Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.

### 8. Exposure controls/personal protection

Occupational exposure limits **Biological limit values** 

**Exposure guidelines** 

This mixture has no ingredients that have PEL, TLV, or other recommended exposure limit.

No biological exposure limits noted for the ingredient(s).

USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV):

None

TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)

Appropriate engineering

Use in a well ventilated area.

controls

Individual protection measures, such as personal protective equipment

Eye/face protection Not available.

Material name: W2012A-X SDS US Skin protection

Hand protectionNot available.OtherNot available.Respiratory protectionNot available.Thermal hazardsNot available.

# 9. Physical and chemical properties

Appearance Fine powder
Physical state Liquid.
Form solid
Color Yellow

Odor Slight plastic odor
Odor threshold Not available.

pH Not applicable

Melting point/freezing point Not available.

Initial boiling point and boiling Not applicable

range

Flash point Not applicable
Evaporation rate Not applicable
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not flammable

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not applicable

Vapor density Not applicable

Solubility(ies)

**Solubility (water)** Negligible in water. Partially soluble in toluene and xylene.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot applicableDecomposition temperature> 392 °F (> 200 °C)ViscosityNot applicable

Other information

Oxidizing properties No information available.

Softening point 176 - 266 °F (80 - 130 °C)

# 10. Stability and reactivity

Reactivity Not available.

**Chemical stability** Stable under normal storage conditions.

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid Imaging Drum: Exposure to light

Incompatible materials Strong oxidizers

**Hazardous decomposition** Carbon monoxide and carbon dioxide.

products

# 11. Toxicological information

### Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Material name: W2012A-X SDS US

Skin contact Contact with skin may result in mild irritation. Eve contact Contact with eyes may result in mild irritation. Ingestion is not a likely route of exposure. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Not available.

### Information on toxicological effects

Based on available data, the classification criteria are not met. Acute toxicity

**Product Species Test Results** 

W2012A-X

**Acute** 

LD50 > 2000 mg/kg

Based on available data, the classification criteria are not met. Skin corrosion/irritation Serious eye damage/eye Based on available data, the classification criteria are not met.

irritation

Respiratory or skin sensitization

Respiratory sensitization Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Skin sensitization

Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity repeated exposure

Based on available data, the classification criteria are not met. **Aspiration hazard Further information** Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

# 12. Ecological information

LC50: > 100 mg/l, Fish, 96.00 Hours **Ecotoxicity** 

Product		Species	Test Results	
W2012A-X				_
Aquatic				
Algae	ErC50	Algae	> 100 mg/l, 72 Hours	
Crustacea	EC50	Crustacea	> 100 mg/l, 48 Hours	
Fish	LC50	Fish	> 100 mg/l, 96 Hours	
ersistence and degradability	Not available.			
Bioaccumulative potential	Not available.			
lobility in soil	Not available.			
Other adverse effects	Not available.			

Material name: W2012A-X SDS US

# 13. Disposal considerations

#### **Disposal instructions**

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

# 14. Transport information

#### DOT

**UN number** Not available. **UN proper shipping name** Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Packing group Not available.

**Environmental hazards** 

Marine pollutant No

Special precautions for user Not available.

#### **IATA**

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

Environmental hazards No

Special precautions for user Not available.

#### **IMDG**

**UN number** Not available. **UN proper shipping name** Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Packing group Not available.

Transport hazard class(es)

Marine pollutant No

EmS Not available.

Special precautions for user Not available.

### **ADR**

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Hazard No. (ADR) Not available.

Tunnel restriction code Not available.

Packing group Not available.

Environmental hazards No

Special precautions for user Not available.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

### 15. Regulatory information

US federal regulations

US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders

under TSCA.

**Toxic Substances Control Act (TSCA)** 

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

Material name: W2012A-X SDS US

### **CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

No intentionally added HAP substances.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

Clean Air Act (CAA)

No intentionally added HAPS substances

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

# 16. Other information, including date of preparation or last revision

Issue date26-Sep-2019Revision date19-Jul-2022

Version # 09

Other information

This SDS was prepared in accordance with USA OSHA Hazard Communications regulation (29

CFR 1910.1200).

**Disclaimer** 

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

6/7

Material name: W2012A-X SDS US

15055 Version #: 09 Revision date: 19-Jul-2022 Issue date: 26-Sep-2019

# **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: W2012A-X sps us