

TECHNICAL **C**ONCEPTS

ORCHARD FIELDS MB3000

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 03/25/2015 Revision date: 10/01/2019 Version: 2.0

SECTION 1: Identification

Identification

: ORCHARD FIELDS MB3000 Product name

Product code 1830280 FG4012561 SKU#

Recommended use and restrictions on use 1.2.

Use of the substance/mixture : Aerosol

For professional use only Air care products

Odour agents

Recommended use Air care products, Odour agents

Professional uses: Public domain (administration, education, entertainment, services, Restrictions on use

craftsmen)

1.3. Supplier

Manufacturer

Rubbermaid Commercial Products LLC 3124 Valley Avenue Winchester, VA 22601-2694 - USA T 1.800.347.9800

www.rubbermaidcommercial.com

Emergency telephone number

Emergency number : 24-Hour Emergency - INFOTRAC: 1-800-535-5053 (Domestic) | 1-352-323-3500 (International)

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

GHS-US classification

Flammable aerosols, H222 Extremely flammable aerosol.

Category 1

Gases under pressure: H280 Contains gas under pressure; may explode if heated.

Compressed gas

Skin corrosion/irritation, H315 Causes skin irritation.

Category 2

Serious eye damage/eye H319 Causes serious eye irritation.

irritation, Category 2A

Skin sensitisation, Category H317 May cause an allergic skin reaction.

Specific target organ H335 May cause respiratory irritation.

toxicity - Single exposure, Category 3, Respiratory

tract irritation

Full text of H statements : see section 16

GHS Label elements, including precautionary statements

GHS US labelling

Hazard pictograms (GHS US)







Signal word (GHS US) : Danger

Hazard statements (GHS US) H222 - Extremely flammable aerosol.

H280 - Contains gas under pressure; may explode if heated.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.

Precautionary statements (GHS US) P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

11/11/2019 EN (English) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use.

P261 - Avoid breathing vapours, spray, mist.

P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves.

P302+P352 - If on skin: Wash with plenty of water

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P410+P403 - Protect from sunlight. Store in a well-ventilated place.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Other hazards which do not result in classification

No additional information available

2.4. **Unknown acute toxicity (GHS US)**

Not applicable

SECTION 3: Composition/information on ingredients

3.1. **Substances**

Not applicable

3.2. **Mixtures**

| Name | Product identifier | % | GHS-US classification |
|--|---------------------|---------|---|
| Alcohol | (CAS-No.) 64-17-5 | 20 - 50 | Flam. Liq. 2, H225 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 |
| HEXYLENE GLYCOL | (CAS-No.) 107-41-5 | 10 - 20 | Skin Irrit. 2, H315 Eye Irrit. 2A, H319 |
| HEXYL CINNAMAL | (CAS-No.) 101-86-0 | 1 - 10 | Skin Irrit. 2, H315 Skin Sens. 1, H317 |
| HYDROXYCITRONELLAL | (CAS-No.) 107-75-5 | 0.1 - 1 | Eye Irrit. 2A, H319 Skin Sens. 1, H317 |
| hexyl 2-hydroxybenzoate | (CAS-No.) 6259-76-3 | 0.1 - 1 | Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| 3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one | (CAS-No.) 127-51-5 | 0.1 - 1 | Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411 |
| CITRONELLOL | (CAS-No.) 106-22-9 | 0.1 - 1 | Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411 |
| AMYL CINNAMAL | (CAS-No.) 122-40-7 | 0.1 - 1 | Skin Sens. 1, H317 Aquatic Chronic 2, H411 |
| METHYLENEDIOXYPHENYL METHYLPROPANAL | (CAS-No.) 1205-17-0 | 0.1 - 1 | Skin Sens. 1, H317 Aquatic Chronic 2, H411 |
| BENZYL SALICYLATE | (CAS-No.) 118-58-1 | 0.1 - 1 | Skin Sens. 1, H317 |

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

First-aid measures after ingestion

Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Cough. Remove person to fresh air and keep comfortable for breathing. Call a POISON

CENTER/doctor if you feel unwell.

First-aid measures after skin contact Take off immediately all contaminated clothing. Get medical advice if skin irritation persists.

Wash with plenty of water/.... Wash contaminated clothing before reuse.

Rinse cautiously with water for several minutes. Direct contact with the eyes is likely to be First-aid measures after eye contact irritating. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

11/11/2019 EN (English) 2/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.2. Most important symptoms and effects (acute and delayed)

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/effects after inhalation

: Shortness of breath. May cause an allergic skin reaction. May cause respiratory irritation.

Symptoms/effects after skin contact

: Causes skin irritation.

Symptoms/effects after eye contact

: Causes serious eye irritation.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Foam.

: Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard

: Extremely flammable aerosol.

Explosion hazard

May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed

containers, spreading fire and increasing risk of burns and injuries.

Reactivity : Stable under normal conditions of use.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions

: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. DO NOT fight fire when fire reaches explosives. Evacuate area.

Protection during firefighting

: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

: No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.

6.1.1. For non-emergency personnel

Emergency procedures

: Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment

: Equip cleanup crew with proper protection.

Emergency procedures

: Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

: Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Do not pierce or burn, even after use.

Precautions for safe handling

: No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.

Hygiene measures

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.

11/11/2019 EN (English) 3/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight,

Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters CITRONELLOL (106-22-9)

| CHRONELLOL (106-22-9) | | | | |
|---|---|-----------------|--|--|
| DNEL | DNEL | 10 mg/m³ | | |
| HEXYL CINNAMAL (101-86- | 0) | | | |
| Not applicable | | | | |
| BENZYL SALICYLATE (118- | 58-1) | | | |
| Not applicable | | | | |
| | 2-cyclohexen-1-yl)-3-buten-2-one (127-51-5) | | | |
| Not applicable | | | | |
| Alcohol (64-17-5) | | | | |
| DNEL | DNEL | 950 mg/m³ | | |
| ACGIH | Local name | Ethanol | | |
| ACGIH | ACGIH STEL (ppm) | 1000 ppm | | |
| ACGIH | Remark (ACGIH) | URT irr | | |
| ACGIH | Regulatory reference | ACGIH 2018 | | |
| OSHA | OSHA PEL (TWA) (mg/m³) | 1900 mg/m³ | | |
| OSHA OSHA PEL (TWA) (ppm) 1000 ppm | | | | |
| OSHA | Regulatory reference (US-OSHA) | OSHA | | |
| HEXYLENE GLYCOL (107-4 | 1-5) | | | |
| DNEL | DNEL | 14 mg/m³ | | |
| ACGIH | Local name | Hexylene glycol | | |
| ACGIH TWA (ppm) | | 25 ppm | | |
| ACGIH | ACGIH STEL (mg/m³) | 10 mg/m³ | | |
| ACGIH | ACGIH STEL (ppm) | 50 ppm | | |
| ACGIH Remark (ACGIH) Eye & URT irr | | Eye & URT irr | | |
| ACGIH | Regulatory reference | ACGIH 2018 | | |
| AND DOWN TO AND | | | | |

HYDROXYCITRONELLAL (107-75-5)

Not applicable

hexyl 2-hydroxybenzoate (6259-76-3)

Not applicable

AMYL CINNAMAL (122-40-7)

Not applicable

METHYLENEDIOXYPHENYL METHYLPROPANAL (1205-17-0)

Not applicable

8.2. Appropriate engineering controls

Appropriate engineering controls

: Provide local exhaust or general room ventilation to minimize mist and/or vapour concentrations.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

11/11/2019 EN (English) 4/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Wear protective gloves.

Eye protection:

None under normal use

Respiratory protection:

None under normal use

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : clear. Transparent.

: colourless to slightly yellow

: Extremely flammable aerosol.

characteristic

Odour threshold : No data available pH : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available Flash point : No data available Flash point : No data available

Relative evaporation rate (butylacetate=1) : No data available

Vapour pressure : 4.5 - 5.5 bar Relative vapour density at 20 °C : No data available

Relative density : 0.7

Solubility : No data available Log Pow : No data available : No data available Auto-ignition temperature Decomposition temperature No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available : 1.8 - 19 vol % **Explosive limits** Explosive properties : No data available Oxidising properties : No data available

9.2. Other information

Flammability (solid, gas)

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions of use.

10.2. Chemical stability

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

10.5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases.

11/11/2019 EN (English) 5/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.6. Hazardous decomposition products

May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

| Alcohol (64-17-5) | |
|----------------------------|-----------------------|
| LD50 oral rat | 7060 mg/kg |
| LD50 dermal rabbit | > 16000 mg/kg |
| LC50 inhalation rat (mg/l) | > 20 mg/l/4h |
| ATE US (oral) | 7060 mg/kg bodyweight |

| hexyl 2-hydroxybenzoate (6259-76-3) | | |
|-------------------------------------|---------------|--------------|
| | LD50 oral rat | > 5000 mg/kg |

Skin corrosion/irritation: Causes skin irritation.Serious eye damage/irritation: Causes serious eye irritation.Respiratory or skin sensitisation: May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Based on available data, the classification criteria are not met

STOT-single exposure : May cause respiratory irritation.

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/effects after inhalation : Shortness of breath. May cause an allergic skin reaction. May cause respiratory irritation.

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after eye contact : Causes serious eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

| CITRONELLOL (106-22-9) | | |
|--------------------------------|----------------------|--|
| LC50 fish 1 | 10 mg/l | |
| EC50 other aquatic organisms 1 | 17.48 mg/l waterflea | |
| EC50 other aquatic organisms 2 | 2.38 mg/l | |
| HEXYL CINNAMAL (101-86-0) | | |
| LC50 fish 1 | 1.7 mg/l | |
| EC50 other aquatic organisms 2 | > 0.32 mg/l | |

| Alcohol (64-17-5) | |
|--------------------------------|---------------------|
| LC50 fish 1 | 13000 mg/l |
| EC50 Daphnia 1 | 9300 mg/l |
| EC50 other aquatic organisms 1 | 5012 mg/l waterflea |
| EC50 other aquatic organisms 2 | 275 mg/l |

11/11/2019 EN (English) 6/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| HEXYLENE GLYCOL (107-41-5) | | |
|--------------------------------|---------------------|--|
| LC50 fish 1 | 8690 mg/l | |
| EC50 other aquatic organisms 1 | 5410 mg/l waterflea | |
| EC50 other aquatic organisms 2 | > 429 mg/l | |
| HYDROXYCITRONELLAL (107-75-5) | | |
| EC50 other aquatic organisms 1 | 410 mg/l waterflea | |
| EC50 other aquatic organisms 2 | 68 mg/l | |
| AMYL CINNAMAL (122-40-7) | | |
| LC50 fish 1 | 3 mg/l | |
| EC50 other aquatic organisms 1 | 1.1 mg/l waterflea | |
| EC50 other aquatic organisms 2 | 1.89 mg/l | |

Persistence and degradability 12.2.

| ORCHARD FIELDS MB3000 | |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |

| Alcohol (64-17-5) | |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |

Bioaccumulative potential 12.3.

| ORCHARD FIELDS MB3000 | | | |
|-------------------------------|---------------------------|--|--|
| Bioaccumulative potential | Not established. | | |
| CITRONELLOL (106-22-9) | | | |
| Log Pow | 3.1 | | |
| HEXYL CINNAMAL (101-86-0) | HEXYL CINNAMAL (101-86-0) | | |
| Log Pow | 5.3 | | |
| | | | |
| Alcohol (64-17-5) | | | |
| Log Pow | -0.32 | | |
| Bioaccumulative potential | Not established. | | |
| HEXYLENE GLYCOL (107-41-5) | | | |
| Log Pow | -0.1 | | |
| HYDROXYCITRONELLAL (107-75-5) | | | |
| Log Pow | 1.54 | | |

AMYL CINNAMAL (122-40-7)

Log Pow 4.7

Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on the ozone layer : None to our knowledge

Effect on global warming No known effects from this product.

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Container under

pressure. Do not drill or burn even after use.

11/11/2019 EN (English) 7/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Additional information : Handle empty containers with care because residual vapours are flammable. Flammable

vapours may accumulate in the container.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description : UN1950 Aerosols, 2.1

UN-No.(DOT) : UN1950
Proper Shipping Name (DOT) : Aerosols

Class (DOT) : 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115

Hazard labels (DOT) : 2.1 - Flammable gas



DOT Packaging Non Bulk (49 CFR 173.xxx) : None DOT Packaging Bulk (49 CFR 173.xxx) : None

DOT Special Provisions (49 CFR 172.102) : N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols.

DOT Packaging Exceptions (49 CFR 173.xxx) : 306

DOT Quantity Limitations Passenger aircraft/rail : 75 kg

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 150 kg

CFR 175.75)

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

DOT Vessel Stowage Other : 48 - Stow "away from" sources of heat,87 - Stow "separated from" Class 1 (explosives) except

Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials

Other information : No supplementary information available.

Transportation of Dangerous Goods

Not applicable

Transport by sea

Transport document description (IMDG) : UN 1950 AEROSOLS, 2.1

UN-No. (IMDG) : 1950

Proper Shipping Name (IMDG) : AEROSOLS

Class (IMDG) : 2 - Gases

Limited quantities (IMDG) : SP277

Air transport

Transport document description (IATA) : UN 1950 Aerosols, flammable, 2.1

UN-No. (IATA) : 1950

Proper Shipping Name (IATA) : Aerosols, flammable

Class (IATA) : 2

SECTION 15: Regulatory information

15.1. US Federal regulations

CITRONELLOL (106-22-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

HEXYL CINNAMAL (101-86-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

11/11/2019 EN (English) 8/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

BENZYL SALICYLATE (118-58-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one (127-51-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Alcohol (64-17-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

HEXYLENE GLYCOL (107-41-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

HYDROXYCITRONELLAL (107-75-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory Not subject to reporting requirements of the United States SARA Section 313

hexyl 2-hydroxybenzoate (6259-76-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

AMYL CINNAMAL (122-40-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

METHYLENEDIOXYPHENYL METHYLPROPANAL (1205-17-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

CITRONELLOL (106-22-9)

Listed on the Canadian DSL (Domestic Substances List)

HEXYL CINNAMAL (101-86-0)

Listed on the Canadian DSL (Domestic Substances List)

BENZYL SALICYLATE (118-58-1)

Listed on the Canadian DSL (Domestic Substances List)

3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one (127-51-5)

Listed on the Canadian DSL (Domestic Substances List)

Alcohol (64-17-5)

Listed on the Canadian DSL (Domestic Substances List)

HEXYLENE GLYCOL (107-41-5)

Listed on the Canadian DSL (Domestic Substances List)

hexyl 2-hydroxybenzoate (6259-76-3)

Listed on the Canadian DSL (Domestic Substances List)

AMYL CINNAMAL (122-40-7)

Listed on the Canadian DSL (Domestic Substances List)

METHYLENEDIOXYPHENYL METHYLPROPANAL (1205-17-0)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Alcohol (64-17-5)

Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations

11/11/2019 EN (English) 9/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Alcohol (64-17-5)

U.S. - Pennsylvania - RTK (Right to Know) List

HEXYLENE GLYCOL (107-41-5)

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Revision date

: 10/01/2019

Other information

: REACH Disclaimer:

This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. None.

Full text of H-statements:

| H222 | Extremely flammable aerosol. | |
|------|---|--|
| H225 | Highly flammable liquid and vapour. | |
| H280 | Contains gas under pressure; may explode if heated. | |
| H315 | Causes skin irritation. | |
| H317 | May cause an allergic skin reaction. | |
| H319 | Causes serious eye irritation. | |
| H335 | May cause respiratory irritation. | |
| H400 | Very toxic to aquatic life. | |
| H410 | Very toxic to aquatic life with long lasting effects. | |
| H411 | Toxic to aquatic life with long lasting effects. | |

Indication of changes:

| Taloution of Changes. | | | |
|-----------------------|-----------------------------------|----------|----------|
| Section | Changed item | Change | Comments |
| | Precautionary statements (GHS US) | Modified | |
| | Hazard statements (GHS US) | Modified | |
| | Revision date | Added | |
| 2.1 | GHS-US classification | Modified | |

SDS_US_GHS_HazCom_2012 Newell nieuw

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

11/11/2019 EN (English) 10/10