

SDS Report

No.: CANEC2001635008

Date: 18 Mar 2020

Page 1 of 1

SCOSCHE INDUSTRIES
1550 PACIFIC AVE. OXNARD CA 93033

This report is to supersede report CANEC1925601408

SGS Job No. : CP20-003668
Sample Name : Scosche Fresche - NEW CAR
Article Number : Version 1.0
Client Reference Information : Product Nature: Automotive Air Freshener
End Uses : Automotive Air Freshner
Composition/Ingredient of sample (as per client submission) : See *section 3 Composition/information on ingredients* on the SDS report
Job Receiving Date : 23 Dec 2019
SDS Preparation Period : 23 Dec 2019-07 Jan 2020

Service Requested : Safety Data Sheet (SDS) for the sample with submitted composition.

Summary : As per request, the contents and formats of the SDS are prepared in accordance with US Regulations Relating to Labor 29 CFR 1910.1200, and is provided per attached.

Remark:

The SDS is prepared based on the information provided by client.

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch



Zm guan
Approved Signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center Chemical Laboratory.

198 Kezhu Road, Sciotech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075113 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075113 e sgs.china@sgs.com

Safety Data Sheet

29 CFR 1910.1200

Printing date 03/17/2020

Version number 1

Reviewed on 03/03/2020

1 Identification

- **Product identifier**
- **Trade name:** Scosche Fresche - NEW CAR
- **Recommended use of the chemical and restrictions on use:**
- **Application of the substance / the preparation:** Automotive Air Freshner
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** SCOSCHE INDUSTRIES
- **Full address:** 1550 PACIFIC AVE. OXNARD CA 93033
- **Phone number:** (805) 486-4450
- **Email:** Compliance@Scosche.com
- **Other U.S. contact point:** Not available
- **Further information obtainable from:** SCOSCHE INDUSTRIES
- **Emergency telephone number:**
Poison Center
Tel: +1 800 222 1222
- **Reference Number:** CANEC2001635008,CP20-003668

2 Hazard(s) identification

- **Classification of the substance or mixture**
Classification according to OSHA Hazard Communication Standard (29 CFR 1910.1200)



GHS08 Health hazard

Repr. 2 H361 Suspected of damaging fertility or the unborn child.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Flam. Liq. 4 H227 Combustible liquid.

- **Information concerning particular hazards for human and environment:**
The product has to be labeled due to the calculation procedure of OSHA Hazard Communication Standard (29 CFR 1910.1200).
- **Classification system:**
The classification is according to the latest edition of OSHA Hazard Communication Standard (29 CFR 1910.1200), and extended by company and literature data.
- **Label elements**
- **Labelling according to OSHA Hazard Communication Standard (29 CFR 1910.1200)**
- **Hazard pictograms**



GHS07



GHS08

- **Signal word** Warning
- **Hazard-determining components of labeling:**
Benzyl benzoate

(Contd. on page 2)

USA

Safety Data Sheet

29 CFR 1910.1200

Printing date 03/17/2020

Version number 1

Reviewed on 03/03/2020

Trade name: Scosche Fresche - NEW CAR

(Contd. of page 1)

α -hexylcinnamaldehyde
 2-(4-tert-butylbenzyl)propionaldehyde
 allyl (3-methylbutoxy)acetate
 4-tert-butylcyclohexyl acetate
 Linalool
 Allyl phenoxyacetate
 1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one
 benzyl salicylate

· Hazard statements

H227 Combustible liquid.
 H302 Harmful if swallowed.
 H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H317 May cause an allergic skin reaction.
 H361 Suspected of damaging fertility or the unborn child.

· Precautionary statements

P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P210 Keep away from flames and hot surfaces. – No smoking.
 P261 Avoid breathing dust/fume/gas/mist/vapors/spray
 P264 Wash thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P272 Contaminated work clothing must not be allowed out of the workplace.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.
 P330 Rinse mouth.
 P302+P352 If on skin: Wash with plenty of water.
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P308+P313 IF exposed or concerned: Get medical advice/attention.
 P321 Specific treatment (see on this label).
 P362+P364 Take off contaminated clothing and wash it before reuse.
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 P337+P313 If eye irritation persists: Get medical advice/attention.
 P363 Wash contaminated clothing before reuse.
 P370+P378 In case of fire: Use for extinction: CO₂, powder or water spray.
 P403+P235 Store in a well-ventilated place. Keep cool.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Hazards not otherwise classified (HNOC) No further relevant information available.

3 Composition/information on ingredients

· Chemical characterization: Mixtures**· Description:**

Mixture of the substances listed below with nonhazardous additions.
 For the wording of the listed hazard statements refer to Section 16.

· Composition:

| | | |
|------------|---|-------|
| 101-86-0 | α -hexylcinnamaldehyde | 15.0% |
| | ⚠ Skin Sens. 1B, H317 | |
| 140-11-4 | Benzyl acetate | 11.0% |
| | ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335 | |
| 32210-23-4 | 4-tert-butylcyclohexyl acetate | 10.0% |
| | ⚠ Skin Sens. 1B, H317 | |

(Contd. on page 3)

Safety Data Sheet

29 CFR 1910.1200

Printing date 03/17/2020

Version number 1

Reviewed on 03/03/2020

Trade name: Scosche Fresche - NEW CAR

(Contd. of page 2)

| | | |
|------------|---|-------|
| 120-51-4 | Benzyl benzoate ⚠ Acute Tox. 4, H302 | 10.0% |
| 78-70-6 | Linalool ⚠ Skin Sens. 1B, H317; Flam. Liq. 4, H227 | 8.0% |
| 67634-00-8 | allyl (3-methylbutoxy)acetate ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Flam. Liq. 4, H227 | 7.0% |
| 8000-27-9 | Cedarwood oil ⚠ Asp. Tox. 1, H304 | 7.0% |
| 1506-02-1 | 1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one ⚠ Acute Tox. 4, H302 | 6.0% |
| 115-95-7 | Linalyl acetate ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335; Flam. Liq. 4, H227 | 5.0% |
| 7493-74-5 | Allyl phenoxycetate ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; Skin Sens. 1, H317 | 5.0% |
| 88-41-5 | 2-tert-butylcyclohexyl acetate Flam. Liq. 4, H227 | 5.0% |
| 80-54-6 | 2-(4-tert-butylbenzyl)propionaldehyde ⚠ Repr. 2, H361; ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 | 5.0% |
| 118-58-1 | benzyl salicylate ⚠ Skin Sens. 1, H317 | 4.0% |
| 121-32-4 | 3-ethoxy-4-hydroxybenzaldehyde | 2.0% |

4 First-aid measures

- **Description of first aid measures**

- **General description:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

- **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- **After swallowing:** Immediately call a doctor.

- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

- **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire-fighting measures

- **Suitable extinguishing agents:**

CO₂ extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- **Special hazards arising from the substance or mixture:** No further relevant information available.

- **Special protective equipment and precautions for firefighters**

- **Protective equipment:** No special measures required.

USA

(Contd. on page 4)

Safety Data Sheet

29 CFR 1910.1200

Printing date 03/17/2020

Version number 1

Reviewed on 03/03/2020

Trade name: Scosche Fresche - NEW CAR

(Contd. of page 3)

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures:**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.

7 Handling and storage

- **Precautions for safe handling:**
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.
For the general occupational hygienic measures refer to Section 8.
- **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.

8 Exposure controls/personal protection

- **Components with limit values that require monitoring at the workplace:**

| |
|--|
| 140-11-4 Benzyl acetate (11.0%) |
|--|

| | |
|-----------|--|
| TLV (USA) | Long-term value: 61 mg/m ³ , 10 ppm |
|-----------|--|

- **Regulatory information** TLV (USA): Guide to Occupational Exposure Values (ACGIH)
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Based on the composition shown in Section 3, the following measures are suggested for occupational safety measure.**
- **Appropriate engineering controls:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes and skin.
See Section 7 for information about design of technical facilities.
- **Personal protective equipment:**
- **Breathing equipment:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 5)

USA

Safety Data Sheet

29 CFR 1910.1200

Printing date 03/17/2020

Version number 1

Reviewed on 03/03/2020

Trade name: Scosche Fresche - NEW CAR

(Contd. of page 4)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material:**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

- **General Information**

- **Appearance:**

| | |
|-----------------|---------------|
| Form: | Liquid |
| Color: | Blue |
| Odor: | Clean, Fresh |
| Odor threshold: | Not available |

- **pH-value:** Not available

- **Change in condition**

| | |
|--|---------------|
| Melting point/Freezing point: | Not available |
| Initial boiling point and boiling range: | Not available |

- **Flash point:** 84 °C (183.2 °F)

- **Flammability (solid, gaseous):** Not available

- **Auto-Ignition temperature:** Not available

- **Decomposition temperature:** Not available

- **Explosion limits:**

| | |
|--------|---------------|
| Lower: | Not available |
| Upper: | Not available |

- **Vapor pressure:** Not available

- **Density:** Not available

- **Relative density:** Not available

- **Vapor density:** Not available

- **Evaporation rate:** Not available

- **Solubility in / Miscibility with**

Water: Not available

- **Partition coefficient (n-octanol/water):** Not available

- **Viscosity:**

| | |
|------------|---------------|
| Dynamic: | Not available |
| Kinematic: | Not available |

(Contd. on page 6)

Safety Data Sheet

29 CFR 1910.1200

Printing date 03/17/2020

Version number 1

Reviewed on 03/03/2020

Trade name: Scosche Fresche - NEW CAR

(Contd. of page 5)

· **Other information**

No further relevant information available.

10 Stability and reactivity

- **Reactivity:** Data not available
- **Chemical stability:** Data not available
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

· **Acute toxicity:**· **LD/LC50 values that are relevant for classification:****120-51-4 Benzyl benzoate**

| | | |
|--------|------|----------------------|
| Oral | LD50 | 1,700 mg/kg (rat) |
| Dermal | LD50 | 4,000 mg/kg (rabbit) |

- **Skin corrosion/irritation:** Irritant to skin and mucous membranes.
- **Serious eye damage/irritation:** Irritating effect.
- **Respiratory or skin sensitization:** Sensitization possible through skin contact.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful
Irritant

· **Carcinogenic categories**· **IARC (International Agency for Research on Cancer)**

140-11-4 Benzyl acetate

3

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Other adverse effects** No further relevant information available.

USA

(Contd. on page 7)

Safety Data Sheet

29 CFR 1910.1200

Printing date 03/17/2020

Version number 1

Reviewed on 03/03/2020


Trade name: Scosche Fresche - NEW CAR

(Contd. of page 6)

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|---|---|
| · UN-Number | UN3082 |
| · DOT, IMDG, IATA | |
| · UN proper shipping name | Environmentally hazardous substance, liquid, n.o.s. (α -hexylcinnamaldehyde, Benzyl benzoate) |
| · DOT | |
| · IMDG | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (α -hexylcinnamaldehyde, Benzyl benzoate), MARINE POLLUTANT |
| · IATA | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (α -hexylcinnamaldehyde, Benzyl benzoate) |
| · Transport hazard class(es) | |
| · DOT, IMDG, IATA | |
|  | |
| · Class | 9 Miscellaneous dangerous substances and articles |
| · Label | 9 |
| · Packing group | |
| · DOT, IMDG, IATA | III |
| · Environmental hazards: | |
| · Marine pollutant: | Yes (DOT) Symbol (fish and tree) |
| · Special marking (IATA): | Symbol (fish and tree) |
| · Special precautions for user | Warning: Miscellaneous dangerous substances and articles |
| · EMS Number: | F-A,S-F |
| · Stowage Category | A |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable |
| · Transport/Additional information: | |
| · DOT | |
| · Quantity limitations | On passenger aircraft/rail: No limit On cargo aircraft only: No limit |
| · Remarks: | Special marking with the symbol (fish and tree). |
| · IMDG | |
| · Limited quantities (LQ) | 5L |

(Contd. on page 8)

USA

Safety Data Sheet

29 CFR 1910.1200

Printing date 03/17/2020

Version number 1

Reviewed on 03/03/2020

Trade name: Scosche Fresche - NEW CAR

(Contd. of page 7)

· Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation":

UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (α -HEXYLCINNAMALDEHYDE, BENZYL BENZOATE), 9, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· New Jersey Right-to-Know List:

140-11-4 Benzyl acetate

· New Jersey Special Hazardous Substance List:

None of the ingredients is listed.

· Pennsylvania Right-to-Know List:

None of the ingredients is listed.

· Pennsylvania Special Hazardous Substance List:

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

140-11-4 Benzyl acetate

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

16 Other information

· Relevant hazard statements

H227 Combustible liquid.

(Contd. on page 9)

Safety Data Sheet

29 CFR 1910.1200

Printing date 03/17/2020

Version number 1

Reviewed on 03/03/2020

Trade name: Scosche Fresche - NEW CAR

(Contd. of page 8)

H302 Harmful if swallowed.
 H304 May be fatal if swallowed and enters airways.
 H312 Harmful in contact with skin.
 H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.
 H361 Suspected of damaging fertility or the unborn child.

The contents and format of this SDS are in accordance with 29 CFR 1910.1200.

DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

· **Date of preparation / last revision** 03/17/2020 / -

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 ACGIH: American Conference of Governmental Industrial Hygienists
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 NIOSH: National Institute for Occupational Safety
 OSHA: Occupational Safety & Health
 Flam. Liq. 4: Flammable liquids – Category 4
 Acute Tox. 4: Acute toxicity – Category 4
 Skin Irrit. 2: Skin corrosion/irritation – Category 2
 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
 Skin Sens. 1: Skin sensitisation – Category 1
 Skin Sens. 1B: Skin sensitisation – Category 1B
 Repr. 2: Reproductive toxicity – Category 2
 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
 Asp. Tox. 1: Aspiration hazard – Category 1

End of document