

# **Alcohol Wipes**

Version 1.1

Revision Date:09/03/2019


# SECTION 1. IDENTIFICATION

product name: Product Code Manufacturer or supplier's details Company name of supplier: Address:

Emergency telephone number Contact Person: Alcohol Wipes BR- 402

Zhejiang Bright Commodity Co.,LTD NO.29,Kaixuan West Road,Kecheng Distyict, Quzhou City China +86-570-8077883 Yanhui

# SECTION 2. HAZARDS IDENTIFICATION



Hazard statements

Hazard symbols Risk phrases:



- : H228 Flammable soilds
- : H319 Causes serious eye irritation.
- :F, Xi
- : R11-Highly flammable
- R36-Irritating to eyes



Eye contact	: Not expected to present a hazard to the eyes under normal conditions of use but direct contact of the impregnating fluid with the eyes would cause irritation. Inhalation: Not considered to present an
	inhalation hazard under normal conditions
	of use.
Other hazards	: None know

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

# Hazardous components

Chemical name	CAS-No.	Concentration (%) V/V
Ethyl Alcohol	64-17-5	>= 70 - < 80
Aqua	7732-18-5	>= 20 - < 30

# SECTION 4. FIRST AID MEASURES

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately.
	When symptoms persist or in all cases of doubt seek medical
	advice.
If inhaled	: If inhaled, remove to fresh air.
In case of skin contact	: Wash with water and soap as a precaution.
In case of eye contact	: In case of contact, immediately flush eyes with plenty of
	water or at least 15 minutes.
	If easy to do, remove contact lens, if worn.
	Seek medical advice.
If swallowed	: If swallowed, DO NOT induce vomiting.
	Rinse mouth with water. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	: Causes serious eye irritation.
Protection of first-aiders	: First Aid responders should pay attention to self-protection and use the recommended protective clothing



# SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry
	chemical or carbon dioxide.
Unsuitable extinguishing media Specific hazards during firefighting	<ul> <li>: High volume water jet</li> <li>: Do not use a solid water stream as it may scatter and spread fire. Cool closed containers exposed to fire with water spray. Flash back possible over considerable distance.</li> <li>May form explosive mixtures in air.</li> <li>Exposure to decomposition products may be a hazard to</li> </ul>
	health.
Hazardous combustion products	Carbon oxides : Carbon oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water
Special protective equipment for firefighters	<ul><li>must be disposed of in accordance with local regulations.</li><li>: In the event of fire, wear self-contained breathing apparatus.</li><li>Use personal protective equipment.</li></ul>

# SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment	:Use personal protective equipment.
and emergency procedures	Ensure adequate ventilation.
	Remove all sources of ignition.
	Evacuate personnel to safe areas.
	Keep people away from and upwind of
	spill/leak. Material can create slippery
	conditions.
Environmental precautions	: Discharge into the environment must be
	avoided.
	Prevent further leakage or spillage if safe to

# FE

#### SAFETY DATA SHEET

do so. Retain and dispose of contaminated
wash water.
Local authorities should be advised if
significant spillages cannot be contained.
: Non-sparking tools should be used.
Soak up with inert absorbent material.
Suppress(knock down) gases/vapours/mists
with a water spray jet.
Keep in suitable, closed containers for
disposal.
Clean contaminated floors and objects
thoroughly while observing environmental
regulations.

# SECTION 7. HANDLING AND STORAGE

Advice on safe handling	: For personal protection see section 8. Keep away from heat and flame. Use with local exhaust ventilation. Avoid contact with eyes.
Conditions for safe storage	<ul> <li>Take measures to prevent the build up of electrostatic charge.</li> <li>Keep in properly labelled containers.</li> <li>Keep containers tightly closed in a dry, cool and well-ventilated place.</li> <li>Store in accordance with the particular national regulations.</li> </ul>

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Components with workplace control parameters

Components	CAS-No.	Value type Form of exposure	Control parameters /Permissible	Basis
Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm	OSHA Z-1
			1,900 mg/m3	
		STEL	1,000 ppm	ACGIH



Personal protective equipment	
Respiratory protection	: No personal respiratory protective equipment normally required
Eye protection	: Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	: No special measures necessary provided product is used correctly
Protective measures	<ul><li>: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.</li><li>Ensure that eye flushing systems and safety showers are located close to the working place.</li></ul>
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Liquid
Colour	: Clear
Odour	: Alcohol-like
Odour Threshold	: No data available
pH	: 5.0 – 7.0, (20 °C)
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: Approximately 75.00 °C
Flash point	: Approximately 21.00 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	:
Upper explosion limit	: No data available
Density	: 0.8722 g/cm3
Solubility(ies)	
Water solubility	:Soluble
Partition coefficient: n-octanol/water	Not applicable
Auto-ignition temperature	No data available
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified
	as oxidizing.



# SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture
	with air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Strong oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are
	known.

# SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure Inhalation

Eye contact

Skin contact

#### Acute toxicity

Not classified based on available information.

#### **Components:**

Ethyl Alcohol

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 124.7 mg/l
	Exposure time: 4 h
	Test atmosphere: vapour

#### Skin corrosion/irritation

Not classified based on available information.

#### **Components:**

Ethyl Alcohol: Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

#### **Components:**

Ethyl Alcohol: Species: Rabbit Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405

Components: Ethyl Alcohol:



Test Type: Local lymph node assay (LLNA) Exposure routes: Skin contact Species: Mouse Result: negative

#### **Components:**

Ethyl Alcohol: Genotoxicity in vitro

Genotoxicity in vivo

: Test Type: In vitro mammalian cell gene mutation test
Result: negative
: Test Type: Rodent dominant lethal test (germ cell) (in vivo)
Test species: Mouse Application Route: Ingestion Result: negative

Ethyl Alcohol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y

#### SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity Components:

Ethyl Alcohol:	
Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l
	Exposure time: 96 h
Toxicity to algae	: EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l
	Exposure time: 72 h
	Method: OECD Test Guideline 201
Toxicity to daphnia and other	: NOEC (Daphnia magna (Water flea)): 9.6 mg/l
aquatic invertebrates	Exposure time: 9 d
(Chronic toxicity)	
Toxicity to bacteria	: EC50 (Photobacterium phosphoreum): 32.1 mg/l
	Exposure time: 0.25 h
EthylAlcohol:	
Biodegradability	Exposure time: 20 d
Isopropyl Alcohol:	: Result: rapidly degradable
Biodegradability	
Bioaccumulative potential	



Components:	
Ethyl Alcohol:	
Partition coefficient: n-	: log Pow: -0.35
octanol/water	
Remarks	This product neither contains, nor was manufactured with a Class I or Class II
	ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A,
	App.A + B).

# SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods Waste from residues	: Dispose of in accordance with local regulations.	
Contaminated packaging	Empty containers should be taken to a approved waste handling site for recyclir or disposal.	

SECTION 14. TRANSPORT INFORMATIO	N
International Regulation	
IATA-DGR	
UN/ID No.	
Proper shipping name	:
Class	:
Packing group	PG II
Packing instruction (cargo aircraft)	:
Packing instruction	
(passenger aircraft)	
IMDG-Code	
UN number	: UN 3175
Proper shipping name	:
Class	
Division	:4.1 Flammable Solids
Packing group	: II
Labels	:
EmS Code	:
Marine pollutant National Regulations	:
49 CFR	
UN/ID/NA number Proper shipping name	:



Class	:
Proper shipping name	:
Packing group	: II
ERG Code	:
Marine pollutant	:

#### SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act CERCLA Reportable Quantity This material does not contain any components with a CERCLA RQ. SARA 304 Extremely Hazardous Substances Reportable Quantity This material does not contain any components with a section 304 EHS RQ.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Ethyl Alcohol 64-17-5 75 %

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

Clean Water Act

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

**US State Regulations** 

Massachusetts Right To Know

Ethyl Alcohol	64-17-5	70 - 80 %
Aqua	7732-18-5	20- 30%

#### Pennsylvania Right To Know

Ethyl Alcohol	64-17-5	7080%
Aqua	7732-18-5	20-30%



#### New Jersey Right To Know

Ethyl Alcohol	64-17-5	50-70 %
Aqua	7732-18-5	20-30%


#### Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

#### SECTION 16. OTHER INFORMATION

#### Further information NFPA:

HMIS III:



**Revision Date:** 

#### 09/03/2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.