# SAFETY DATA SHEET

Issuing Date 01-Jun-2020 Revision Date 19-May-2020 Revision Number 1

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION

Product identifier

**Product Name** Surface Wipe, 70% Isopropyl Alcohol, 807414

Other means of identification

Product Code(s) 1585662

Recommended use of the chemical and restrictions on use

Recommended Use Wipes, Cleaning (with Chemical)

Restrictions on use No information available

Details of the supplier of the safety data sheet

**Supplier Identification** Acme United Corp.

Address 55 Walls Drive

Suite 201 Fairfield Connecticut 06824 United States

Telephone Phone:203 254 6060

Fax:203-254-6019

E-mail customerservice@acmeunited.com

Emergency telephone number

**Company Emergency Phone** 

800-835-2263

Number

### 2. HAZARDS IDENTIFICATION

Classification



Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 3

Appearance Colorless Physical state Pre-Moistened Towelette Odor Alcohol

(no free liquids) Solid

### GHS Label elements, including precautionary statements

#### Warning

#### **Hazard statements**

Causes serious eye irritation May cause drowsiness or dizziness



#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear eye protection/ face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

#### **Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

#### Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing Call a POISON CENTER or doctor if you feel unwell

### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Other information

May be harmful if swallowed.

#### **Unknown acute toxicity** 0 % of the mixture consists of ingredient(s) of unknown toxicity

- 0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)



Page 2 / 11

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Substance

Not applicable.

#### Mixture

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Isopropyl alcohol	67-63-0	70	-	-

### 4. FIRST AID MEASURES

#### Description of first aid measures

**General advice** Show this safety data sheet to the doctor in attendance.

**Inhalation** Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

**Skin contact** Wash skin with soap and water.

**Ingestion** Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Call a physician.

**Self-protection of the first aider** Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation. Inhalation of high vapor concentrations may cause symptoms like

headache, dizziness, tiredness, nausea and vomiting.

Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

surrounding environment.

**Large Fire** CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.



ohol, Revision Date 19-May-2020

Specific hazards arising from the

chemical

No information available.

Hazardous Combustion Products Carbon oxides.

**Explosion Data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas.

**Other Information** Refer to protective measures listed in Sections 7 and 8.

#### Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up**Pick up and transfer to properly labeled containers.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. Avoid breathing vapors or mists. In case of insufficient ventilation, wear suitable

respiratory equipment.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure Limits

Chemical name ACGIH TLV OSHA PEL NIOSH IDLH
---

\_\_\_\_\_



Isopropyl alcohol STEL: 400 ppm TWA: 400 ppm IDLH: 2000 ppm 10% LEL 67-63-0 TWA: 200 ppm TWA: 980 mg/m<sup>3</sup> TWA: 980 mg/m<sup>3</sup> (vacated) TWA: 400 ppm TWA: 400 ppm (vacated) TWA: 980 mg/m<sup>3</sup> STEL: 500 ppm (vacated) STEL: 500 ppm STEL: 1225 mg/m3 (vacated) STEL: 1225 mg/m<sup>3</sup> Chemical name British Columbia Ontario TWAEV Alberta Quebec Isopropyl alcohol TWA: 200 ppm TWA: 200 ppm TWA: 200 ppm TWA: 400 ppm 67-63-0 TWA: 492 mg/m<sup>3</sup> STEL: 400 ppm STEL: 400 ppm TWA: 985 mg/m<sup>3</sup> STEL: 400 ppm STEL: 500 ppm STEL: 984 mg/m<sup>3</sup> STEL: 1230 mg/m<sup>3</sup>

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992).

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** If splashes are likely to occur, wear safety glasses with side-shields.

**Hand protection** Wear suitable gloves.

**Skin and body protection** Wear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or

smoke when using this product.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Pre-Moistened Towelette (no free liquids); Solid

Appearance Colorless
Odor Alcohol

ColorNo information availableOdor ThresholdNo information available

 Property
 Values
 Remarks
 Method

 pH
 No data available
 None known

 Melting / freezing point
 No data available
 None known

 Boiling point / boiling range
 No data available
 None known

Boiling point / boiling rangeNo data availableNone knownFlash PointNo data availableNone knownEvaporation RateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability limit No data available
Lower flammability limit No data available



None known

Vapor pressureNo data availableNone knownVapor densityNo data availableNone knownRelative densityNo data availableNone known

Water Solubility Cloth not soluble Solubility(ies) No data available

Partition coefficient: n-octanol/waterUnknown

Autoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone known

Dynamic viscosity 0.9

Other Information

**Explosive properties** No information available **Oxidizing properties** No information available Softening Point No information available Molecular Weight No information available **VOC Content (%)** No information available **Liquid Density** No information available **Bulk Density** No information available **Particle Size** No information available **Particle Size Distribution** No information available

### 10. STABILITY AND REACTIVITY

**Reactivity** No information available.

**Chemical stability** Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

**Conditions to avoid**None known based on information supplied.

**Incompatible materials**None known based on information supplied.

Hazardous Decomposition Products Carbon oxides.

### 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract. May cause drowsiness or dizziness.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye

irritation. (based on components). May cause redness, itching, and pain.

**Skin contact** Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause



gastrointestinal irritation, nausea, vomiting and diarrhea. May be harmful if swallowed.

### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** May cause redness and tearing of the eyes. Inhalation of high vapor concentrations may

cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

#### Numerical measures of toxicity

#### **Acute Toxicity**

The following values are calculated based on chapter 3.1 of the GHS document...

ATEmix (oral) 2,671.40 mg/kg ATEmix (dermal) 5,798.60 mg/kg

Unknown acute toxicity 0 % of the mixture consists of ingredient(s) of unknown toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Isopropyl alcohol	= 1870 mg/kg (Rat)	= 4059 mg/kg ( Rabbit )	= 72600 mg/m <sup>3</sup> (Rat) 4 h	

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol	-	Group 3	-	X
67-63-0				

### Legend

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

STOT - single exposure May cause drowsiness or dizziness.

STOT - repeated exposure No information available.



Page 7 / 11

**Aspiration hazard** No information available.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

The environmental impact of this product has not been fully investigated.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to	Daphnia Magna (Water
			Microorganisms	Flea)
Isopropyl alcohol	72h EC50: > 1000 mg/L	96h LC50: > 1400000	-	48h EC50: = 13299 mg/L
	(Desmodesmus	μg/L (Lepomis		(Daphnia magna)
	subspicatus) 96h EC50: >	macrochirus) 96h LC50:		
	1000 mg/L	= 9640 mg/L (Pimephales		
	(Desmodesmus	promelas) 96h LC50: =		
	subspicatus)	11130 mg/L (Pimephales		
		promelas)		

Persistence and Degradability

No information available.

**Bioaccumulation** 

.

**Component Information** 

Chemical name	Log Pow
Isopropyl alcohol	0.05

**Mobility** No information available.

Other adverse effects No information available.

### 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

California Waste Codes 561

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Isopropyl alcohol	Toxic
67-63-0	Ignitable

# 14. TRANSPORT INFORMATION

DOT NOT REGULATED
Proper Shipping Name NON-REGULATED

Hazard Class N/A



**Emergency Response Guide** 

Number

129

TDG Not regulated

MEX Not regulated

ICAO Not regulated

IATA Not regulated

Proper Shipping Name NON ŘEGULATED

Hazard Class N/A

IMDG/IMO Not regulated

Hazard Class N/A

RID Not regulated

ADR Not regulated

ADN Not regulated

### 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

#### International Inventories

TSCA

Contact supplier for inventory compliance status.

#### Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

### US Federal Regulations

#### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical



Page 9 / 11

807414

or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Isopropyl alcohol - 67-63-0	67-63-0	70	1.0

### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### US State Regulations

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### **U.S. State Right-to-Know Regulations**

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Isopropyl alcohol	X	X	Χ	X	
67-63-0					

# 16. OTHER INFORMATION

NFPA Health hazards 2 Flammability 0 Instability 0 Physical and Chemical

Properties -

Revision Date 19-May-2020

HMIS Health hazards 2 Flammability 0 Physical hazards 0 Personal Protection X

Prepared By
Product Stewardship
23 British American Blvd.

Latham, NY 12110 1-800-572-6501

Issuing Date 01-Jun-2020

**Revision Date** 19-May-2020

Revision Note No information available

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its



publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 





# SAFETY DATA SHEET

Issuing Date 03-Jun-2020 Revision Date 27-May-2020 Revision Number 1

NGHS / English

(II)

The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION

Product identifier

Product Name First Aid Only Hand Sanitizer, 91190

Other means of identification

Product Code(s) 1586911

Recommended use of the chemical and restrictions on use

Recommended Use Hand sanitizer

Restrictions on use No information available

Details of the supplier of the safety data sheet

**Supplier Identification** Acme United Corp.

Address 55 Walls Drive

Suite 201 Fairfield Connecticut 06824 United States

**Telephone** Phone:203 254 6060

Fax:203-254-6019

E-mail customerservice@acmeunited.com

Emergency telephone number

**Company Emergency Phone** 

800-835-2263

Number

### 2. HAZARDS IDENTIFICATION

Classification



Specific target organ toxicity (single exposure)	Category 1
Specific target organ toxicity (repeated exposure)	Category 1
Flammable liquids	Category 2

Appearance Clear Physical state Gel Liquid Odor Alcohol

#### GHS Label elements, including precautionary statements

#### **Danger**

#### **Hazard statements**

Causes damage to organs Causes damage to organs through prolonged or repeated exposure Highly flammable liquid and vapor



#### **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ ventilating/ lighting/ equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/eye protection/face protection

### **Precautionary Statements - Response**

IF exposed: Call a POISON CENTER or doctor

Specific treatment (see supplemental first aid instructions on this label)

### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

#### Fire

In case of fire: Use CO2, dry chemical, or foam to extinguish

### **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep cool

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other information

Causes mild skin irritation. Toxic to aquatic life.

**Unknown acute toxicity** 73 % of the mixture consists of ingredient(s) of unknown toxicity



Page 2 / 13

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

72 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

73 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

73 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

3 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Not applicable.

#### <u>Mixture</u>

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Ethyl alcohol	64-17-5	70	-	-
Glycerol	56-81-5	5	-	-
Triethanolamine	102-71-6	1	-	-
Propylene glycol	57-55-6	1	-	-
Poly(acrylic acid)	9003-01-4	1	-	-

### 4. FIRST AID MEASURES

#### Description of first aid measures

**General advice** Show this safety data sheet to the doctor in attendance.

**Inhalation** Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. If symptoms persist, call a physician.

**Skin contact**Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If symptoms persist, call a physician.

**Ingestion** Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Call a physician.

**Self-protection of the first aider** Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use

personal protective equipment as required. See section 8 for more information.

Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES



Page 3 / 13

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media**Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Hazardous Combustion Products Carbon oxides.

**Explosion Data** 

**Sensitivity to Mechanical Impact** None. **Sensitivity to Static Discharge** Yes.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the

product must be grounded. Do not touch or walk through spilled material.

**Other Information** Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Use personal protection equipment. Avoid contact with skin and eyes. Avoid breathing

vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good



industrial hygiene and safety practice.

#### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national

regulations. Store in accordance with local regulations. Store locked up.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Limits** 

Chemical name		ACGIH TLV		OSHA PEL		NIOSH IDLH	
Ethyl alcohol		STEL: 1000 ppm		TWA: 1000 ppm		IDLH: 3300 ppm 10% LEL	
64-17-5				TWA: 1900 mg/m <sup>3</sup>		TWA: 1000 ppm	
				(vacated) TWA: 1000 ppm		TWA: 1900 mg/m <sup>3</sup>	
			(vacated) TWA: 1900 mg/m <sup>3</sup>				
Glycerol		TWA: 10 mg/m <sup>3</sup> mist			ng/m <sup>3</sup> mist, total		
56-81-5					articulate		
					m <sup>3</sup> mist, respirable		
					fraction		
					TWA: 10 mg/m <sup>3</sup>		
					otal particulate		
				(vacated) TWA: 5 mg/m <sup>3</sup> mist,			
				respirable fraction			
Triethanolamine 102-71-6		TWA: 5 mg	g/m³		-		
Chemical name		Alberta	British C	Columbia	Ontario TWAE	V Quebec	
Ethyl alcohol	T\	WA: 1000 ppm	STEL: 1	000 ppm	STEL: 1000 pp	m STEL: 1000 ppm	
64-17-5	ΤV	VA: 1880 mg/m³					
Glycerol			0 mg/m <sup>3</sup>		TWA: 10 mg/m <sup>3</sup>		
56-81-5			TWA: 3	VA: 3 mg/m <sup>3</sup>			
Triethanolamine	T	WA: 5 mg/m <sup>3</sup>	TWA: 5	5 mg/m <sup>3</sup>	TWA: 0.5 ppm	n TWA: 5 mg/m <sup>3</sup>	
102-71-6					TWA: 3.1 mg/n	n <sup>3</sup>	
Propylene glycol	e glycol			TWA: 10 mg/m	1 <sup>3</sup>		
57-55-6					TWA: 50 ppm		
					TWA: 155 mg/r	n <sup>3</sup>	

**Other Exposure Guidelines** 

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992). See section 15 for national exposure control parameters.

#### Appropriate engineering controls

**Engineering controls** Showers

Eyewash stations Ventilation systems.

### Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.



**Hand protection** Wear suitable gloves. Impervious gloves.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended.

None known

Revision Date 27-May-2020

Wash hands before breaks and immediately after handling the product.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Gel; Liquid Appearance Clear Odor Alcohol

**Color** No information available

Odor Threshold Not applicable

<u>Property</u> <u>Values</u> <u>Remarks Method</u>

**pH** 7

Melting / freezing point No data available None known

Boiling point / boiling range 78 °C / 172 °F Flash Point 21 C / 70 F

Evaporation Rate

No data available

None known

No data available

None known

No data available

None known

Flammability Limit in Air

Upper flammability limit No data available

Lower flammability limit No data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone known

Relative density 0.83
Water Solubility Miscible

Solubility(ies) No data available None known

Partition coefficient: n-octanol/water0

Autoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Other Information

**Explosive properties** No information available **Oxidizing properties** No information available **Softening Point** No information available **Molecular Weight** No information available **VOC Content (%)** No information available **Liquid Density** No information available **Bulk Density** No information available **Particle Size** No information available **Particle Size Distribution** No information available

### 10. STABILITY AND REACTIVITY

**Reactivity** No information available.



**Chemical stability** Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Conditions to avoid** Heat, flames and sparks.

**Incompatible materials**None known based on information supplied.

Hazardous Decomposition Products Carbon oxides.

### 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available.

**Eye contact** Specific test data for the substance or mixture is not available.

**Skin contact** Specific test data for the substance or mixture is not available.

**Ingestion** Specific test data for the substance or mixture is not available.

# Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

### Numerical measures of toxicity

### **Acute Toxicity**

The following values are calculated based on chapter 3.1 of the GHS document ...

ATEmix (oral) 9,430.70 mg/kg ATEmix (inhalation-dust/mist) 178.10 mg/L

#### Unknown acute toxicity 73 % of the mixture consists of ingredient(s) of unknown toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

72 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

73 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

73 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

3 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Ethyl alcohol	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat) 4 h	
Glycerol	= 12600 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 570 mg/m <sup>3</sup> (Rat) 1 h	
Triethanolamine	= 4190 mg/kg (Rat)	> 20000 mg/kg (Rabbit) > 16	-	
		mL/kg (Rat)		
Propylene glycol	= 20 g/kg (Rat)	= 20800 mg/kg (Rabbit)	-	
Poly(acrylic acid)	= 2500 mg/kg (Rat)	-	= 1.71 mg/L (Rat) 4 h	



#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** No information available.

**Serious eye damage/eye irritation** No information available.

**Respiratory or skin sensitization** No information available.

**Germ cell mutagenicity** No information available.

Carcinogenicity Ethanol has been shown to be carcinogenic in long-term studies only when consumed as

alcoholic beverage.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Ethyl alcohol 64-17-5	A3	Group 1	Known	Х
Triethanolamine 102-71-6	-	Group 3	-	-
Poly(acrylic acid) 9003-01-4	-	Group 3	-	-

#### Legend

**ACGIH (American Conference of Governmental Industrial Hygienists)** 

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

STOT - single exposure Based on the classification criteria of the Globally Harmonized System as adopted in the

country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE).

Causes damage to organs.

**STOT - repeated exposure**Causes damage to organs through prolonged or repeated exposure.

**Aspiration hazard** No information available.

### 12. ECOLOGICAL INFORMATION

**Ecotoxicity** Toxic to aquatic life.

Chemical name	Chemical name Toxicity to Algae		Toxicity to Fish Toxicity to Microorganisms	
Ethyl alcohol	-	96h LC50: > 100 mg/L (Pimephales promelas) 96h LC50: 12.0 - 16.0 mL/L (Oncorhynchus	EC50 = 34634 mg/L 30 min EC50 = 35470 mg/L 5 min	24h EC50: = 10800 mg/L (Daphnia magna) 48h LC50: 9268 - 14221 mg/L (Daphnia magna)



96h EC50: = 168 mg/L

(water flea)

		mykiss) 96h LC50:		48h EC50: = 2 mg/L
		13400 - 15100 mg/L		(Daphnia magna)
		(Pimephales promelas)		-
Glycerol	-	96h LC50: 51 - 57 mL/L	-	24h EC50: > 500 mg/L
_		(Oncorhynchus mykiss)		(Daphnia magna)
Triethanolamine	72h EC50: = 216 mg/L	96h LC50: 450 - 1000	-	24h EC50: = 1386 mg/L
	(Desmodesmus	mg/L (Lepomis		(Daphnia magna)
	subspicatus) 96h EC50: =	macrochirus) 96h LC50:		
	169 mg/L (Desmodesmus	10600 - 13000 mg/L		
	subspicatus)	(Pimephales promelas)		
		96h LC50: > 1000 mg/L		
		(Pimephales promelas)		
Propylene glycol	96h EC50: = 19000 mg/L		EC50 = 710  mg/L  30  min	24h EC50: > 10000 mg/L
	(Pseudokirchneriella	(Oncorhynchus mykiss)		(Daphnia magna) 48h
	subcapitata)	96h LC50: 41 - 47 mL/L		EC50: > 1000 mg/L
		(Oncorhynchus mykiss)		(Daphnia magna)
		96h LC50: = 51400 mg/L		
		(Pimephales promelas)		
		96h LC50: = 710 mg/L		
		(Pimephales promelas)		

96h LC50: = 580 mg/L

(Lepomis macrochirus)

Persistence and Degradability

No information available.

Bioaccumulation

.

**Component Information** 

Poly(acrylic acid)

Chemical name	Log Pow
Ethyl alcohol	-0.32
Glycerol	-1.76
Triethanolamine	-2.53

**Mobility** No information available.

Other adverse effects No information available.

# 13. DISPOSAL CONSIDERATIONS

# Waste treatment methods

Waste from residues/unused products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld

containers.

US EPA Waste Number D001

California Waste Codes 311

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Cnemical name	California Hazardous Waste



Ethyl alcohol Toxic 64-17-5 Ignitable

# 14. TRANSPORT INFORMATION

NOT REGULATED

Proper Shipping Name NON-REGULATED

Hazard Class N/A Emergency Response Guide 127

Number

<u>TDG</u>

**UN-No.** UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group ||

**Description** UN1170, ETHANOL SOLUTION, 3, II

MEX

**UN-No.** UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group II

**Description** UN1170, ETHANOL SOLUTION, 3, II

**ICAO** 

**UN-No.** UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group II

**Description** UN1170, ETHANOL SOLUTION, 3, II

<u>IATA</u>

**UN-No.** UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group II
ERG Code 3L

**Description** UN1170, ETHANOL SOLUTION, 3, II

IMDG/IMO

**UN-No.** UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group II
EmS-No. F-E, S-D

**Description** UN1170, ETHANOL SOLUTION, 3, II, (21°C C.C.)

RID

**UN-No.** UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group II
Classification code F1



**Description** UN1170, ETHANOL SOLUTION, 3, II

ADR/RID-Labels 3

**ADR** 

**UN-No.** 1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group II
Classification code F1
Tunnel restriction code (D/E)

**Description** 1170, ETHANOL SOLUTION, 3, II, (D/E)

<u>ADN</u>

<u>U</u>N-No. UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group II
Classification code F1
Special Provisions 144, 601

**Description** UN1170, ETHANOL SOLUTION, 3, II

Hazard Labels3Limited Quantity1 LVentilationVE01

### 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA

DSL/NDSL

Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### US Federal Regulations



Page 11 / 13

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### **US State Regulations**

# **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65		
Ethyl alcohol - 64-17-5	Carcinogen		
·	Developmental		

### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Ethyl alcohol 64-17-5	Х	Х	Х		Х
Glycerol 56-81-5	Х	X	Х		
Triethanolamine 102-71-6	Х	Х	Х		
Propylene glycol 57-55-6	Х		X		

### 16. OTHER INFORMATION

NFPA Health hazards 3 Flammability 3 Instability 0 **Physical and Chemical** 

Properties -

Health hazards 3 \* Flammability 3 Physical hazards 0 Personal Protection X

\* = Chronic Health Hazard **Chronic Hazard Star Legend** 

**Prepared By Product Stewardship** 

23 British American Blvd. Latham, NY 12110 1-800-572-6501



Page 12 / 13

**Issuing Date** 03-Jun-2020

**Revision Date** 27-May-2020

**Revision Note** No information available

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 



Page 13 / 13