SAFETY DATA SHEET

Issuing Date 29-Jun-2020

Revision Date 03-Dec-2018

Revision Number 1

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name LR6 AA ALKALINE BATTERY 1.5V- MUSTANG Aluminum film 2pcs shrink

Other means of identification

Product Code(s) 1490057

Recommended use of the chemical and restrictions on use

Recommended Use Alkaline battery

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Identification ZHEJIANG MUSTANG BATTERY CO., LTD.

Address NO.818 RONGJI ROAD, ZHENHAI

NINGBO ZHEJIANG 315202 CN

Telephone Phone:0086 574 86653999

Fax:0086 574 86593227

E-mail trade-6@mustangbattery.com

Emergency telephone number

Company Emergency Phone

0086 13586700016

Number

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Vapors)	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4



Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 1
Specific target organ toxicity (repeated exposure)	Category 1

This is a battery. In case of rupture: the above hazards exist.

Appearance No information available

Physical state Solid

Odor No information available

GHS Label elements, including precautionary statements

Danger

Hazard statements

Harmful if swallowed Harmful if inhaled

Causes severe skin burns and eye damage

Causes damage to organs

Causes damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

Specific treatment (see supplemental first aid instructions on this label)

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

Skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

Immediately call a POISON CENTER or doctor/physician

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up



Page 2/12

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Very toxic to aquatic life with long lasting effects.

Unknown acute toxicity

91 % of the mixture consists of ingredient(s) of unknown toxicity

- 2.2 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 91 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 50 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 50 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 50 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Manganese dioxide	1313-13-9	41	-	-
Zinc	7440-66-6	19	-	-
Iron	7439-89-6	18	-	-
Potassium hydroxide	1310-58-3	7	-	-
Copper	7440-50-8	2.2	-	-

4. FIRST AID MEASURES

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required. First aid is upon rupture of sealed battery.

Inhalation Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical

advice/attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present

and easy to do. Continue rinsing. Get immediate medical advice/attention.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get immediate medical advice/attention.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Get immediate medical

advice/attention.



Page 3/12

Self-protection of the first aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid breathing dust/fume/gas/mist/vapors/spray. Use personal protective equipment as required. See section 8 for more information.

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation. Coughing and/ or wheezing. Difficulty in breathing.

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood

pressure may occur with moist rales, frothy sputum, and high pulse pressure.

5. FIRE-FIGHTING MEASURES

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition

can lead to release of irritating gases and vapors.

Hazardous Combustion Products Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate

ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid generation of dust. Do not

breathe dust.

Other Information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.



Page 4/12

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

In case of rupture: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid generation of dust.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Protect from moisture. Store locked up. Store away from other materials.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical name	ACGIH 1	ΓLV	0:	SHA PEL		NIOSH IDLH
Manganese dioxide	TWA: 0.02 mg/m ³	Mn respirable	(vacated)	Ceiling: 5 mg/m ³	I	IDLH: 500 mg/m³ Mn
1313-13-9	particulate		Ceiling	ı: 5 mg/m³ Mn		TWA: 1 mg/m ³ Mn
	TWA: 0.1 mg/m ³	Mn inhalable				STEL: 3 mg/m³ Mn
	particulate	matter				
Zinc	STEL: 10 mg/m ³	respirable	TWA: 5	mg/m³ fume		IDLH: 500 mg/m ³
7440-66-6	fractio	n	TWA: 15 r	mg/m³ total dust	C	eiling: 15 mg/m³ dust
	TWA: 2 mg/m ³	respirable	TWA: 5 m	ng/m³ respirable	TWA:	5 mg/m ³ dust and fume
	fractio	n	1	fraction	S	TEL: 10 mg/m ³ fume
Potassium hydroxide	Ceiling: 2 i	mg/m³	(vacated)	Ceiling: 2 mg/m ³		Ceiling: 2 mg/m ³
1310-58-3						
Copper	TWA: 0.2 mg/	m³ fume	TWA: 0.	1 mg/m³ fume	IDLH	l: 100 mg/m³ dust, fume
7440-50-8			TWA: 1 mg	/m ³ dust and mist		and mist
			(vacated) T	WA: 0.1 mg/m ³ Cu	TWA:	: 1 mg/m³ dust and mist
			dust	, fume, mist	T\	NA: 0.1 mg/m³ fume
Chemical name	Alberta	British C	Columbia	Ontario TWAE	V	Quebec
Manganese dioxide	TWA: 0.2 mg/m ³	TWA: 0.	2 mg/m ³	TWA: 0.02 mg/	m³	TWA: 0.2 mg/m ³
1313-13-9		TWA: 0.0	02 mg/m ³	TWA: 0.1 mg/r	n³	_
Potassium hydroxide	Ceiling: 2 mg/m ³	Ceiling:	2 mg/m ³	CEV: 2 mg/m	3	Ceiling: 2 mg/m ³
1310-58-3	• •		J			
Copper	TWA: 0.2 mg/m ³	TWA: 1	mg/m³	TWA: 0.2 mg/r	n³	TWA: 0.2 mg/m ³
7440-50-8	TWA: 1 mg/m ³	TWA: 0.	2 mg/m³	TWA: 1 mg/m		TWA: 1 mg/m ³

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering controls

Showers

Eyewash stations Ventilation systems.



Individual protection measures, such as personal protective equipment

Eye/face protection Face protection shield.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid breathing

dust/fume/gas/mist/vapors/spray.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid

AppearanceNo information availableOdorNo information availableColorNo information availableOdor ThresholdNo information available

 Property
 Values
 Remarks
 Method

 pH
 No data available
 None known

Melting / freezing point No data available None known Boiling point / boiling range No data available None known Flash Point No data available None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability limitNo data availableLower flammability limitNo data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone knownRelative densityNo data availableNone knownWater SolubilityInsoluble in water

Solubility(ies) No data available None known

Partition coefficient: n-octanol/water0

Autoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Other Information

Explosive properties

Oxidizing properties

Softening Point

Molecular Weight

VOC Content (%)

Liquid Density

No information available



Bulk DensityNo information availableParticle SizeNo information availableParticle Size DistributionNo information available

10. STABILITY AND REACTIVITY

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to avoid Exposure to air or moisture over prolonged periods. Excessive heat.

Incompatible materials Acids. Bases. Oxidizing agent.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known or supplied information

In case of rupture:

Inhalation Specific test data for the substance or mixture is not available. Corrosive by inhalation.

(based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.

Pulmonary edema can be fatal. Harmful by inhalation.

Eye contact Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Corrosive to the eyes and may cause severe damage including blindness.

Causes serious eye damage. May cause irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. Corrosive. (based on

components). Causes burns.

Ingestion Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung

damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Numerical measures of toxicity

Acute Toxicity



Page 7/12

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 616.70 mg/kg ATEmix (inhalation-gas) 5,487.80 mg/L ppm

ATEmix (inhalation-dust/mist) 1.83 mg/L ATEmix (inhalation-vapor) 13.40 mg/L

Unknown acute toxicity 91 % of the mixture consists of ingredient(s) of unknown toxicity

2.2 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

91 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

50 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

50 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

50 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Manganese dioxide	= 9000 mg/kg (Rat)	-	> 1500 mg/m³ (Rat) 4 h
Zinc	= 630 mg/kg (Rat)	-	-
Iron	= 30 g/kg (Rat)	-	-
Potassium hydroxide	= 284 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes burns.

Serious eye damage/eye irritation Classification based on data available for ingredients. Risk of serious damage to eyes.

Causes burns.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure Based on the classification criteria of the Globally Harmonized System as adopted in the

country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). Causes damage to organs if swallowed. Causes damage to organs if inhaled.

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

Marine Pollutant This product contains a chemical which is listed as a severe marine pollutant according to

DOT

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to	Daphnia Magna (Water
			Microorganisms	Flea)
Zinc	96h EC50: 0.11 - 0.271	96h LC50: = 7.8 mg/L	-	48h EC50: 0.139 - 0.908
	mg/L	(Cyprinus carpio) 96h		mg/L (Daphnia magna)
	(Pseudokirchneriella	LC50: = 0.24 mg/L		



subcapitata) 72h EC50: (Oncorhynchus mykiss) 96h LC50: 2.16 - 3.05 0.09 - 0.125 mg/L (Pseudokirchneriella mg/L (Pimephales subcapitata) promelas) 96h LC50: = 0.41 mg/L (Oncorhynchus mykiss) 96h LC50: = 0.59 mg/L (Oncorhynchus mykiss) 96h LC50: = 2.66 mg/L (Pimephales promelas) 96h LC50: = 3.5 mg/L (Lepomis macrochirus) 96h LC50: 0.211 - 0.269 mg/L (Pimephales promelas) 96h LC50: = 0.45 mg/L (Cyprinus carpio) 96h LC50: = 30 mg/L (Cyprinus carpio) Iron 96h LC50: = 13.6 ma/L(Morone saxatilis) Potassium hydroxide 96h LC50: = 80 mg/L (Gambusia affinis) 72h EC50: 0.0426 -96h LC50: = 0.2 mg/L 48h EC50: = 0.03 mg/L Copper (Pimephales promelas) 0.0535 mg/L (Daphnia magna) (Pseudokirchneriella 96h LC50: 0.0068 subcapitata) 96h EC50: 0.0156 mg/L (Pimephales 0.031 - 0.054 mg/L promelas) 96h LC50: = (Pseudokirchneriella 0.052 mg/L subcapitata) (Oncorhynchus mykiss) 96h LC50: < 0.3 mg/L (Pimephales promelas) 96h LC50: = 0.3 mg/L (Cyprinus carpio) 96h LC50: = 0.8 mg/L(Cyprinus carpio) 96h LC50: = 1.25 mg/L(Lepomis macrochirus) 96h LC50: = 0.112 mg/L (Poecilia reticulata)

Persistence and Degradability

No information available.

Bioaccumulation

Component Information

compensation and a second a second and a second a second and a second				
Chemical name	Log Pow			
Manganese dioxide	<0			
Potassium hydroxide	0.83			

Mobility

No information available.

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods



Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

California Waste Codes 141

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Zinc	Ignitable powder
7440-66-6	
Potassium hydroxide	Toxic
1310-58-3	Corrosive
Copper	Toxic
7440-50-8	

14. TRANSPORT INFORMATION

DOT NOT REGULATED

Proper Shipping Name NON-REGULATED

Hazard Class N/A

Marine Pollutant This product contains a chemical which is listed as a severe marine pollutant according to

DOT

TDG Not regulated

Marine Pollutant This product contains a chemical which is listed as a severe marine pollutant according to

TDG.

MEX Not regulated

ICAO Not regulated

IATA Not regulated NON REGULATED

Hazard Class N/A

IMDG/IMO Not regulated

Hazard Class N/A

RID Not regulated

ADR Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable



The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA

DSL/NDSL

EINECS/ELINCS

ENCS

KECL

PICCS

AICS

Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Manganese dioxide - 1313-13-9	1313-13-9	41	1.0
Zinc - 7440-66-6	7440-66-6	19	1.0
Copper - 7440-50-8	7440-50-8	2.2	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable	CWA - Toxic Pollutants	CWA - Priority	CWA - Hazardous
	Quantities		Pollutants	Substances
Zinc		X	X	
7440-66-6				
Potassium hydroxide	1000 lb			X
1310-58-3				
Copper		X	X	
7440-50-8				

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous	RQ



		Substances RQs	
Zinc	1000 lb		RQ 454 kg final RQ
7440-66-6			RQ 1000 lb final RQ
Potassium hydroxide	1000 lb		RQ 1000 lb final RQ
1310-58-3			RQ 454 kg final RQ
Copper	5000 lb		RQ 5000 lb final RQ
7440-50-8			RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Manganese dioxide 1313-13-9	Х		X	Х	Х
Zinc 7440-66-6	Х	X	X	Х	
Potassium hydroxide 1310-58-3	Х	X	X	Х	
Copper 7440-50-8	X	X	X	X	X

16. OTHER INFORMATION

NFPA Health hazards 1 Flammability 0 Instability 0 Physical and Chemical

Properties -

Health hazards 0 Flammability 0 Physical hazards 0 Personal Protection X

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date 29-Jun-2020

Revision Date 03-Dec-2018

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

