## SAFETY DATA SHEET

Date of issue 28-04-2020 Canada/English

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier			
Product Name	Rechargeable Li-ion Polymer Battery GQ STYLE AC(Dual IC)		
Other means of identification			
Recommended use of the chemical	and restrictions on use		
Recommended Use	LITHIUM ION BATTERIES		
Uses advised against	No information available		
Details of the supplier of the safety	data sheet		
Initial supplier identifier	Sunwoda Electronic Co., Ltd.		
Address	Floor 1,A,B,D District of Floor2 and Floor 3 to 9 of Comprehensive Building, No.2 Yihe Road, Shilong Community, Shiyan Street, Bao an District, Shenzhen City, Guangdong Province, P.R. China		
Telephone	+86-13823288548		
E-mail	xiangjing@sunwoda.com		
Emergency telephone number			
Company Emergency Phone Number	+86-13823288548		

## 2. HAZARDS IDENTIFICATION

## **Classification**

This is a battery. In case of rupture:

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Carcinogenicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 1

## GHS Label elements, including precautionary statements

## Danger

## Hazard statements

This is a battery. In case of rupture:.

Causes skin irritation Causes serious eye irritation Suspected of causing cancer Causes damage to organs through prolonged or repeated exposure



## **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling Do not breathe dust/fume/gas/mist/vapors/spray Do not eat, drink or smoke when using this product

## **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention Specific treatment (see supplemental first aid instructions on this label)

## Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

## Skin

IF ON SKIN: Wash with plenty of water and soap If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse

## **Precautionary Statements - Storage**

Store locked up

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## Other information

Very toxic to aquatic life with long lasting effects

## Unknown acute toxicity

30.9 % of the mixture consists of ingredient(s) of unknown toxicity

30.9 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

30.9 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

30.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

30.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

30.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

## Substance

Not applicable.

Mixture

Chemical name	CAS-No	Percent (%)	Hazardous Material	Date HMIRA filed and
			Information Review Act	date exemption granted
			registry number (HMIRA	(if applicable)
			registry #)	
Lithium nickel cobalt manganese	182442-95-1	43	-	-
oxide	7700 40 5			
Graphite	7782-42-5	23	-	-
Lithium hexafluorophosphate	21324-40-3	2	_	-
Ethylene carbonate	96-49-1	4	-	-
Ethyl methyl carbonate	623-53-0	7	-	-
Propylene carbonate	108-32-7	1	-	-
Nickel	7440-02-0	1	-	-
Aluminum	7429-90-5	5	-	-
Copper	7440-50-8	8	-	-
Carbon	7440-44-0	1	-	-
Polyvinylidene fluoride	24937-79-9	1	-	-
Polypropylene	9003-07-0	2	-	_
Polyethylene	9002-88-4	2	-	-
Nylon	32131-17-2	1	-	-

## 4. FIRST AID MEASURES

First aid measures		
General advice	First aid is upon rupture of sealed battery. IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.	
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area.	
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.	
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.	
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).	
Most important symptoms and effects, both acute and delayed		
Symptoms	Burning sensation.	
Indication of any immediate medica	al attention and special treatment needed	
Note to physicians	Treat symptomatically.	
5. FIRE-FIGHTING MEASURES		
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Unsuitable extinguishing media	CAUTION: Use of water spray when fighting fire may be inefficient.	

Specific hazards arising from the No information available. chemical

Hazardous Combustion Products	Carbon oxides.
Explosion Data Sensitivity to Mechanical Impac Sensitivity to Static Discharge	t None. None.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas.	
Other Information	Refer to protective measures listed in Sections 7 and 8.	
Environmental precautions		
Environmental precautions	Prevent further leakage or spillage if safe to do so.	
Methods and material for containm	ent and cleaning up	
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Pick up and transfer to properly labeled containers.	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	

## 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on safe handling In case of rupture: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

Exposure Limits

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Graphite TWA: 2 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup>	Chemical name	Alberta	British Columbia	Ontario TWAEV	Quebec
	Graphite	TWA: 2 mg/m <sup>3</sup>			

7782-42-5				
Aluminum 7429-90-5	TWA: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	TWA: 1.0 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>
Copper 7440-50-8	TWA: 0.2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> TWA: 0.2 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>
Lithium hexafluorophosphate 21324-40-3	TWA: 2.5 mg/m <sup>3</sup>			

## Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

## Appropriate engineering controls

## Engineering controls Showers Eyewash

Eyewash stations Ventilation systems.

## Individual protection measures, such as personal protective equipment

Eye/face protection	If splashes are likely to occur, wear safety glasses with side-shields.
Hand protection	Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Physical and Chemical Properties

Physical state	Solid		
Appearance	No information available		
Odor	No information available		
Color	No information available		
Odor Threshold	No information available		
Property_	Values	Remarks Method	
pH	No data available	None known	
Melting / freezing point	No data available	None known	
Boiling point / boiling range	No data available	None known	
Flash Point	No data available	None known	
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air		None known	
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Relative density	No data available	None known	
Water Solubility	Insoluble in water		
Solubility(ies)	No data available	None known	

Partition coefficient: n-octanol/water0		
Autoignition temperature	No data available	
Decomposition temperature	None known	
Kinematic viscosity	None known	
Dynamic viscosity	None known	
Explosive properties	No information available.	
Oxidizing properties	No information available.	
Other Information Softening Point Molecular Weight VOC Content (%) Liquid Density Bulk Density Particle Size Particle Size Distribution	No information available No information available No information available No information available No information available No information available	

## **10. STABILITY AND REACTIVITY**

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous Polymerization	Hazardous polymerization does not occur.
Conditions to avoid	None known based on information supplied.
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents.

Hazardous Decomposition Products Carbon oxides.

## **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information In case of rupture:
Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). Irritating to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Information on toxicological effects	3
Symptoms	Redness. May cause redness and tearing of the eyes.
Numerical measures of toxicity	

None known

## **Acute Toxicity**

## The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	12,452.00	mg/kg
ATEmix (dermal)	9,132.00	mg/kg

#### Unknown acute toxicity

30.9 % of the mixture consists of ingredient(s) of unknown toxicity

30.9 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

30.9 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

30.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

30.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

30.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Propylene carbonate	= 29000 mg/kg (Rat)	> 20 mL/kg (Rabbit)	-

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Irritating to skin.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Irritating to eyes.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	Classification based on data available for ingredients. Contains a known or suspected carcinogen.
Legend ACGIH (American Conference o A3 - Animal Carcinogen IARC (International Agency for I Group 2B - Possibly Carcinogenic	•

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	No information available.

## **12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

Very toxic to aquatic life with long lasting effects.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Copper	96h EC50: 0.031 -	96h LC50: 0.0068 -	-	48h EC50: = 0.03 mg/L

	0.054 mg/L	0.0156 mg/L (Pimephales		
	(Pseudokirchneriella	promelas) 96h LC50: =		
	subcapitata) 72h EC50:	1.25 mg/L (Lepomis		
	0.0426 - 0.0535 mg/L	macrochirus) 96h LC50: =		
	(Pseudokirchneriella	0.052 mg/L		
	subcapitata)	(Oncorhynchus mykiss)		
		96h LC50: = 0.2 mg/L		
		(Pimephales promelas)		
		96h LC50: < 0.3 mg/L		
		(Pimephales promelas)		
		96h LC50: = 0.112 mg/L		
		(Poecilia reticulata) 96h		
		LC50: = 0.3 mg/L		
		(Cyprinus carpio) 96h		
		LC50: = 0.8 mg/L		
		(Cyprinus carpio)		
Propylene carbonate	72h EC50: > 500 mg/L		EC50 > 10000 mg/L 17 h	48h EC50: > 500 mg/L
	(Desmodesmus	(Cyprinus carpio) 96h	Jan	5
	subspicatus)	LC50: = 5300 mg/L		
		(Leuciscus idus)		

## Persistence and Degradability

No information available.

## Bioaccumulation

#### **Component Information**

Chemical name	Log Pow
Propylene carbonate	0.48

Mobility	lo information available.
----------	---------------------------

.

Other adverse effects No information available.

## **13. DISPOSAL CONSIDERATIONS**

## Waste treatment methods

Waste from residues/unused	Dispose of in accordance with local regulations. Dispose of waste in accordance with
products	environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

## **14. TRANSPORT INFORMATION**

meet the following criteria for shipment: 1. Air shipments must meet the requiremer listed in Special Provision A45 of the International Air Transport Association Dangerou Goods Regulations. 2. Meet the requirements for the US Department of Transportati listed in 49 CFR 173.185. 3. The transport of primary lithium batteries is prohibited al passenger aircraft. Refer to the Federal Register December 15, 2004 (Hazardous Materials; Prohibited on the Transportation of Primary Lithium Batteries and Cells Abo Passenger Aircraft; Final Rule) Lithium batteries shipped as "Lithium batteries", "Lithium batteries packed with equipm or "Lithium batteries contained in equipment" may not be classified as "Dangerous Go when shipped in accordance with "special provision A45 of IATA-DGR" or "special pro 188 of IMO-IMDG Code"
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

TDG	Not regulated
DOT Proper Shipping Name Hazard Class Emergency Response Guide Number	NOT REGULATED NON-REGULATED N/A 147
MEX	Not regulated
ICAO	Not regulated
IATA Proper Shipping Name Hazard Class	Not regulated NON REGULATED N/A
IMDG/IMO Hazard Class EmS-No.	Not regulated N/A F-A, S-I
RID	Not regulated
ADR	Not regulated
ADN	Not regulated

## **15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **International Regulations**

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories

TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AICS	Contact supplier for inventory compliance status.

## Legend

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

 $\ensuremath{\text{PICCS}}$  - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u> HMIS_	Health hazards 1 Health hazards 0	Flammability 0 Flammability 0	Instability 0 Physical hazards 0	Physical and Chemical Properties - Personal Protection X
Prepared By			chnology Service Co., Ltd.	
Issuing Date	28-04-202	0		
Revision Note	No informat	tion available		

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## End of Safety Data Sheet

Inhalation Statement Not Hazardous Hazard statements Signal word Precautionary Statements	dust This is a battery. In case of rupture: Causes damage to organs through prolonged or repeated exposure Danger P302 + P352 - IF ON SKIN: Wash with plenty of water and soap P321 - Specific treatment (see supplemental first aid instructions on this label) P332 + P313 - If skin irritation occurs: Get medical advice/attention P362 + P364 - Take off contaminated clothing and wash it before reuse P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337 + P313 - If eye irritation persists: Get medical advice/attention P201 - Obtain special instructions before use P202 - Do not handle until all safety precautions have been read and understood P280 - Wear protective gloves/protective clothing/eye protection/face protection P308 + P313 - IF exposed or concerned: Get medical advice/attention P405 - Store locked up P260 - Do not breathe dust/fume/gas/mist/vapors/spray P264 - Wash face, hands and any exposed skin thoroughly after handling P270 - Do not eat, drink or smoke when using this product P314 - Get medical
Signal word Skin corrosion/irritation Hazard statements Signal word Serious eye damage/eye irritation Hazard statements Signal word Carcinogenicity Hazard statements Signal word Specific target organ toxicity (repeated exposure) Skin corrosion/irritation	advice/attention if you feel unwell P501 - Dispose of contents/ container to an approved waste disposal plant Danger Category 2 Causes skin irritation Warning Category 2A Causes serious eye irritation Warning Category 2 Suspected of causing cancer Warning Category 1 - (H315)
Serious eye damage/eye irritation Carcinogenicity STOT - repeated exposure STOT - repeated exposure	- (H319) - (H351) - (H372)

Graphic

Graphic

Graphic

Hazard statements

Hazard statements

Precautionary Statements - EU (§28, 1272/2008)

**Precautionary Statements** 

Skin

**Precautionary Statements** 

Precautionary Statements - Prevention

Precautionary Statements - Response



dust/fume/gas/mist/vapors/spray Do not eat, drink or smoke when using this product Do not eat, drink or smoke when using this product Get medical advice/attention if you feel unwell Get medical advice/attention if you feel unwell IF ON SKIN: Wash with plenty of water and soap If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse P302 + P352 - IF ON SKIN: Wash with plenty of water and soap P321 - Specific treatment (see supplemental first aid instructions on this label) P332 + P313 - If skin irritation occurs: Get medical advice/attention P362 + P364 - Take off contaminated clothing and wash it before reuse P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337 + P313 - If eye irritation persists: Get medical advice/attention P201 - Obtain special instructions before use P202 - Do not handle until all safety precautions have been read and understood P280 - Wear protective gloves/protective clothing/eye protection/face protection P308 + P313 - IF exposed or concerned: Get medical advice/attention P405 - Store locked up P260 - Do not breathe dust/fume/gas/mist/vapors/spray P264 - Wash face, hands and any exposed skin thoroughly after handling P270 - Do not eat, drink or smoke when using this product P314 - Get medical advice/attention if you feel unwell P501 - Dispose of contents/ container to an approved waste disposal plant Obtain special instructions before use Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands

dust/fume/gas/mist/vapors/spray Do not breathe dust/fume/gas/mist/vapors/spray Do not breathe

and any exposed skin thoroughly after handling Do not breathe dust/fume/gas/mist/vapors/spray Do not eat, drink or smoke when using this product

IF exposed or concerned: Get medical advice/attention Specific treatment (see supplemental first aid instructions on this label)

Eyes	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention
Skin	IF ON SKIN: Wash with plenty of water and soap If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse
Precautionary Statements - Storage	Store locked up
Precautionary Statements - Disposal	Dispose of contents/container to an approved waste disposal plant
The following values are calculated based	
on chapter 3.1 of the GHS document	
ATEmix (oral)	12,452.00
Units	mg/kg
ATEmix (dermal)	9,132.00
Units	mg/kg
Contains Carbon black, Phosphate(1-), he	
Unknown acute toxicity	90.77 % of the mixture consists of component(s) of unknown hazards to the aquatic environment
Unknown Acute Aquatic Toxicity	90.77
Unknown Chronic Aquatic Toxicity	90.77
Product ATE Oral Status Product ATE Dermal Status	1
Product ATE Inhalation - Gas Status	1
Product ATE Inhalation - Vapor Status	1
Product ATE Inhalation - Dust/Mist Status	1
Product Skin Corrosion Status	1
Product Eye Damage Status	1
Product Respiratory Sens. Status	1
Product Skin Sensitization Status	1
Product Mutagenic Status	1
Product Carcinogenic Status	1
Product Reproductive Toxicity Status	1
Product STOT Single Status	1
Product STOT Repeated Status	1
Product Aquatic Toxicity Status	1
Product Aspiration Toxicity Status	1
Product Ozone Status	1
Product and Component Overall	1
Classification Status	
STOT - repeated exposure	- (H372)
Unknown acute toxicity	30.9 % of the mixture consists of ingredient(s) of unknown toxicity
30.9 % of the mixture consists of in	ngredient(s) of unknown acute oral toxicity
30.9 % of the mixture consists of in	ngredient(s) of unknown acute dermal toxicity
30.9 % of the mixture consists of i	ngredient(s) of unknown acute inhalation toxicity (gas)
	ngredient(s) of unknown acute inhalation toxicity (vapor)
	ngredient(s) of unknown acute inhalation toxicity (dust/mist)
Symbols/Pictograms	
Symbols/Pictograms	
Other hazards	Very toxic to aquatic life with long lasting effects
Health hazards	Skull and Crossbones
Health hazards	Exclamation mark
Inhalation Statement	dust
Health hazards	1