SAFETY DATA SHEET

Issuing Date No data available

Revision Date 19-Jan-2020

Revision Number 1

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name Rechargeable Li-ion Battery L19M3PF6 by Simplo

Other means of identification

Product Code(s) 1558199

Recommended use of the chemical and restrictions on use

Recommended Use Lithium Ion Battery

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Identification Lenovo LNB laptops

Address Songtao Road 696

shanghai shanghai 201203 CN

Telephone Phone:18116118603

E-mail yuanbb1@lenovo.com

Emergency telephone number

Company Emergency Phone

Number

18116118603

2. HAZARDS IDENTIFICATION

Classification

| Acute toxicity - Dermal | Category 3 |
|-----------------------------------|-------------|
| Skin corrosion/irritation | Category 2 |
| Serious eye damage/eye irritation | Category 2A |
| Skin sensitization | Category 1 |
| Carcinogenicity | Category 1B |



Specific target organ toxicity (repeated exposure)

Category 1

This is a battery. In case of rupture: the above hazards exist.

Appearance Solid

Physical state Solid

Odor No information available

GHS Label elements, including precautionary statements

Danger

Hazard statements

Toxic in contact with skin
Causes skin irritation
Causes serious eye irritation
May cause an allergic skin reaction
May cause cancer

Causes damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Wash face, hands and any exposed skin thoroughly after handling

Contaminated work clothing must not be allowed out of the workplace

Do not breathe dust/fume/gas/mist/vapors/spray

Do not eat, drink or smoke when using this product

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Specific treatment (see supplemental first aid instructions on this label)

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Skin

IF ON SKIN: Wash with plenty of water and soap

Call a POISON CENTER or doctor if you feel unwell

Take off immediately all contaminated clothing and wash it before reuse

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

May be harmful if swallowed. Very toxic to aquatic life with long lasting effects.



Page 2/13

Unknown acute toxicity

98.9 % of the mixture consists of ingredient(s) of unknown toxicity

81.75 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

96.57 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

98.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

98.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

98.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

| Chemical name | CAS No. | Weight-% | Hazardous Material Information Review Act registry number (HMIRA registry #) | Date HMIRA filed and date exemption granted (if applicable) |
|--|------------|----------|---|---|
| Lithium Cobalt Oxide (CoLiO2) | 12190-79-3 | 26.66 | - | - |
| Graphite | 7782-42-5 | 15.24 | - | - |
| Copper | 7440-50-8 | 14.1 | - | - |
| Aluminum | 7429-90-5 | 10.36 | - | - |
| Propylene carbonate | 108-32-7 | 5.19 | - | - |
| Ethylene carbonate | 96-49-1 | 5.19 | - | - |
| Phosphate(1-), hexafluoro-, lithium | 21324-40-3 | 2.33 | - | - |
| Nylon-6 | 25038-54-4 | 1.87 | - | - |
| Nickel | 7440-02-0 | 1.04 | - | - |

4. FIRST AID MEASURES

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required. IF exposed or concerned: Get medical advice/attention. First aid is upon rupture of

sealed battery.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact Get immediate medical advice/attention. Rinse immediately with plenty of water, also under

the evelids, for at least 15 minutes. Keep eve wide open while rinsing. Remove contact

lenses, if present and easy to do. Continue rinsing. Do not rub affected area.

Skin contact Get immediate medical advice/attention. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes. May cause an allergic skin

reaction.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Get immediate medical

advice/attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Wear personal protective clothing

(see section 8). Avoid direct contact with skin. Use barrier to give mouth-to-mouth



resuscitation. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives. Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Hazardous Combustion Products Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact NONE. Sensitivity to Static Discharge NONE.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling In case of rupture: Handle in accordance with good industrial hygiene and safety practice.

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Take off



contaminated clothing and wash before reuse. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

| Chemical name | | ACGIH T | | 03 | SHA PEL | | NIOSH IDLH |
|--------------------------|-------|----------------------------|------------|----------------------|---------------------------------------|----------------|---|
| Lithium Cobalt Oxide (Co | LiO2) | TWA: 0.02 n | ng/m³ | | - | | |
| 12190-79-3 | | | | | | | |
| Graphite | | TWA: 2 mg/m ³ ı | | | mg/m³ total dust | | IDLH: 1250 mg/m ³ |
| 7782-42-5 | | particulate matte | | | ynthetic | TWA | A: 2.5 mg/m ³ respirable |
| | | except graphit | e fibers | | ng/m³ respirable | | dust |
| | | | | | on synthetic | | |
| | | | | | TWA: 2.5 mg/m ³ | | |
| | | | | | le dust natural | | |
| | | | | | VA: 10 mg/m³ total | | |
| | | | | | t synthetic | | |
| | | | | | TWA: 5 mg/m ³ | | |
| | | | | | fraction synthetic 5 mppcf natural | | |
| Connor | | TWA: 0.2 mg/n | n3 fumo | | 1 mg/m ³ fume | IDLL | l: 100 mg/m³ dust fums |
| Copper 7440-50-8 | | 1 VVA. U.Z IIIg/II | ıı~ ıuııl€ | | /m³ dust and mist | | I: 100 mg/m³ dust, fume and mist |
| 7440-30-6 | | | | | WA: 0.1 mg/m ³ Cu | T\\/ A | : 1 mg/m ³ dust and mist |
| | | | | | fume, mist | | NA: 0.1 mg/m ³ fume |
| Aluminum | | TWA: 1 mg/m ³ i | resnirahle | | mg/m³ total dust | | A: 10 mg/m³ total dust |
| 7429-90-5 | | particulate n | | | ng/m³ respirable | | 5 mg/m³ respirable dust |
| 7 120 00 0 | | particulate | ilatioi | | fraction | ' ' ' ' ' ' | o mg/m respirable addi |
| | | | | (vacated) TV | VA: 15 mg/m³ total | | |
| | | | | (| dust | | |
| | | | | (vacated) | TWA: 5 mg/m ³ | | |
| | | | | | able fraction | | |
| Phosphate(1-), hexafluc | oro-, | TWA: 2.5 mg | g/m³ F | | 2.5 mg/m ³ F | | IDLH: 250 mg/m ³ F |
| lithium | | | | (vacated) | TWA: 2.5 mg/m ³ | | |
| 21324-40-3 | | | | | | | |
| Nickel | | TWA: 1.5 m | ng/m³ | | A: 1 mg/m ³ | | IDLH: 10 mg/m ³ |
| 7440-02-0 | | | | | TWA: 1 mg/m ³ | | TWA: 0.015 mg/m ³ |
| Chemical name | | Alberta | | Columbia | Ontario TWAE | | Quebec |
| Lithium Cobalt Oxide | IV | VA: 0.02 mg/m ³ | TWA: 0.0 | 02 mg/m ³ | TWA: 0.02 mg/ı | m ³ | TWA: 0.02 mg/m ³ |
| (CoLiO2) | | | | | | | |
| 12190-79-3 | | E14/4 0 / 3 | T14/4 6 | | T14/4 0 / | 2 | TIA/A O / 2 |
| Graphite | | ΓWA: 2 mg/m ³ | I WA: 2 | 2 mg/m ³ | TWA: 2 mg/m | J | TWA: 2 mg/m ³ |
| 7782-42-5 | - | 10/0 · 0 · 0 · m m /m 2 | T\\\\^ - 4 | l / 2 | TMA. 0.0/- | - 2 | TMA: 0.2 mag/m ² |
| Copper 7440-50-8 | | WA: 0.2 mg/m ³ | | l mg/m³ | TWA: 0.2 mg/n | | TWA: 0.2 mg/m ³ |
| | | ΓWA: 1 mg/m ³ | | 2 mg/m ³ | TWA: 1 mg/m | | TWA: 1 mg/m ³ TWA: 10 mg/m ³ |
| Aluminum 7429-90-5 | 1 | WA: 10 mg/m ³ | I VVA: 1. | .0 mg/m ³ | TWA: 1 mg/m | - | TVVA: 10 mg/m ³ |
| Phosphate(1-), | | WA: 2.5 mg/m ³ | TMA | .5 mg/m ³ | TWA: 2.5 mg/n | n3 | TWA: 2.5 mg/m ³ |
| hexafluoro-, lithium | ' | vvn. 2.5 mg/m² | 1 VVA. 2. | .5 mg/m² | 1 VVA. 2.3 Mg/M | 117 | i wa. 2.5 mg/m |
| Hexandoro-, infindin | | | | | | | |





| 21324-40-3 | | | | |
|------------|----------------------------|-----------------------------|--------------------------|--------------------------|
| Nickel | TWA: 1.5 mg/m ³ | TWA: 0.05 mg/m ³ | TWA: 1 mg/m ³ | TWA: 1 mg/m ³ |
| 7440-02-0 | | | | |

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

None known

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid Appearance Solid

OdorNo information availableColorNo information availableOdor ThresholdNo information available

PropertyValuesRemarks MethodpHNo data availableNone known

Melting / freezing point No data available None known No data available None known Boiling point / boiling range Flash Point No data available None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability limitNo data availableLower flammability limitNo data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone knownRelative densityNo data availableNone knownWater SolubilityInsoluble in water

Partition coefficient: n-octanol/waterNo information available

Autoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone known

No data available



Solubility(ies)

Kinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Other Information

No information available **Explosive properties** No information available **Oxidizing properties Softening Point** No information available No information available **Molecular Weight VOC Content (%)** No information available **Liquid Density** No information available **Bulk Density** No information available **Particle Size** No information available **Particle Size Distribution** No information available

10. STABILITY AND REACTIVITY

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to avoid None known based on information supplied.

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known or supplied information

In case of rupture:

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). Irritating to eyes.

Skin contact Specific test data for the substance or mixture is not available. May cause sensitization by

skin contact. Causes skin irritation. (based on components). Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. Toxic in contact with skin.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea. May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes.

Numerical measures of toxicity



Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 3,086.40 mg/kg **ATEmix (dermal)** 441.60 mg/kg

Unknown acute toxicity 98.9 % of the mixture consists of ingredient(s) of unknown toxicity

81.75 % of the mixture consists of ingredient(s) of unknown acute oral toxicity 96.57 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

98.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas) 98.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor) 98.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|-------------------------------|---------------------|-----------------------|------------------------|
| Lithium Cobalt Oxide (CoLiO2) | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rat) | > 5.05 mg/L (Rat) 4 h |
| Graphite | - | - | > 2000 mg/m³ (Rat) 4 h |
| Propylene carbonate | = 29000 mg/kg (Rat) | > 3000 mg/kg (Rabbit) | - |
| Ethylene carbonate | = 10 g/kg (Rat) | > 3 g/kg (Rabbit) | > 730 mg/m³ (Rat) 8 h |
| Nickel | > 9000 mg/kg (Rat) | - | > 10.2 mg/L (Rat)1 h |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationClassification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|-------------------------------|-------|----------|------------------------|------|
| Lithium Cobalt Oxide (CoLiO2) | A3 | Group 2B | Reasonably Anticipated | X |
| 12190-79-3 | | | | |
| Nylon-6 25038-54-4 | - | Group 3 | - | - |
| Nickel 7440-02-0 | - | Group 2B | Reasonably Anticipated | Х |

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.



STOT - single exposure No information available.

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

| Chemical name | Toxicity to Algae | Toxicity to Fish | Toxicity to | Daphnia Magna (Water |
|---------------------|--------------------------|-------------------------|------------------------|------------------------|
| | | | Microorganisms | Flea) |
| Graphite | - | 96h LC50: > 100 mg/L | - | - |
| | | (Danio rerio) | | |
| Copper | 72h EC50: 0.0426 - | 96h LC50: = 0.052 mg/L | - | 48h EC50: = 0.03 mg/L |
| | 0.0535 mg/L | (Oncorhynchus mykiss) | | |
| | (Pseudokirchneriella | 96h LC50: = 0.3 mg/L | | |
| | subcapitata) 96h EC50: | (Cyprinus carpio) 96h | | |
| | 0.031 - 0.054 mg/L | LC50: 0.0068 - 0.0156 | | |
| | (Pseudokirchneriella | mg/L (Pimephales | | |
| | subcapitata) | promelas) 96h LC50: = | | |
| | | 0.2 mg/L (Pimephales | | |
| | | promelas) 96h LC50: = | | |
| | | 0.8 mg/L (Cyprinus | | |
| | | carpio) 96h LC50: = | | |
| | | 0.112 mg/L (Poecilia | | |
| | | reticulata) 96h LC50: = | | |
| | | 1.25 mg/L (Lepomis | | |
| | | macrochirus) 96h LC50: | | |
| | | < 0.3 mg/L (Pimephales | | |
| | | promelas) | | " |
| Propylene carbonate | 72h EC50: > 500 mg/L | | EC50 > 10000 mg/L 17 h | 48h EC50: > 500 mg/L |
| | (Desmodesmus | (Leuciscus idus) 96h | | |
| | subspicatus) | LC50: > 1000 mg/L | | |
| F | | (Cyprinus carpio) | | |
| Ethylene carbonate | - | 96h LC50: > 100 mg/L | - | - |
| | 201 5050 0 171 0 011 | (Oncorhynchus mykiss) | | 101 5050 1 // 101 |
| Nickel | 96h EC50: 0.174 - 0.311 | 96h LC50: = 1.3 mg/L | - | 48h EC50: = 1 mg/L 48h |
| | mg/L | (Cyprinus carpio) 96h | | EC50: > 100 mg/L |
| | (Pseudokirchneriella | LC50: = 10.4 mg/L | | |
| | subcapitata) 72h EC50: = | | | |
| | 0.18 mg/L | LC50: > 100 mg/L | | |
| | (Pseudokirchneriella | (Brachydanio rerio) | | |
| | subcapitata) | | | |

Persistence and Degradability

No information available.

Bioaccumulation

Component Information

| Chemical name | Log Pow | |
|---------------------|---------|--|
| Propylene carbonate | 0.48 | |

MobilityNo information available.Other adverse effectsNo information available.



13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

California Waste Codes 141

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical name | California Hazardous Waste |
|---|----------------------------------|
| Lithium Cobalt Oxide (CoLiO2) 12190-79-3 | Toxic |
| Copper 7440-50-8 | Toxic |
| Aluminum 7429-90-5 | Ignitable powder |
| Nickel 7440-02-0 | Toxic powder Ignitable powder |

14. TRANSPORT INFORMATION

Note:

The transportation of primary lithium cells and batteries is regulated by the International Civil Aviation Organization, International Air Transport Association, International Maritime Dangerous Goods Code and the US Department of Transportation. The batteries must meet the following criteria for shipment: 1. Air shipments must meet the requirements listed in Special Provision A45 of the International Air Transport Association Dangerous Goods Regulations. 2. Meet the requirements for the US Department of Transportation listed in 49 CFR 173.185. 3. The transport of primary lithium batteries is prohibited aboard passenger aircraft. Refer to the Federal Register December 15, 2004 (Hazardous Materials; Prohibited on the Transportation of Primary Lithium Batteries and Cells Aboard Passenger Aircraft; Final Rule)

Lithium batteries shipped as "Lithium batteries", "Lithium batteries packed with equipment", or "Lithium batteries contained in equipment" may not be classified as "Dangerous Goods" when shipped in accordance with "special provision A45 of IATA-DGR" or "special provision 188 of IMO-IMDG Code"

188 OF IMO-IMDG COO

DOTNOT REGULATEDProper Shipping NameNON-REGULATED

Hazard Class N/A Emergency Response Guide 147

Number

147

TDG Not regulated

MEX Not regulated

<u>ICAO</u> Not regulated

ATA Not regulated NON REGULATED

Hazard Class N/A

<u>IMDG/IMO</u> Not regulated

Hazard Class N/A EmS-No. F-A, S-I

RID Not regulated

ADR Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA Contact supplier for inventory compliance status.

DSL/NDSL Contact supplier for inventory compliance status.

EINECS/ELINCS Contact supplier for inventory compliance status.

ENCS Contact supplier for inventory compliance status.

KECL Contact supplier for inventory compliance status.

PICCS Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical name | CAS No. | Weight-% | SARA 313 - Threshold Values % |
|--|------------|----------|----------------------------------|
| Lithium Cobalt Oxide (CoLiO2) - 12190-79-3 | 12190-79-3 | 26.66 | 0.1 |
| Copper - 7440-50-8 | 7440-50-8 | 14.1 | 1.0 |
| Aluminum - 7429-90-5 | 7429-90-5 | 10.36 | 1.0 |
| Nickel - 7440-02-0 | 7440-02-0 | 1.04 | 0.1 |

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.



CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|---------------------|--------------------------------|------------------------|------------------------------|-------------------------------|
| Copper 7440-50-8 | | X | Х | |
| Nickel 7440-02-0 | | X | Х | |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical name | Hazardous Substances RQs | Extremely Hazardous Substances RQs | RQ |
|---------------------|--------------------------|------------------------------------|--|
| Copper 7440-50-8 | 5000 lb | | RQ 5000 lb final RQ RQ 2270 kg final RQ |
| Nickel 7440-02-0 | 100 lb | | RQ 100 lb final RQ RQ 45.4 kg final RQ |

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

| Chemical name | California Proposition 65 |
|--------------------|----------------------------------|
| Nickel - 7440-02-0 | carcinogen, 10/1/1989 (metallic) |

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

| Chemical name | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|--|------------|---------------|--------------|--------------|----------|
| Lithium Cobalt Oxide (CoLiO2) 12190-79-3 | Х | | X | Х | X |
| Graphite 7782-42-5 | X | X | Х | | |
| Copper 7440-50-8 | Х | X | Х | Х | Х |
| Aluminum 7429-90-5 | Х | X | Х | Х | |
| Ethylene carbonate 96-49-1 | | Х | Х | | |
| Phosphate(1-), hexafluoro-, lithium 21324-40-3 | Х | | | | |
| Nickel 7440-02-0 | X | X | Х | Х | Х |

16. OTHER INFORMATION



Health hazards 1 Flammability 0 Instability 0 **Physical and Chemical NFPA**

Properties -

HMIS Health hazards 0 Flammability 0 Physical hazards 0 Personal Protection X

Product Stewardship Prepared By

23 British American Blvd. Latham, NY 12110 1-800-572-6501

19-Jan-2020 **Revision Date**

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet



SAFETY DATA SHEET

Issuing Date No data available Revision Date 19-Jan-2020 Revision Number 1

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name Rechargeable Li-ion Battery L19C3PF5 by Celxpert

Other means of identification

Product Code(s) 1558198

Recommended use of the chemical and restrictions on use

Recommended Use Lithium Ion Battery

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Identification Lenovo LNB laptops

Address Songtao Road 696

shanghai shanghai 201203 CN

Telephone Phone:18116118603

E-mail yuanbb1@lenovo.com

Emergency telephone number

Company Emergency Phone

18116118603

Number

2. HAZARDS IDENTIFICATION

Classification

| Acute toxicity - Dermal | Category 3 |
|---------------------------|------------|
| Skin corrosion/irritation | Category 2 |



| Serious eye damage/eye irritation | Category 1 |
|--|-------------|
| Skin sensitization | Category 1 |
| Carcinogenicity | Category 1B |
| Specific target organ toxicity (repeated exposure) | Category 1 |

This is a battery. In case of rupture: the above hazards exist.


Appearance Solid Physical state Solid Odor No information available

GHS Label elements, including precautionary statements

Danger

Hazard statements

Toxic in contact with skin
Causes skin irritation
Causes serious eye damage
May cause an allergic skin reaction
May cause cancer
Causes damage to organs through prolonged or repeated exposure





Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Wash face, hands and any exposed skin thoroughly after handling

Contaminated work clothing must not be allowed out of the workplace

Do not breathe dust/fume/gas/mist/vapors/spray

Do not eat, drink or smoke when using this product

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Specific treatment (see supplemental first aid instructions on this label)

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor

Skin

IF ON SKIN: Wash with plenty of water and soap

Call a POISON CENTER or doctor if you feel unwell

Take off immediately all contaminated clothing and wash it before reuse

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal



Page 2 / 13

Dispose of contents/container to an approved waste disposal plant

Other information

May be harmful if swallowed. Very toxic to aquatic life with long lasting effects.

Unknown acute toxicity 98.19 % of the mixture consists of ingredient(s) of unknown toxicity

67.12 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

95.06 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

98.19 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

98.19 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

98.19 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

| Chemical name | CAS No. | Weight-% | Hazardous Material Information Review Act registry number (HMIRA registry #) | Date HMIRA filed and date exemption granted (if applicable) |
|-------------------------------------|------------|----------|---|---|
| Lithium Cobalt Oxide (CoLiO2) | 12190-79-3 | 42.28 | - | - |
| Aluminum foil | 7429-90-5 | 9.68 | - | - |
| Copper | 7440-50-8 | 8.6 | - | - |
| Phosphate(1-), hexafluoro-, lithium | 21324-40-3 | 3.13 | - | - |
| Ethylene carbonate | 96-49-1 | 3.09 | - | - |
| Nickel | 7440-02-0 | 0.45 | - | - |

4. FIRST AID MEASURES

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required. IF exposed or concerned: Get medical advice/attention. First aid is upon rupture

of sealed battery.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact Get immediate medical advice/attention. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact

lenses, if present and easy to do. Continue rinsing. Do not rub affected area.

Skin contactGet immediate medical advice/attention. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes. May cause an allergic skin

reaction.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Get immediate medical

advice/attention.



Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Wear personal protective clothing (see section 8). Avoid direct contact with skin. Use barrier to give mouth-to-mouth

Revision Date 19-Jan-2020

resuscitation. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Burning sensation. Itching. Rashes. Hives. **Symptoms**

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Hazardous Combustion Products Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact NONE. Sensitivity to Static Discharge NONE.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Pick up and transfer to properly labeled containers. Methods for cleaning up



Page 4 / 13

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling In case of rupture: Handle in accordance with good industrial hygiene and safety practice.

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Take off

contaminated clothing and wash before reuse. Do not eat, drink or smoke when using this

product. In case of insufficient ventilation, wear suitable respiratory equipment.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

| Chemical name | | ACGIH T | LV | OS | SHA P | EL | | NIOSH II | DLH |
|---|-------|--|--|--|----------|--|----------------|-----------------------------|----------------------|
| Lithium Cobalt Oxide (Col 12190-79-3 | LiO2) | TWA: 0.02 mg/m ³ | | | - | | | | |
| Aluminum foil | | TWA: 1 mg/m ³ | respirable | TWA: 15 n | ng/m³ | total dust | TWA | \: 10 mg/m ³ | total dust |
| 7429-90-5 | | particulate n | natter | TWA: 5 m | g/m³ | respirable | TWA | 4: 5 mg/m ³ | respirable |
| | | | | | fractior | - | | dust | |
| | | | | (vacated) TW | | mg/m ³ total | | | |
| | | | | | dust | | | | |
| | | | | | | : 5 mg/m³ | | | |
| _ | | | 0 1 | | able fr | | | | |
| Copper | | TWA: 0.2 mg/m | n ³ fume | | | n ³ fume | IDLH: | : 100 mg/m ³ | |
| 7440-50-8 | | | | | | ust and mist | T\A/A. | and mi | |
| | | | | | | .1 mg/m³ Cu | | 1 mg/m³ = 0 VA: 0.1 mg/m | dust and mist |
| Phosphato(1) hovafluo | ro | T\\\\A \cdot 2 5 m/ | n/m ³ E | dust, fume, mist TWA: 2.5 mg/m ³ F | | | | | |
| Phosphate(1-), hexafluoro-, lithium | | TWA: 2.5 mg/m ³ F | | (vacated) TWA: 2.5 mg/m ³ | | IDLH: 250 mg/m ³ F | | | |
| 21324-40-3 | | | | (vacated) | IVVA. | 2.5 mg/m | | | |
| Nickel | | TWA: 1.5 m | ng/m³ | TW | A: 1 m | g/m ³ | | IDLH: 10 n | ng/m³ |
| 7440-02-0 | | | .9, | | | : 1 mg/m³ | | TWA: 0.015 | |
| Chemical name | | Alberta | British C | | | Ontario TWAE | | | ebec |
| Lithium Cobalt Oxide | ΤV | VA: 0.02 mg/m ³ | TWA: 0.0 | 02 mg/m ³ | T۱ | NA: 0.02 mg/i | m ³ | TWA: 0. | 02 mg/m ³ |
| (CoLiO2) | | J | | · · | | J | | | J |
| 12190-79-3 | | | | | | | | | |
| Aluminum foil | Т | WA: 10 mg/m ³ | TWA: 1. | 0 mg/m ³ | - | TWA: 1 mg/m | 3 | TWA: 1 | 0 mg/m ³ |
| 7429-90-5 | | | | | | | | | |
| Copper | | WA: 0.2 mg/m ³ | | mg/m ³ | | WA: 0.2 mg/n | | | .2 mg/m ³ |
| | | TWA: 0.2 mg/m ³ TWA: 1 mg/m | | | | 1 mg/m ³ | | | |
| Phosphate(1-), | T' | WA: 2.5 mg/m ³ | TWA: 2. | 5 mg/m³ | T | WA: 2.5 mg/n | n ³ | TWA: 2 | .5 mg/m ³ |
| hexafluoro-, lithium | | | | | | | | | |
| 21324-40-3 | - | MA . 4 . 5 | T\\/\\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | 25/3 | _ | T\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | 3 | T\A/ ^ | 4 / 3 |
| Nickel | 1 | WA: 1.5 mg/m ³ | 1 VVA: 0.0 | 05 mg/m ³ | | TWA: 1 mg/m | 5 | I WA: | 1 mg/m ³ |
| 7440-02-0 | | | | | <u> </u> | | | | |



Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering controls Showers

> Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Tight sealing safety goggles. Eye/face protection

Hand protection Wear suitable gloves. Impervious gloves.

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Skin and body protection

No protective equipment is needed under normal use conditions. If exposure limits are Respiratory protection

exceeded or irritation is experienced, ventilation and evacuation may be required.

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with General hygiene considerations

skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

None known

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid **Appearance** Solid

Odor No information available Color No information available **Odor Threshold** No information available

Property Values Remarks Method No data available None known Hq

Melting / freezing point No data available None known Boiling point / boiling range No data available None known Flash Point No data available None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability limit No data available Lower flammability limit No data available

Vapor pressure No data available None known Vapor density No data available None known Relative density No data available None known

Water Solubility Insoluble in water Solubility(ies) No data available

Partition coefficient: n-octanol/waterNo information available

Autoignition temperature No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known No data available Dynamic viscosity None known



Celxpert

Other Information

Explosive properties No information available Oxidizing properties No information available No information available **Softening Point** No information available **Molecular Weight VOC Content (%)** No information available Liquid Density No information available **Bulk Density** No information available **Particle Size** No information available Particle Size Distribution No information available

10. STABILITY AND REACTIVITY

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to avoidNone known based on information supplied.

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known or supplied information

In case of rupture:

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye

damage. (based on components). Severely irritating to eyes. May cause burns. May cause

irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. May cause sensitization by

skin contact. Causes skin irritation. (based on components). Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. Toxic in contact with skin.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea. May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Itching. Rashes. Hives. May cause redness and

tearing of the eyes.

Numerical measures of toxicity



Revision Date 19-Jan-2020

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document ...

ATEmix (oral) 4,848.10 mg/kg ATEmix (dermal) 473.50 mg/kg

Unknown acute toxicity 98.19 % of the mixture consists of ingredient(s) of unknown toxicity

67.12 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

95.06 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

98.19 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas) 98.19 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

98.19 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

| Chemical name Oral LD50 | | Dermal LD50 | Inhalation LC50 |
|-------------------------------|--------------------|--------------------|-----------------------------------|
| Lithium Cobalt Oxide (CoLiO2) | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rat) | > 5.05 mg/L (Rat) 4 h |
| Ethylene carbonate | = 10 g/kg (Rat) | > 3 g/kg (Rabbit) | > 730 mg/m ³ (Rat) 8 h |
| Nickel | > 9000 mg/kg (Rat) | - | > 10.2 mg/L (Rat) 1 h |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Risk of serious

damage to eyes.

Respiratory or skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|----------------------|-------|----------|------------------------|------|
| Lithium Cobalt Oxide | A3 | Group 2B | Reasonably Anticipated | X |
| (CoLiO2) | | | | |
| 12190-79-3 | | | | |
| Nickel | - | Group 2B | Reasonably Anticipated | X |
| 7440-02-0 | | · | • | |

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

STOT - single exposure No information available.



STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

| Chemical name | Toxicity to Algae | Toxicity to Fish | Toxicity to Microorganisms | Daphnia Magna (Water Flea) |
|--------------------|---|--|----------------------------|--|
| Copper | 72h EC50: 0.0426 - 0.0535 mg/L (Pseudokirchneriella subcapitata) 96h EC50: 0.031 - 0.054 mg/L (Pseudokirchneriella subcapitata) | 96h LC50: = 0.052 mg/L (Oncorhynchus mykiss) 96h LC50: = 0.3 mg/L (Cyprinus carpio) 96h LC50: 0.0068 - 0.0156 mg/L (Pimephales promelas) 96h LC50: = 0.2 mg/L (Pimephales promelas) 96h LC50: = 0.8 mg/L (Cyprinus carpio) 96h LC50: = 0.112 mg/L (Poecilia reticulata) 96h LC50: = 1.25 mg/L (Lepomis macrochirus) 96h LC50: < 0.3 mg/L (Pimephales promelas) | - | 48h EC50: = 0.03 mg/L |
| Ethylene carbonate | - | 96h LC50: > 100 mg/L (Oncorhynchus mykiss) | - | - |
| Nickel | 96h EC50: 0.174 - 0.311 mg/L (Pseudokirchneriella subcapitata) 72h EC50: = 0.18 mg/L (Pseudokirchneriella subcapitata) | 96h LC50: = 1.3 mg/L (Cyprinus carpio) 96h LC50: = 10.4 mg/L (Cyprinus carpio) 96h LC50: > 100 mg/L (Brachydanio rerio) | - | 48h EC50: = 1 mg/L 48h EC50: > 100 mg/L |

Persistence and Degradability No information available.

Bioaccumulation There is no data for this product.

Mobility

No information available.

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.



California Waste Codes

141

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical name | California Hazardous Waste |
|---|----------------------------------|
| Lithium Cobalt Oxide (CoLiO2) 12190-79-3 | Toxic |
| Aluminum foil 7429-90-5 | Ignitable powder |
| Copper 7440-50-8 | Toxic |
| Nickel 7440-02-0 | Toxic powder Ignitable powder |

14. TRANSPORT INFORMATION

Note:

The transportation of primary lithium cells and batteries is regulated by the International Civil Aviation Organization, International Air Transport Association, International Maritime Dangerous Goods Code and the US Department of Transportation. The batteries must meet the following criteria for shipment: 1. Air shipments must meet the requirements listed in Special Provision A45 of the International Air Transport Association Dangerous Goods Regulations. 2. Meet the requirements for the US Department of Transportation listed in 49 CFR 173.185. 3. The transport of primary lithium batteries is prohibited aboard passenger aircraft. Refer to the Federal Register December 15, 2004 (Hazardous Materials; Prohibited on the Transportation of Primary Lithium Batteries and Cells Aboard Passenger Aircraft: Final Rule)

Lithium batteries shipped as "Lithium batteries", "Lithium batteries packed with equipment", or "Lithium batteries contained in equipment" may not be classified as "Dangerous Goods" when shipped in accordance with "special provision A45 of IATA-DGR" or "special provision 188 of IMO-IMDG Code"

DOT

NOT REGULATED

Proper Shipping Name

NON-REGULATED

Hazard Class

N/A

Emergency Response Guide Number

147

Not regulated

TDG MEX

Not regulated

ICAO

Not regulated

IATA

Not regulated

Proper Shipping Name

NON REGULATED

Hazard Class

N/A

N/A

IMDG/IMO

Not regulated

Hazard Class EmS-No.

F-A, S-I

RID

Not regulated



Celxpert

ADR Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA

Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical name | CAS No. | Weight-% | SARA 313 - Threshold Values % |
|--|------------|----------|----------------------------------|
| Lithium Cobalt Oxide (CoLiO2) - 12190-79-3 | 12190-79-3 | 42.28 | 0.1 |
| Aluminum foil - 7429-90-5 | 7429-90-5 | 9.68 | 1.0 |
| Copper - 7440-50-8 | 7440-50-8 | 8.6 | 1.0 |
| Nickel - 7440-02-0 | 7440-02-0 | 0.45 | 0.1 |

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)



Revision Date 19-Jan-2020

| Chemical name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|---------------|--------------------------------|------------------------|------------------------------|-------------------------------|
| Copper | Quantitios | X | X | Gubetunece |
| 7440-50-8 | | | | |
| Nickel | | X | X | |
| 7440-02-0 | | | | |

<u>CERCLA</u>
This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical name | Hazardous Substances RQs | Extremely Hazardous Substances RQs | RQ |
|---------------|--------------------------|------------------------------------|---------------------|
| Aluminum foil | | | |
| 7429-90-5 | | | |
| Copper | 5000 lb | | RQ 5000 lb final RQ |
| 7440-50-8 | | | RQ 2270 kg final RQ |
| Nickel | 100 lb | | RQ 100 lb final RQ |
| 7440-02-0 | | | RQ 45.4 kg final RQ |

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

| Chemical name | California Proposition 65 | | |
|--------------------|----------------------------------|--|--|
| Nickel - 7440-02-0 | carcinogen, 10/1/1989 (metallic) | | |

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

| Chemical name | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|--|------------|---------------|--------------|--------------|----------|
| Lithium Cobalt Oxide (CoLiO2) 12190-79-3 | X | | Х | X | X |
| Aluminum foil 7429-90-5 | Х | X | X | X | |
| Copper 7440-50-8 | Х | X | X | X | X |
| Phosphate(1-), hexafluoro-, lithium 21324-40-3 | X | | | | |
| Ethylene carbonate 96-49-1 | | Х | Х | | |
| Nickel 7440-02-0 | Х | Х | Х | Х | Х |

16. OTHER INFORMATION

NFPA Health hazards 1 Flammability 0 Instability 0 **Physical and Chemical** Properties -

HMIS Health hazards 0 Personal Protection X Flammability 0 Physical hazards 0

Prepared By Product Stewardship 23 British American Blvd.



Latham, NY 12110 1-800-572-6501

Revision Date 19-Jan-2020

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet



Page 13 / 13

SAFETY DATA SHEET

Issuing Date No data available

Revision Date 19-Jan-2020

Revision Number 1

NGHS / English

(UL)

The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name Rechargeable Li-ion Battery L19L3PF2 by LGC

Other means of identification

Product Code(s) 1558196

Recommended use of the chemical and restrictions on use

Recommended Use Lithium Ion Battery

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Identification Lenovo LNB laptops

Address Songtao Road 696

shanghai shanghai 201203 CN

Telephone Phone:18116118603

E-mail yuanbb1@lenovo.com

Emergency telephone number

Company Emergency Phone

Number

18116118603

2. HAZARDS IDENTIFICATION

Classification

| Skin sensitization | Category 1 |
|--|-------------|
| Carcinogenicity | Category 1B |
| Specific target organ toxicity (repeated exposure) | Category 1 |



This is a battery. In case of rupture: the above hazards exist.

Appearance Solid Physical state Solid Odor No information available

GHS Label elements, including precautionary statements

Danger

Hazard statements

May cause an allergic skin reaction
May cause cancer
Causes damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Contaminated work clothing must not be allowed out of the workplace Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention Specific treatment (see supplemental first aid instructions on this label)

Skin

IF ON SKIN: Wash with plenty of water and soap If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Causes mild skin irritation. Very toxic to aquatic life with long lasting effects.

Unknown acute toxicity 99 % of the mixture consists of ingredient(s) of unknown toxicity

70 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

99 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

99 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

99 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

99 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS



Substance

Not applicable.

Mixture

| Chemical name | CAS No. | Weight-% | Hazardous Material Information Review Act registry number (HMIRA registry #) | Date HMIRA filed and date exemption granted (if applicable) |
|-------------------------------|------------|----------|---|---|
| Nickel | 7440-02-0 | 30 | - | - |
| Lithium Cobalt Oxide (CoLiO2) | 12190-79-3 | 30 | - | - |
| Copper | 7440-50-8 | 7 | - | - |
| Aluminum foil | 7429-90-5 | 3 | - | - |

4. FIRST AID MEASURES

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get

medical advice/attention. First aid is upon rupture of sealed battery.

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation

or allergic reactions see a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Hazardous Combustion Products Carbon oxides.

Explosion Data



Sensitivity to Mechanical Impact NONE.
Sensitivity to Static Discharge NONE.

Special protective equipment for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling In case of rupture: Handle in accordance with good industrial hygiene and safety practice.

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this

product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---|-----------------------------|---|--|
| Nickel | TWA: 1.5 mg/m ³ | TWA: 1 mg/m ³ | IDLH: 10 mg/m ³ |
| 7440-02-0 | | (vacated) TWA: 1 mg/m ³ | TWA: 0.015 mg/m ³ |
| Lithium Cobalt Oxide (CoLiO2) 12190-79-3 | TWA: 0.02 mg/m ³ | - | |
| Copper 7440-50-8 | TWA: 0.2 mg/m³ fume | TWA: 0.1 mg/m³ fume TWA: 1 mg/m³ dust and mist (vacated) TWA: 0.1 mg/m³ Cu dust, fume, mist | IDLH: 100 mg/m³ dust, fume and mist TWA: 1 mg/m³ dust and mist |
| | | | TWA: 0.1 mg/m ³ fume |
| Aluminum foil | TWA: 1 mg/m³ respirable | TWA: 15 mg/m³ total dust | TWA: 10 mg/m ³ total dust |



7429-90-5 TWA: 5 mg/m³ respirable TWA: 5 mg/m³ respirable dust particulate matter fraction (vacated) TWA: 15 mg/m3 total dust (vacated) TWA: 5 mg/m3 respirable fraction Chemical name Alberta British Columbia Ontario TWAEV Quebec TWA: 1 mg/m³ Nickel TWA: 1.5 mg/m³ TWA: 0.05 mg/m³ TWA: 1 mg/m³ 7440-02-0 Lithium Cobalt Oxide TWA: 0.02 mg/m³ TWA: 0.02 mg/m³ TWA: 0.02 mg/m3 TWA: 0.02 mg/m³ (CoLiO2) 12190-79-3 TWA: 0.2 mg/m³ TWA: 1 mg/m³ TWA: 0.2 mg/m³ TWA: 0.2 mg/m³ Copper 7440-50-8 TWA: 1 mg/m³ TWA: 0.2 mg/m³ TWA: 1 mg/m³ TWA: 1 mg/m³ Aluminum foil TWA: 10 mg/m³ TWA: 1.0 mg/m³ TWA: 1 mg/m³ TWA: 10 mg/m³ 7429-90-5

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves.

Skin and body protection Wear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Wash hands before breaks and immediately after handling

the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid Appearance Solid

Odor No information available
Color No information available
Odor Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks Method</u>

No data available None known pН Melting / freezing point No data available None known Boiling point / boiling range No data available None known **Flash Point** No data available None known **Evaporation Rate** No data available None known Flammability (solid, gas) None known No data available



Flammability Limit in Air None known

Upper flammability limit No data available

Lower flammability limit No data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone knownRelative densityNo data availableNone known

Water Solubility Insoluble in water

Solubility(ies) No data available None known

Partition coefficient: n-octanol/waterNo information available

Autoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Other Information

Explosive properties No information available **Oxidizing properties** No information available **Softening Point** No information available Molecular Weight No information available VOC Content (%) No information available No information available **Liquid Density Bulk Density** No information available **Particle Size** No information available **Particle Size Distribution** No information available

10. STABILITY AND REACTIVITY

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to avoid None known based on information supplied.

Incompatible materialsNone known based on information supplied.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known or supplied information

In case of rupture:

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available. May cause sensitization by

skin contact. (based on components). Repeated or prolonged skin contact may cause

allergic reactions with susceptible persons.



Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 35,454.50 mg/kg

Unknown acute toxicity 99 % of the mixture consists of ingredient(s) of unknown toxicity

70 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

99 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

99 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

99 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

99 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

| | Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|----|-----------------------------|--------------------|--------------------|-----------------------|
| | Nickel | > 9000 mg/kg (Rat) | - | > 10.2 mg/L (Rat) 1 h |
| Li | thium Cobalt Oxide (CoLiO2) | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rat) | > 5.05 mg/L (Rat) 4 h |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|----------------------|-------|----------|------------------------|------|
| Nickel | - | Group 2B | Reasonably Anticipated | Х |
| 7440-02-0 | | · | | |
| Lithium Cobalt Oxide | A3 | Group 2B | Reasonably Anticipated | Х |
| (CoLiO2) | | · | | |
| 12190-79-3 | | | | ļ |

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicityNo information available.



STOT - single exposure No information available.

STOT - repeated exposureCauses damage to organs through prolonged or repeated exposure.

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity Very toxic to aquatic life with long lasting effects.

| Chemical name | Toxicity to Algae | Toxicity to Fish | Toxicity to Microorganisms | Daphnia Magna (Water Flea) |
|---------------|--|--|----------------------------|--|
| Nickel | 96h EC50: 0.174 - 0.311 mg/L (Pseudokirchneriella subcapitata) 72h EC50: = 0.18 mg/L (Pseudokirchneriella subcapitata) | 96h LC50: = 1.3 mg/L (Cyprinus carpio) 96h LC50: = 10.4 mg/L (Cyprinus carpio) 96h LC50: > 100 mg/L (Brachydanio rerio) | - | 48h EC50: = 1 mg/L 48h EC50: > 100 mg/L |
| Copper | 72h EC50: 0.0426 - 0.0535 mg/L (Pseudokirchneriella subcapitata) 96h EC50: 0.031 - 0.054 mg/L (Pseudokirchneriella subcapitata) | 96h LC50: = 0.052 mg/L (Oncorhynchus mykiss) 96h LC50: = 0.3 mg/L (Cyprinus carpio) 96h LC50: 0.0068 - 0.0156 mg/L (Pimephales promelas) 96h LC50: = 0.2 mg/L (Pimephales promelas) 96h LC50: = 0.8 mg/L (Cyprinus carpio) 96h LC50: = 0.112 mg/L (Poecilia reticulata) 96h LC50: = 1.25 mg/L (Lepomis macrochirus) 96h LC50: < 0.3 mg/L (Pimephales promelas) | - | 48h EC50: = 0.03 mg/L |

Persistence and Degradability No information available.

Bioaccumulation There is no data for this product.

MobilityNo information available.Other adverse effectsNo information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.



California Waste Codes

141

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical name | California Hazardous Waste |
|---|----------------------------|
| Nickel | Toxic powder |
| 7440-02-0 | Ignitable powder |
| Lithium Cobalt Oxide (CoLiO2) 12190-79-3 | Toxic |
| Copper 7440-50-8 | Toxic |
| Aluminum foil 7429-90-5 | Ignitable powder |

14. TRANSPORT INFORMATION

Note:

The transportation of primary lithium cells and batteries is regulated by the International Civil Aviation Organization, International Air Transport Association, International Maritime Dangerous Goods Code and the US Department of Transportation. The batteries must meet the following criteria for shipment: 1. Air shipments must meet the requirements listed in Special Provision A45 of the International Air Transport Association Dangerous Goods Regulations. 2. Meet the requirements for the US Department of Transportation listed in 49 CFR 173.185. 3. The transport of primary lithium batteries is prohibited aboard passenger aircraft. Refer to the Federal Register December 15, 2004 (Hazardous Materials; Prohibited on the Transportation of Primary Lithium Batteries and Cells Aboard Passenger Aircraft; Final Rule)

Lithium batteries shipped as "Lithium batteries", "Lithium batteries packed with equipment", or "Lithium batteries contained in equipment" may not be classified as "Dangerous Goods" when shipped in accordance with "special provision A45 of IATA-DGR" or "special provision 188 of IMO-IMDG Code"

DOT

T NOT REGULATED Proper Shipping Name NON-REGULATED

Hazard Class N/A Emergency Response Guide 147

Number

TDG Not regulated

MEX Not regulated

<u>ICAO</u> Not regulated

IATA Not regulated NON REGULATED

Hazard Class N/A

IMDG/IMO Not regulated

Hazard Class N/A F-A, S-I

RID Not regulated

ADR Not regulated

<u>ADN</u> Not regulated

15. REGULATORY INFORMATION



Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA

Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical name | CAS No. | Weight-% | SARA 313 - Threshold Values % |
|--|------------|----------|----------------------------------|
| Nickel - 7440-02-0 | 7440-02-0 | 30 | 0.1 |
| Lithium Cobalt Oxide (CoLiO2) - 12190-79-3 | 12190-79-3 | 30 | 0.1 |
| Copper - 7440-50-8 | 7440-50-8 | 7 | 1.0 |
| Aluminum foil - 7429-90-5 | 7429-90-5 | 3 | 1.0 |

SARA 311/312 Hazard Categories

Should this product meet EPČRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|---------------------|--------------------------------|------------------------|------------------------------|-------------------------------|
| Nickel 7440-02-0 | | X | Х | |
| Copper 7440-50-8 | | X | Х | |



CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical name | Hazardous Substances RQs | Extremely Hazardous | RQ |
|---------------|--------------------------|---------------------|---------------------|
| | | Substances RQs | |
| Nickel | 100 lb | | RQ 100 lb final RQ |
| 7440-02-0 | | | RQ 45.4 kg final RQ |
| Copper | 5000 lb | | RQ 5000 lb final RQ |
| 7440-50-8 | | | RQ 2270 kg final RQ |
| Aluminum foil | | | _ |
| 7429-90-5 | | | |

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

| Chemical name | California Proposition 65 | | |
|--------------------|----------------------------------|--|--|
| Nickel - 7440-02-0 | carcinogen, 10/1/1989 (metallic) | | |

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

| Chemical name | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|--|------------|---------------|--------------|--------------|----------|
| Nickel 7440-02-0 | Х | X | Х | Х | X |
| Lithium Cobalt Oxide (CoLiO2) 12190-79-3 | X | | Х | X | Х |
| Copper 7440-50-8 | Х | Х | Х | Х | Х |
| Aluminum foil 7429-90-5 | Х | Х | Х | Х | |

16. OTHER INFORMATION

NFPA Health hazards 1 Flammability 0 Instability 0 Physical and Chemical

Properties -

Health hazards 0 Flammability 0 Physical hazards 0 Personal Protection X

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Revision Date 19-Jan-2020

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text



End of Safety Data Sheet

