

SAFETY DATA SHEET

Date of issue 28-06-2021

Canada/English

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Rechargeable Li-ion Polymer Battery L21D2P31

Other means of identification

Recommended use of the chemical and restrictions on use

Recommended Use LITHIUM ION BATTERIES

Uses advised against No information available

Details of the supplier of the safety data sheet

Initial supplier identifier Sunwoda Electronic Co., Ltd.

Address Floor 1,A,B,D District of Floor2 and Floor 3 to 9 of Comprehensive Building, No.2 Yihe Road, Shilong Community, Shiyao Street, Bao an District, Shenzhen City, Guangdong Province, P.R. China

Telephone +86-13823288548

E-mail xiangjing@sunwoda.com

Emergency telephone number

Company Emergency Phone Number +86-13823288548

2. HAZARDS IDENTIFICATION

Classification

This is a battery. In case of rupture:

| | |
|--|-------------|
| Skin corrosion/irritation | Category 2 |
| Serious eye damage/eye irritation | Category 2A |
| Carcinogenicity | Category 2 |
| Specific target organ toxicity (repeated exposure) | Category 1 |

GHS Label elements, including precautionary statements

Danger

Hazard statements

This is a battery. In case of rupture:.

Causes skin irritation

Causes serious eye irritation

Suspected of causing cancer

Causes damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Wear protective gloves/protective clothing/eye protection/face protection
Wash face, hands and any exposed skin thoroughly after handling
Do not breathe dust/fume/gas/mist/vapors/spray
Do not eat, drink or smoke when using this product

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention
Specific treatment (see supplemental first aid instructions on this label)

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
If eye irritation persists: Get medical advice/attention

Skin

IF ON SKIN: Wash with plenty of water and soap
If skin irritation occurs: Get medical advice/attention
Take off contaminated clothing and wash it before reuse

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Very toxic to aquatic life with long lasting effects

Unknown acute toxicity 30.9 % of the mixture consists of ingredient(s) of unknown toxicity

30.9 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

30.9 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

30.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

30.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

30.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

| Chemical name | CAS-No | Percent (%) Max. | Hazardous Material Information Review Act registry number (HMIRA registry #) | Date HMIRA filed and date exemption granted (if applicable) |
|--|------------|------------------|--|---|
| Lithium Cobalt Oxide (CoLiO ₂) | 12190-79-3 | 49.935 | - | - |
| Aluminum foil | 7429-90-5 | 7.081 | - | - |
| Graphite | 7782-42-5 | 30.325 | - | - |
| Iron | 7439-89-6 | 0.001 | - | - |
| Copper | 7440-50-8 | 9.362 | - | - |
| Diethyl carbonate | 105-58-8 | 1.882 | - | - |
| Ethylene carbonate | 96-49-1 | 1.414 | - | - |

4. FIRST AID MEASURES

First aid measures

| | |
|---|---|
| General advice | First aid is upon rupture of sealed battery. IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance. |
| Inhalation | Remove to fresh air. Get medical attention immediately if symptoms occur. |
| Eye contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area. |
| Skin contact | Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists. |
| Ingestion | Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician. |
| Self-protection of the first aider | Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8). |

Most important symptoms and effects, both acute and delayed

| | |
|-----------------|--------------------|
| Symptoms | Burning sensation. |
|-----------------|--------------------|

Indication of any immediate medical attention and special treatment needed

| | |
|---------------------------|------------------------|
| Note to physicians | Treat symptomatically. |
|---------------------------|------------------------|

5. FIRE-FIGHTING MEASURES

| | |
|---|---|
| Suitable Extinguishing Media | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Unsuitable extinguishing media | CAUTION: Use of water spray when fighting fire may be inefficient. |
| Specific hazards arising from the chemical | No information available. |
| Hazardous Combustion Products | Carbon oxides. |
| Explosion Data | |

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Special protective equipment for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling In case of rupture: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

| Chemical name | Alberta | British Columbia | Ontario TWAEV | Quebec |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| Lithium Cobalt Oxide (CoLiO ₂) 12190-79-3 | TWA: 0.02 mg/m ³ | TWA: 0.02 mg/m ³ | TWA: 0.02 mg/m ³ | TWA: 0.02 mg/m ³ |
| Graphite 7782-42-5 | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ |

| | | | | |
|----------------------------|--|--|--|--|
| Aluminum foil 7429-90-5 | TWA: 10 mg/m ³ TWA: 5 mg/m ³ | TWA: 1.0 mg/m ³ | TWA: 1 mg/m ³ | TWA: 10 mg/m ³ TWA: 5 mg/m ³ |
| Copper 7440-50-8 | TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ | TWA: 1 mg/m ³ TWA: 0.2 mg/m ³ | TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ | TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ |

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d962 (11th Cir., 1992).

Appropriate engineering controls

Engineering controls Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection If splashes are likely to occur, wear safety glasses with side-shields.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state Solid

Appearance No information available

Odor No information available

Color No information available

Odor Threshold No information available

| <u>Property</u> | <u>Values</u> | <u>Remarks Method</u> |
|--|--------------------|-----------------------|
| pH | No data available | None known |
| Melting / freezing point | No data available | None known |
| Boiling point / boiling range | No data available | None known |
| Flash Point | No data available | None known |
| Evaporation Rate | No data available | None known |
| Flammability (solid, gas) | No data available | None known |
| Flammability Limit in Air | | None known |
| Upper flammability limit | No data available | |
| Lower flammability limit | No data available | |
| Vapor pressure | No data available | None known |
| Vapor density | No data available | None known |
| Relative density | No data available | None known |
| Water Solubility | Insoluble in water | |
| Solubility(ies) | No data available | None known |
| Partition coefficient: n-octanol/water | 0 | |

| | | |
|----------------------------------|---------------------------|------------|
| Autoignition temperature | No data available | None known |
| Decomposition temperature | No data available | |
| Kinematic viscosity | No data available | |
| Dynamic viscosity | No data available | |
| Explosive properties | No information available. | |
| Oxidizing properties | No information available. | |

Other Information

| | |
|-----------------------------------|--------------------------|
| Softening Point | No information available |
| Molecular Weight | No information available |
| VOC Content (%) | No information available |
| Liquid Density | No information available |
| Bulk Density | No information available |
| Particle Size | No information available |
| Particle Size Distribution | No information available |

10. STABILITY AND REACTIVITY

| | |
|---|--|
| Reactivity | No information available. |
| Chemical stability | Stable under normal conditions. |
| Possibility of Hazardous Reactions | None under normal processing. |
| Hazardous Polymerization | Hazardous polymerization does not occur. |
| Conditions to avoid | None known based on information supplied. |
| Incompatible materials | Strong acids. Strong bases. Strong oxidizing agents. |
| Hazardous Decomposition Products | Carbon oxides. |

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| | |
|----------------------------|---|
| Product Information | Product does not present an acute toxicity hazard based on known or supplied information In case of rupture: |
| Inhalation | Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. |
| Eye contact | Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). Irritating to eyes. |
| Skin contact | Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components). |
| Ingestion | Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. |

Information on toxicological effects

| | |
|-----------------|---|
| Symptoms | Redness. May cause redness and tearing of the eyes. |
|-----------------|---|

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

| | |
|-----------------|-----------------|
| ATEmix (oral) | 12,452.00 mg/kg |
| ATEmix (dermal) | 9,132.00 mg/kg |

Unknown acute toxicity 30.9 % of the mixture consists of ingredient(s) of unknown toxicity
30.9 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
30.9 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
30.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
30.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
30.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---------------------|-----------------------|-----------------------|-----------------|
| Propylene carbonate | = 29000 mg/kg (Rat) | > 20 mL/kg (Rabbit) | - |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| | |
|--|---|
| Skin corrosion/irritation | Classification based on data available for ingredients. Irritating to skin. |
| Serious eye damage/eye irritation | Classification based on data available for ingredients. Irritating to eyes. |
| Respiratory or skin sensitization | No information available. |
| Germ cell mutagenicity | No information available. |
| Carcinogenicity | Classification based on data available for ingredients. Contains a known or suspected carcinogen. |

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

| | |
|---------------------------------|---|
| Reproductive toxicity | No information available. |
| STOT - single exposure | No information available. |
| STOT - repeated exposure | Causes damage to organs through prolonged or repeated exposure. |
| Aspiration hazard | No information available. |

12. ECOLOGICAL INFORMATION

Ecotoxicity

| |
|--|
| Acquatic toxicity |
| No further relevant information available. |
| - |

| | |
|--------------------------------------|--|
| Persistence and Degradability | No further relevant information available. |
| Bioaccumulation potential | No further relevant information available. |
| Mobility | No further relevant information available. |
| Other adverse effects | No further relevant information available. |

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

| | |
|--|---|
| Waste from residues/unused products | Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation. |
| Contaminated packaging | Do not reuse empty containers. |

14. TRANSPORT INFORMATION

| | |
|--------------|--|
| Note: | <p>The transportation of primary lithium cells and batteries is regulated by the International Civil Aviation Organization, International Air Transport Association, International Maritime Dangerous Goods Code and the US Department of Transportation. The batteries must meet the following criteria for shipment: 1. Air shipments must meet the requirements listed in Special Provision A45 of the International Air Transport Association Dangerous Goods Regulations. 2. Meet the requirements for the US Department of Transportation listed in 49 CFR 173.185. 3. The transport of primary lithium batteries is prohibited aboard passenger aircraft. Refer to the Federal Register December 15, 2004 (Hazardous Materials; Prohibited on the Transportation of Primary Lithium Batteries and Cells Aboard Passenger Aircraft; Final Rule)</p> <p>Lithium batteries shipped as "Lithium batteries", "Lithium batteries packed with equipment", or "Lithium batteries contained in equipment" may not be classified as "Dangerous Goods" when shipped in accordance with "special provision A45 of IATA-DGR" or "special provision 188 of IMO-IMDG Code"</p> |
|--------------|--|

| | |
|--|---------------|
| <u>TDG</u> | Not regulated |
| <u>DOT</u> | NOT REGULATED |
| Proper Shipping Name | NON-REGULATED |
| Hazard Class | N/A |
| Emergency Response Guide Number | 147 |
| <u>MEX</u> | Not regulated |
| <u>ICAO</u> | Not regulated |
| <u>IATA</u> | Not regulated |
| Proper Shipping Name | NON REGULATED |
| Hazard Class | N/A |
| <u>IMDG/IMO</u> | Not regulated |
| Hazard Class | N/A |
| EmS-No. | F-A, S-I |
| <u>RID</u> | Not regulated |
| <u>ADR</u> | Not regulated |
| <u>ADN</u> | Not regulated |

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories

| | |
|----------------------|---|
| TSCA | Contact supplier for inventory compliance status. |
| DSL/NDSL | Contact supplier for inventory compliance status. |
| EINECS/ELINCS | Contact supplier for inventory compliance status. |
| ENCS | Contact supplier for inventory compliance status. |
| KECL | Contact supplier for inventory compliance status. |
| PICCS | Contact supplier for inventory compliance status. |
| AICS | Contact supplier for inventory compliance status. |

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

| | | | | |
|-------------|-------------------------|-----------------------|---------------------------|---|
| NFPA | Health hazards 1 | Flammability 0 | Instability 0 | Physical and Chemical Properties - |
| HMIS | Health hazards 0 | Flammability 0 | Physical hazards 0 | Personal Protection X |

Prepared By Shenzhen Precise Testing Technology CO., Ltd.

Issuing Date 28-06-2021

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

| | |
|--|--|
| Inhalation Statement | dust |
| Not Hazardous | This is a battery. In case of rupture: |
| Hazard statements | Causes damage to organs through prolonged or repeated exposure |
| Signal word | Danger |
| Precautionary Statements | P302 + P352 - IF ON SKIN: Wash with plenty of water and soap P321 - Specific treatment (see supplemental first aid instructions on this label) P332 + P313 - If skin irritation occurs: Get medical advice/attention P362 + P364 - Take off contaminated clothing and wash it before reuse P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337 + P313 - If eye irritation persists: Get medical advice/attention P201 - Obtain special instructions before use P202 - Do not handle until all safety precautions have been read and understood P280 - Wear protective gloves/protective clothing/eye protection/face protection P308 + P313 - IF exposed or concerned: Get medical advice/attention P405 - Store locked up P260 - Do not breathe dust/fume/gas/mist/vapors/spray P264 - Wash face, hands and any exposed skin thoroughly after handling P270 - Do not eat, drink or smoke when using this product P314 - Get medical advice/attention if you feel unwell P501 - Dispose of contents/ container to an approved waste disposal plant |
| Signal word | Danger |
| Skin corrosion/irritation | Category 2 |
| Hazard statements | Causes skin irritation |
| Signal word | Warning |
| Serious eye damage/eye irritation | Category 2A |
| Hazard statements | Causes serious eye irritation |
| Signal word | Warning |
| Carcinogenicity | Category 2 |
| Hazard statements | Suspected of causing cancer |
| Signal word | Warning |
| Specific target organ toxicity (repeated exposure) | Category 1 |
| Skin corrosion/irritation | - (H315) |
| Serious eye damage/eye irritation | - (H319) |
| Carcinogenicity | - (H351) |
| STOT - repeated exposure | - (H372) |
| STOT - repeated exposure | |



Graphic



Graphic



Graphic



Hazard statements

Causes skin irritation Causes serious eye irritation Suspected of causing cancer Causes damage to organs through prolonged or repeated exposure

Hazard statements

H315 - Causes skin irritation H319 - Causes serious eye irritation H351 - Suspected of causing cancer H351 - Suspected of causing cancer H372 - Causes damage to organs through prolonged or repeated exposure H372 - Causes damage to organs through prolonged or repeated exposure

Precautionary Statements - EU (§28, 1272/2008)

P103 - Read label before use P280 - Wear face protection P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish P234 - Keep only in original container P303 - IF ON SKIN (or hair):

Precautionary Statements

IF ON SKIN: Wash with plenty of water and soap IF ON SKIN: Wash with plenty of water and soap If skin irritation occurs: Get medical advice/attention If skin irritation occurs: Get medical advice/attention Take off contaminated clothing And wash it before reuse Take off contaminated clothing and wash it before reuse Take off contaminated clothing And wash it before reuse Take off contaminated clothing and wash it before reuse IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention If eye irritation persists: Get medical advice/attention Obtain special instructions before use Obtain special instructions before use Do not handle until all safety precautions have been read and understood Do not handle until all safety precautions have been read and understood Wear protective gloves Wear protective gloves IF exposed or concerned: Get medical advice/attention IF exposed or concerned: Get medical advice/attention Store locked up Do not breathe dust/fume/gas/mist/vapors/spray Do not breathe dust/fume/gas/mist/vapors/spray Do not breathe dust/fume/gas/mist/vapors/spray Do not eat, drink or smoke when using this product Do not eat, drink or smoke when using this product Get medical advice/attention if you feel unwell Get medical advice/attention if you feel unwell

Skin

IF ON SKIN: Wash with plenty of water and soap If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse

Precautionary Statements

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap P321 - Specific treatment (see supplemental first aid instructions on this label) P332 + P313 - If skin irritation occurs: Get medical advice/attention P362 + P364 - Take off contaminated clothing and wash it before reuse P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337 + P313 - If eye irritation persists: Get medical advice/attention P201 - Obtain special instructions before use P202 - Do not handle until all safety precautions have been read and understood P280 - Wear protective gloves/protective clothing/eye protection/face protection P308 + P313 - IF exposed or concerned: Get medical advice/attention P405 - Store locked up P260 - Do not breathe dust/fume/gas/mist/vapors/spray P264 - Wash face, hands and any exposed skin thoroughly after handling P270 - Do not eat, drink or smoke when using this product P314 - Get medical advice/attention if you feel unwell P501 - Dispose of contents/ container to an approved waste disposal plant

Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling Do not breathe dust/fume/gas/mist/vapors/spray Do not eat, drink or smoke when using this product

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention Specific treatment (see supplemental first aid instructions on this label)

| | |
|--|--|
| Eyes | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention |
| Skin | IF ON SKIN: Wash with plenty of water and soap If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse |
| Precautionary Statements - Storage | Store locked up |
| Precautionary Statements - Disposal | Dispose of contents/container to an approved waste disposal plant |
| The following values are calculated based on chapter 3.1 of the GHS document | |
| ATEmix (oral) | 12,452.00 |
| Units | mg/kg |
| ATEmix (dermal) | 9,132.00 |
| Units | mg/kg |
| Contains Carbon black, Phosphate(1-), hexafluoro-, lithium | |
| Unknown acute toxicity | 90.77 % of the mixture consists of component(s) of unknown hazards to the aquatic environment |
| Unknown Acute Aquatic Toxicity | 90.77 |
| Unknown Chronic Aquatic Toxicity | 90.77 |
| Product ATE Oral Status | 1 |
| Product ATE Dermal Status | 1 |
| Product ATE Inhalation - Gas Status | 1 |
| Product ATE Inhalation - Vapor Status | 1 |
| Product ATE Inhalation - Dust/Mist Status | 1 |
| Product Skin Corrosion Status | 1 |
| Product Eye Damage Status | 1 |
| Product Respiratory Sens. Status | 1 |
| Product Skin Sensitization Status | 1 |
| Product Mutagenic Status | 1 |
| Product Carcinogenic Status | 1 |
| Product Reproductive Toxicity Status | 1 |
| Product STOT Single Status | 1 |
| Product STOT Repeated Status | 1 |
| Product Aquatic Toxicity Status | 1 |
| Product Aspiration Toxicity Status | 1 |
| Product Ozone Status | 1 |
| Product and Component Overall | 1 |
| Classification Status | |
| STOT - repeated exposure | - (H372) |
| Unknown acute toxicity | 30.9 % of the mixture consists of ingredient(s) of unknown toxicity |
| | 30.9 % of the mixture consists of ingredient(s) of unknown acute oral toxicity |
| | 30.9 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity |
| | 30.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas) |
| | 30.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor) |
| | 30.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist) |
| Symbols/Pictograms | |
| Symbols/Pictograms | |
| Other hazards | Very toxic to aquatic life with long lasting effects |
| Health hazards | Skull and Crossbones |
| Health hazards | Exclamation mark |
| Inhalation Statement | dust |
| Health hazards | 1 |

Material Safety Data Sheet

Name of Sample: Rechargeable Li-Polymer Battery
L21D2P31 3.87V 10000/10200mAh

Commissioner: SCUD (FUJIAN) ELECTRONICS Co., Ltd.

Shanghai Truron Testing Technology Co., Ltd.

Material Safety Data Sheet





Section 1. IDENTIFICATION

| | |
|--------------------------|---|
| Name of goods | Rechargeable Li-Polymer Battery |
| Type/Mode | L21D2P31 |
| Nominal Parameter: | 3.87V |
| Nominal Capacity: | 10000mAh |
| Manufacturer | SCUD (FUJIAN) ELECTRONICS Co., Ltd. |
| Manufacturer address | SCUD INDUSTRIAL PARK,MAIWEI ECONOMIC AND TECHNOLOGY DEVELOPMENT ZONE,FUZHOU,FUJIAN,CHINA 350015 |
| Emergency telephone call | +86-0591-63158888 |
| Date | Issue date: 20210625 |

Approved by:

Sally Ren

Reviewed by:

Sally Ren

Tested by:

cora cao

Section 2. Hazards Identification

| | |
|------------------|---|
| Explosive risk | This article does not belong to the explosion dangerous goods |
| Flammable risk | This article does not belong to the flammable material |
| Oxidation risk | This article does not belong to the oxidation of dangerous goods |
| Toxic risk | This article does not belong to the toxic dangerous goods |
| Radioactive risk | This article does not belong to the radiation of dangerous goods |
| Mordant risk | This article does not belong to the corrosion of dangerous goods |
| other risk | This article is Rechargeable lithium-ion battery, which belongs to the Lithium ion batteries(including lithium polymer batteries) |

Section3. Composition/Information on Ingredients

| Chemical Composition | concentration ranges (%) (About) | CAS No. |
|---------------------------------|----------------------------------|------------|
| Cobalt lithium dioxide | 15-40 | 12190-79-3 |
| Ethyl propionate | 15-40 | 105-37-3 |
| Copper foil | 10-30 | 7440-50-8 |
| Aluminum foil | 10-30 | 7429-90-5 |
| Graphite | 5-25 | 7782-42-5 |
| Ethylene Carbonate | 0-15 | 96-49-1 |
| Propylene Carbonate | 0-15 | 108-32-7 |
| Lithium Hexafluorophosphate(1-) | 0-15 | 21324-40-3 |
| Separator | 0-5 | 9002-88-4 |

Section 4. First aid measures

Ingestion: Give at least 2 glasses of milk or water. Induce vomiting unless patient is unconscious. Call a physician

Inhalation: Remove from exposure and move to fresh air immediately. Use oxygen if available.

Eye: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

Skin: Remove contaminated clothes and rinse skin with plenty of water or shower for 15 minutes, Get medical aid.

Section 5: Fire-Fighting Measures

Extinguishing Media: Water or water mist, sand, fire blanket, dry powder or carbon dioxide fire extinguisher

Inappropriate extinguishing medium: None

Equipment: Use NIOSH/MSHA approved full-face self-contained breathing apparatus (SCBA) with full protective gear.

Section 6. Accidental release measures

On-site: Place the material in a suitable container and alert the local police.

In water: When the battery pack is in water, there is a risk of slight electric shock; when electrolyzing water, hydrogen will be generated. Ventilation must be maintained to prevent hydrogen accumulation and explosion in closed space. If possible, remove the batteries or modules from the water and alert the local police. Despite being rechargeable, the battery has a limited life span, Replace when usage time between charges becomes short. Please offer all used batteries for recycling according with local guidelines and regulation. Do not throw in the trash.

Section 7. Handling and storage

Precautions for safe handling

Advice on safe handling

In case of rupture: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. Provide



extract ventilation to points where emissions occur. In case of insufficient ventilation, wear suitable respiratory equipment. Remove contaminated clothing and shoes. Take off contaminated clothing and wash before reuse. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid generation of dust.

Conditions for safe storage, including any incompatibilities

Storage Conditions:

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Store locked up.

Section 8. Exposure controls/personal protection

Respiratory Protection: In case of battery venting, provide as much ventilation as possible. Avoid confined areas with venting cell cores. Respiratory Protection is not necessary under conditions of normal use.

Ventilation: Not necessary under conditions of normal use.

Protective Gloves: Not necessary under conditions of normal use.

Other Protective Clothing or Equipment: Not necessary under conditions of normal use.

Personal Protection is recommended for venting battery: Respiratory Protection, Protective Gloves, Protective Clothing and safety glass with side shields.

Section 9. Physical and chemical properties

| | |
|---------------------|-----------|
| State | Solid |
| Odor | N/A |
| PH | N/A |
| Vapor pressure | N/A |
| Vapor density | N/A |
| Boiling point | N/A |
| Solubility in water | Insoluble |
| Specific gravity | N/A |
| Density | N/A |

Section 10. Stability and reactivity

| | |
|------------|--|
| Reactivity | None |
| Stability | Good stability at standard temperature. |
| Notice | Avoid exposure to heat and open flame. Do not puncture, crush or incinerate. |

Section 11. Toxicological information

This product does not elicit toxicological properties during routine handling and use.

Section 12. Ecological information

Proper use and disposal of batteries will not harm the environment. Dispose of used batteries away from water, rain and snow

Section 13. Disposal consideration

Product disposal recommendation: Observe local, state and federal laws and regulations.
Packaging disposal recommendation: Be aware discarded batteries may cause fire, tape the battery terminals to insulate them. Don't disassembly the battery.

Section 14. Transport Information

In the case of transportation, confirm no leakage and no overspill from a container. Take in a cargo of them without falling, dropping and breakage. Prevent collapse of cargo piles and wet by rain. The container must be handled carefully. Do not give shocks that result in a mark of hitting on a cell. Handle with care and flammability hazard exists if the package is damaged.

Please refer to Section 7-HANDLING AND STORAGE also.

Codes and classifications according to:

International regulations for transport Air IATA-DGR : section IB OF PI965 and section II OF PI966/967

International regulations for transport Sea IMDG CODE: special provision 188

National regulations for transport land GB12268-2012

Marine pollutant(Y/N):N

The UN classification number : Class 9 3480&3481

Rated capacity of cell $\leq 20\text{Wh}$

Rated capacity of battery $\leq 100\text{Wh}$

Note: IATA: International Air Transport Association

IMDG: International Maritime Dangerous Goods

Organizations governing the transport of lithium batteries

| Area | Method | Organization | Special Provision |
|---------------|----------------------|--------------|-----------------------------|
| International | Air | IATA, ICAO | Packing Instruction 965-967 |
| International | Marine | IMO | SP188 |
| U.S.A | Air.Rail.Road.Marine | DOT | 49 CFR Section 173.185 |

However, since it corresponds to special provision section IB OF PI965 and section II OF PI966/967 of IATA-DGR 、 special provision 188 of IMDG CODE 、 GB12268-2012 of land regulation, this battery cell can be conveyed normally.

Production of MSDS proving UN manual of Tests and Criteria, part III, sub-section 38.3 is met on MSDS .

Section 15. Regulatory Information (non-mandatory)

OSHA Hazard communication standard (29 CFR 1910.1200)

_____ Hazardous Yes _____ Non-hazardous

Section 16. Other information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

SAFETY DATA SHEET

Issuing Date 02-May-2022

Revision Date 29-Apr-2022

Revision Number 1

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publicly available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is ©2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name Li-ion Cell M 62200

Other means of identification

Product Code(s) 1694658

Recommended use of the chemical and restrictions on use

Recommended Use Lithium Ion Battery

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Identification Lenovo(MBG Tablet)

Address Zhangjiang China 6/F, No. 560, Songtao Road
Shanghai
Shanghai
201203
CN

Telephone Phone:021-50504500

E-mail yangfb1@lenovo.com

Emergency telephone number

Company Emergency Phone Number 15850364721

2. HAZARDS IDENTIFICATION

Classification

| | |
|--|---------------------------|
| Skin corrosion/irritation | Category 1 Sub-category B |
| Serious eye damage/eye irritation | Category 1 |
| Carcinogenicity | Category 2 |
| Specific target organ toxicity (repeated exposure) | Category 1 |



This is a battery. In case of rupture: the above hazards exist.

Appearance Silver

Physical state Solid Gel Consistency
Solid

Odor Odorless

GHS Label elements, including precautionary statements

Danger

Hazard statements

Causes severe skin burns and eye damage

Suspected of causing cancer

Causes damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Wash face, hands and any exposed skin thoroughly after handling

Do not breathe dust/fume/gas/mist/vapors/spray

Do not eat, drink or smoke when using this product

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor

Specific treatment (see supplemental first aid instructions on this label)

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

Wash contaminated clothing before reuse

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Immediately call a POISON CENTER or doctor

Ingestion

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

May be harmful if swallowed. May be harmful in contact with skin. Very toxic to aquatic life with long lasting effects.

Unknown acute toxicity

29.8 % of the mixture consists of ingredient(s) of unknown toxicity

6.57 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

29.8 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

29.8 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
 29.8 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
 29.8 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

| Chemical name | CAS No | Weight-% | Hazardous Material Information Review Act registry number (HMIRA registry #) | Date HMIRA filed and date exemption granted (if applicable) |
|--|------------|----------|--|---|
| Lithium Cobalt Oxide (CoLiO ₂) | 12190-79-3 | 33.5 | - | - |
| Copper | 7440-50-8 | 14.2 | - | - |
| Aluminum | 7429-90-5 | 10.8 | - | - |
| Phosphate(1-), hexafluoro-, lithium | 21324-40-3 | 10.24 | - | - |

4. FIRST AID MEASURES

Description of first aid measures

General advice

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention. First aid is upon rupture of sealed battery. In case of rupture:

Inhalation

Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

Skin contact

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical advice/attention.

Ingestion

Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.

Self-protection of the first aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms

Burning sensation.



Indication of any immediate medical attention and special treatment needed

| | |
|---------------------------|--|
| Note to physicians | Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. |
|---------------------------|--|

5. FIRE-FIGHTING MEASURES

| | |
|---|--|
| Suitable Extinguishing Media | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Large Fire | CAUTION: Use of water spray when fighting fire may be inefficient. |
| Unsuitable extinguishing media | Do not scatter spilled material with high pressure water streams. |
| Specific hazards arising from the chemical | The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. |
| Hazardous Combustion Products | Carbon oxides. |
| Explosion Data | |
| Sensitivity to Mechanical Impact | None. |
| Sensitivity to Static Discharge | None. |
| Special protective equipment for fire-fighters | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. |

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures**

| | |
|-----------------------------|---|
| Personal precautions | Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. |
| Other Information | Refer to protective measures listed in Sections 7 and 8. |

Methods and material for containment and cleaning up

| | |
|--------------------------------|---|
| Methods for containment | Prevent further leakage or spillage if safe to do so. |
| Methods for cleaning up | Pick up and transfer to properly labeled containers. |

7. HANDLING AND STORAGE**Precautions for safe handling**

| | |
|--------------------------------|--|
| Advice on safe handling | In case of rupture: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. |
|--------------------------------|--|

Conditions for safe storage, including any incompatibilities**Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters**Exposure Limits**

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH | |
|--|---|---|---|--------------------------------|
| Lithium Cobalt Oxide (CoLiO2) 12190-79-3 | TWA: 0.02 mg/m³ | - | | |
| Copper 7440-50-8 | TWA: 0.2 mg/m³ fume | TWA: 0.1 mg/m³ fume TWA: 1 mg/m³ dust and mist (vacated) TWA: 0.1 mg/m³ Cu dust, fume, mist | IDLH: 100 mg/m³ dust, fume and mist TWA: 1 mg/m³ dust and mist TWA: 0.1 mg/m³ fume | |
| Aluminum 7429-90-5 | TWA: 1 mg/m³ respirable particulate matter | TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction (vacated) TWA: 15 mg/m³ total dust (vacated) TWA: 5 mg/m³ respirable fraction | TWA: 10 mg/m³ total dust TWA: 5 mg/m³ respirable dust | |
| Phosphate(1-), hexafluoro-, lithium 21324-40-3 | TWA: 2.5 mg/m³ F | TWA: 2.5 mg/m³ F (vacated) TWA: 2.5 mg/m³ | IDLH: 250 mg/m³ F | |
| Chemical name | Alberta | British Columbia | Ontario TWA/EV | Quebec |
| Lithium Cobalt Oxide (CoLiO2) 12190-79-3 | TWA: 0.02 mg/m³ | TWA: 0.02 mg/m³ | TWA: 0.02 mg/m³ | TWA: 0.02 mg/m³ |
| Copper 7440-50-8 | TWA: 0.2 mg/m³ TWA: 1 mg/m³ | TWA: 1 mg/m³ TWA: 0.2 mg/m³ | TWA: 0.2 mg/m³ TWA: 1 mg/m³ | TWA: 0.2 mg/m³ TWA: 1 mg/m³ |
| Aluminum 7429-90-5 | TWA: 10 mg/m³ | TWA: 1.0 mg/m³ | TWA: 1 mg/m³ | TWA: 10 mg/m³ |
| Phosphate(1-), hexafluoro-, lithium 21324-40-3 | TWA: 2.5 mg/m³ | TWA: 2.5 mg/m³ | TWA: 2.5 mg/m³ | TWA: 2.5 mg/m³ |

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls**Engineering controls**

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Face protection shield.

Hand protection

Wear suitable gloves. Impervious gloves.



| | |
|---------------------------------------|--|
| Skin and body protection | Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. |
| Respiratory protection | No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. |
| General hygiene considerations | Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. |

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| | |
|-----------------------|------------------------------|
| Physical state | Solid Gel Consistency; Solid |
| Appearance | Silver |
| Odor | Odorless |
| Color | No information available |
| Odor Threshold | Not applicable |

| <u>Property</u> | <u>Values</u> | <u>Remarks</u> | <u>Method</u> |
|---|--------------------|----------------|---------------|
| pH | No data available | None known | |
| Melting / freezing point | No data available | None known | |
| Boiling point / boiling range | No data available | None known | |
| Flash Point | No data available | None known | |
| Evaporation Rate | No data available | None known | |
| Flammability (solid, gas) | No data available | None known | |
| Flammability Limit in Air | | None known | |
| Upper flammability limit | No data available | | |
| Lower flammability limit | No data available | | |
| Vapor pressure | No data available | None known | |
| Vapor density | No data available | None known | |
| Relative density | No data available | None known | |
| Water Solubility | Insoluble in water | | |
| Solubility(ies) | No data available | None known | |
| Partition coefficient: n-octanol/water¹ | | | |
| Autoignition temperature | No data available | None known | |
| Decomposition temperature | No data available | None known | |
| Kinematic viscosity | No data available | None known | |
| Dynamic viscosity | No data available | None known | |

Other Information

| | |
|-----------------------------------|--------------------------|
| Explosive properties | No information available |
| Oxidizing properties | No information available |
| Softening Point | No information available |
| Molecular Weight | No information available |
| VOC Content (%) | No information available |
| Liquid Density | No information available |
| Bulk Density | No information available |
| Particle Size | No information available |
| Particle Size Distribution | No information available |

10. STABILITY AND REACTIVITY

| | |
|-------------------|---------------------------|
| Reactivity | No information available. |
|-------------------|---------------------------|

| | |
|---|---|
| Chemical stability | Stable under normal conditions. |
| Possibility of Hazardous Reactions | None under normal processing. |
| Hazardous Polymerization | Hazardous polymerization does not occur. |
| Conditions to avoid | Exposure to air or moisture over prolonged periods. |
| Incompatible materials | Acids. Bases. Oxidizing agent. |
| Hazardous Decomposition Products | Carbon oxides. |

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| | |
|----------------------------|---|
| Product Information | Product does not present an acute toxicity hazard based on known or supplied information. In case of rupture: |
| Inhalation | Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. |
| Eye contact | Specific test data for the substance or mixture is not available. Causes burns. (based on components). Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes. |
| Skin contact | Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns. May be harmful in contact with skin. |
| Ingestion | Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways. |

Symptoms related to the physical, chemical and toxicological characteristics

| | |
|-----------------|---|
| Symptoms | Redness. Burning. May cause blindness. Coughing and/ or wheezing. |
|-----------------|---|

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

| | |
|------------------------|----------------|
| ATEmix (oral) | 4,882.80 mg/kg |
| ATEmix (dermal) | 2,056.60 mg/kg |

| | |
|-------------------------------|--|
| Unknown acute toxicity | 29.8 % of the mixture consists of ingredient(s) of unknown toxicity |
| | 6.57 % of the mixture consists of ingredient(s) of unknown acute oral toxicity |
| | 29.8 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity |
| | 29.8 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas) |
| | 29.8 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor) |
| | 29.8 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist) |

Product Information

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--|----------------------|----------------------|--------------------------|
| Lithium Cobalt Oxide (CoLiO ₂) | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rat) | > 5.05 mg/L (Rat) 4 h |
| Copper | - | - | > 5.11 mg/L (Rat) 4 h |
| Aluminum | - | - | > 0.888 mg/L (Rat) 4 h |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| | |
|--|--|
| Skin corrosion/irritation | Classification based on data available for ingredients. Causes burns. |
| Serious eye damage/eye irritation | Classification based on data available for ingredients. Risk of serious damage to eyes. Causes burns. |
| Respiratory or skin sensitization | No information available. |
| Germ cell mutagenicity | No information available. |
| Carcinogenicity | Contains a known or suspected carcinogen. Classification based on data available for ingredients. Suspected of causing cancer. |

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|--|-------|----------|------------------------|------|
| Lithium Cobalt Oxide (CoLiO ₂) 12190-79-3 | A3 | Group 2B | Reasonably Anticipated | X |

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

| | |
|---------------------------------|---|
| Reproductive toxicity | No information available. |
| STOT - single exposure | No information available. |
| STOT - repeated exposure | Causes damage to organs through prolonged or repeated exposure. |
| Aspiration hazard | No information available. |

12. ECOLOGICAL INFORMATION

Ecotoxicity Very toxic to aquatic life with long lasting effects.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|---------------|---|--|----------------------------|---------------------------------------|
| Copper | 96h EC50: 0.031 - 0.054 mg/L (Pseudokirchneriella subcapitata) 72h EC50: 0.0426 - | 96h LC50: 0.0068 - 0.0156 mg/L (Pimephales promelas) 96h LC50: < 0.3 mg/L (Pimephales promelas) | No data available | 48h EC50: = 0.03 mg/L (Daphnia magna) |

| | | | | |
|--|---|---|--|--|
| | 0.0535 mg/L (Pseudokirchneriella subcapitata) | 96h LC50: = 0.052 mg/L (Oncorhynchus mykiss) 96h LC50: = 0.112 mg/L (Poecilia reticulata) 96h LC50: = 0.2 mg/L (Pimephales promelas) 96h LC50: = 0.3 mg/L (Cyprinus carpio) 96h LC50: = 0.8 mg/L (Cyprinus carpio) 96h LC50: = 1.25 mg/L (Lepomis macrochirus) | | |
|--|---|---|--|--|

Persistence and Degradability No information available.

Bioaccumulation No information available.

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

California Waste Codes 141

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical name | California Hazardous Waste |
|--|----------------------------|
| Lithium Cobalt Oxide (CoLiO ₂) 12190-79-3 | Toxic |
| Aluminum 7429-90-5 | Ignitable powder |

14. TRANSPORT INFORMATION

Note:

The transportation of primary lithium cells and batteries is regulated by the International Civil Aviation Organization, International Air Transport Association, International Maritime Dangerous Goods Code and the US Department of Transportation. The batteries must meet the following criteria for shipment: 1. Air shipments must meet the requirements listed in Special Provision A45 of the International Air Transport Association Dangerous Goods Regulations. 2. Meet the requirements for the US Department of Transportation listed in 49 CFR 173.185. 3. The transport of primary lithium batteries is prohibited aboard passenger aircraft. Refer to the Federal Register December 15, 2004 (Hazardous Materials; Prohibited on the Transportation of Primary Lithium Batteries and Cells Aboard Passenger Aircraft; Final Rule)
Lithium batteries shipped as "Lithium batteries", "Lithium batteries packed with equipment", or "Lithium batteries contained in equipment" may not be classified as "Dangerous Goods" when shipped in accordance with "special provision A45 of IATA-DGR" or "special provision

| | |
|---------------------------------|--|
| | 188 of IMO-IMDG Code" |
| DOT | NOT REGULATED |
| Proper Shipping Name | NON-REGULATED |
| Hazard Class | N/A |
| Emergency Response Guide Number | 147 |
| TDG | Not applicable |
| MEX | Not applicable |
| ICAO | Not applicable |
| IATA | |
| UN-No. | UN3480 |
| Proper Shipping Name | LITHIUM ION BATTERIES |
| Hazard Class | 9 |
| ERG Code | 12FZ |
| Description | UN3480, LITHIUM ION BATTERIES, 9 |
| IMDG/IMO | Not applicable |
| Proper Shipping Name | NON-REGULATED PER SP 188 |
| Hazard Class | N/A |
| EmS-No. | F-A, S-I |
| Marine Pollutant | This product contains a chemical which is listed as a marine pollutant according to IMDG/IMO |
| RID | Not applicable |
| ADR | Not applicable |
| ADN | Not applicable |

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

| | |
|---------------|---|
| TSCA | Contact supplier for inventory compliance status. |
| DSL/NDSL | Contact supplier for inventory compliance status. |
| EINECS/ELINCS | Contact supplier for inventory compliance status. |
| ENCS | Contact supplier for inventory compliance status. |
| KECL | Contact supplier for inventory compliance status. |
| PICCS | Contact supplier for inventory compliance status. |
| AICS | Contact supplier for inventory compliance status. |

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical name | CAS No | Weight-% | SARA 313 - Threshold Values % |
|---|------------|----------|-------------------------------|
| Lithium Cobalt Oxide (CoLiO ₂) - 12190-79-3 | 12190-79-3 | 33.5 | 0.1 |
| Copper - 7440-50-8 | 7440-50-8 | 14.2 | 1.0 |
| Aluminum - 7429-90-5 | 7429-90-5 | 10.8 | 1.0 |

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|---------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Copper 7440-50-8 | | X | X | |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical name | Hazardous Substances RQs | Extremely Hazardous Substances RQs | RQ |
|---------------------|--------------------------|------------------------------------|--|
| Copper 7440-50-8 | 5000 lb | | RQ 5000 lb final RQ RQ 2270 kg final RQ |

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

| Chemical name | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|--|------------|---------------|--------------|--------------|----------|
| Lithium Cobalt Oxide (CoLiO ₂) 12190-79-3 | X | | X | X | X |
| Copper 7440-50-8 | X | X | X | X | X |
| Aluminum 7429-90-5 | X | X | X | X | |
| Phosphate(1-), | X | | | | |



| | | | | | |
|------------------------------------|--|--|--|--|--|
| hexafluoro-, lithium 21324-40-3 | | | | | |
|------------------------------------|--|--|--|--|--|

16. OTHER INFORMATION

| | | | | |
|-------------|-------------------------|-----------------------|---------------------------|---|
| NFPA | Health hazards 1 | Flammability 0 | Instability 0 | Physical and Chemical Properties - |
| HMIS | Health hazards 0 | Flammability 0 | Physical hazards 0 | Personal Protection X |

Prepared By Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501

Issuing Date 02-May-2022

Revision Date 29-Apr-2022

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

Material Safety Data Sheet

Section 1-Chemical Product and Company Identification

Product name: Rechargeable Lithium-ion Battery

Details:

| Battery Model | Cell Voltage (V) | Battery Voltage (V) | Watt hour Rating (Wh) | Weight (grams) |
|-----------------|---------------------|------------------------|--------------------------|-------------------|
| PT232865 400mAh | 3.7 | 3.7 | 1.48 | 9.04 |

Manufacturer:

Guangdong Pow-tech New Power Co., Ltd.

Address: No.9, Hengdong 3 Road, Hengkeng Shiling Industry Zone, Liaobu Town, Dongguan, Guangdong, China

Tel: (+86)769-83527566, Fax: (+86)0769-83520288

E-mail: wangcong@szpowtech.com.cn

Issued Date:2021-6-30

Section 2-Hazards Identification

Preparation hazards and classification

Not dangerous with normal use. Do not dismantle, open or shred Li-ion Battery

Exposure to the ingredients contained within or their ingredients products could be harmful.

Appearance, Color, and Odor: Solid object with no odor, no color.

Primary Route(s) of Exposure:

These chemicals are contained in a Aluminum-plastic composite membrane or hermetically sealed metal or metal laminated plastic case,

Risk of exposure occurs only if the cell is mechanically, thermally or electrically abused to the point of compromising the enclosure. If this occurs, exposure to the electrolyte solution contained within can occur by Inhalation, Ingestion, Eye contact and Skin contact.

Potential Health Effects:

Acute (short term): see Section 8 for exposure controls In the event that this battery has been ruptured, the electrolyte solution contained within the battery would be corrosive and can cause burns.

Inhalation: Inhalation of materials from a sealed battery is not an expected route of exposure. Vapors or mists from a ruptured battery may cause respiratory irritation.

Ingestion: Swallowing of materials from a sealed battery is not an expected route of exposure. Swallowing the contents of an open battery can cause serious chemical burns of mouth, esophagus, and gastrointestinal tract

Skin: Contact between the battery and skin will not cause any harm. Skin contact with contents of an open battery can cause severe irritation or burns to the skin.

Eye: Contact between the battery and the eye will not cause any harm. Eye contact with contents of an open battery can cause severe irritation or burns to the eye.

Medical Conditions Aggravated by Exposure: Not applicable

Reported as carcinogen: Not applicable

Section 3-Composition/Information on Ingredients

| Chemical Composition | Chemical Formula | Weight(%) | CAS Number |
|-------------------------|--|-----------|------------|
| Lithium Cobalt Oxide | LiCoO ₂ | 35~42% | 12190-79-3 |
| Graphite powder | C | 23~25% | 7782-42-5 |
| Electrolyte | LiPF ₆ C ₃ H ₄ O ₃ C ₄ H ₆ O ₃ C ₃ H ₁₀ O ₃ | 12~15% | 21324-40-3 |
| Polyethylene | (C ₂ H ₄) n | 0.5~1% | 9002-88-4 |
| Cu | Cu | 5~10% | 7440-50-8 |
| Nickel | Nickel | 2~3% | 7440-02-0 |
| Polyvinylidene fluoride | (CH ₂ CF ₂) n | 0.5~2% | 24937-79-9 |
| Polypropylene | (C ₃ H ₆) n | 2~5% | 9003-07-0 |
| Aluminum foil | Al | 7~10% | 7429-90-5 |

Section 4-First-aid Measures

| | |
|--------------|--|
| Inhalation | If contents of an opened battery are inhaled, remove source of contamination or move victim to fresh air. Obtain medical advice. |
| Skin contact | If skin contact with contents of an open battery occurs, as quickly as possible remove contaminated clothing, shoes and leather goods. Immediately flush with lukewarm, gently flowing water for at least 30 minutes. If irritation or pain persists, seek medical attention. Completely decontaminate clothing, shoes and leather goods before reuse or discard. |
| Eye contact | If eye contact with contents of an open battery occurs, immediately flush the contaminated eye(s) with lukewarm, gently flowing water for at least 30 minutes while holding the eyelids open. Neutral saline solution may be used as soon as it is available. If necessary, continue flushing during transport to emergency care facility. Take care not to rinse contaminated water into the unaffected eye or onto face. Quickly transport victim to an emergency care facility. |
| Ingestion | If ingestion of contents of an open battery occurs, never give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Have victim rinse mouth thoroughly with water. DO NOT INDUCE VOMITING. Have victim drink 60 to 240 mL (2-8 oz.) of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Have victim rinse mouth with water again. Quickly transport victim to an emergency care facility. |

Section 5-Fire Fighting Measures

| | |
|------------------------------|--|
| Flammable Properties | In the event that this battery has been ruptured, the electrolyte solution contain within the battery would be flammable. Like any sealed container, battery cells may rupture when exposed to excessive heat; this could result in the release of flammable or corrosive materials. |
| Suitable extinguishing Media | Use extinguishing media suitable for the materials that are burning. |

| | |
|---|---|
| Unsuitable extinguishing Media | Not available |
| Explosion Data | Sensitivity to Mechanical Impact: This may result in rupture in extreme cases Sensitivity to Static Discharge: Not Applicable |
| Specific Hazards arising from the chemical | Fires involving Li-ion Battery can be controlled with water. When water is used, however, hydrogen gas may evolve. In a confined space, hydrogen gas can form an explosive mixture. In this situation, smothering agents are recommended to extinguish the fire |
| Protective Equipment and precautions for firefighters | As for any fire, evacuate the area and fight the fire from a safe distance. Wear a pressure-demand, self-contained breathing apparatus and full protective gear. Fight fire from a protected location or a safe distance. Use NIOSH/MSHA approved full-face self-contained breathing apparatus(SCBA) with full protective gear. |
| NFPA | Health: 0 Flammability: 0 Instability: 0 |

Section 6-Accidental Release Measures

Spilled internal cell materials, such as electrolyte leaked from a battery cell, are carefully dealt with according to the followings:

Precautions for human body:

Remove spilled materials with protective equipment (protective glasses and protective gloves). Do not inhale the gas as much as possible. Moreover, avoid touching with as much as possible.

Environmental precautions:

Do not throw out into the environment. Method of cleaning up: The spilled solids are put into a container. The leaked place is wiped off with dry cloth.

Prevention of secondary hazards:

Avoid re-scattering. Do not bring the collected materials close to fire.

Section 7-Handling and Storage

| | |
|----------|---|
| Handling | Don't handling Li-ion Battery with metalwork. Do not open, disassemble, crush or burn battery. Ensure good ventilation/ exhaustion at the workplace. Prevent formation of dust. Information about protection against explosions and fires: Keep ignition sources away- Do not smoke. |
| Storage | If the Li-ion Battery are subject to storage for such a long term as more than 3 months, it is recommended to recharge the Li-ion Battery periodically. 3 months: -10°C~+40°C, 45 to 85%RH And recommended at 0°C~+35°C for long period storage. The capacity recovery rate in the delivery state (50% capacity of fully charged) after storage is assumed to be 80% or more. The voltage for a long time storage shall be 3.7V~4.2V range. Do not storage Li-ion Battery haphazardly in a box or drawer where they may short-circuit each other or be short-circuited by other metal objects. Keep out of reach of children. Do not expose Li-ion Battery to heat or fire. Avoid storage in direct sunlight. Do not store together with oxidizing and acidic materials. |

Section 8-Exposure Controls/Personal Protection

| | |
|-------------------------------|---|
| Engineering Controls | Use local exhaust ventilation or other engineering controls to control sources of dust, mist, fumes and vapor. Keep away from heat and open flame. Store in a cool, dry place. |
| Personal Protective Equipment | Respiratory Protection: Not necessary under normal conditions. Skin and body Protection: Not necessary under normal conditions, Wear neoprene or nitrile rubber gloves if handling an open or leaking battery. Hand protection: Wear neoprene or natural rubber material gloves if handling an open or leaking battery. Eye Protection: Not necessary under normal conditions, Wear safety glasses if handling an open or leaking battery. |
| Other Protective Equipment | Have a safety shower and eye wash fountain readily available in the immediate work area. |
| Hygiene Measures | Do not eat, drink, or smoke in work area. Maintain good housekeeping. |

Section 9-Physical and Chemical Properties

| | | |
|---|----------------|----------------|
| Physical State | Form: Solid | |
| | Color: silver | |
| | Odor: Monotony | |
| Change in condition: | | |
| pH, with indication of the concentration | | Not applicable |
| Melting point/freezing point | | Not available. |
| Boiling Point, initial boiling point and Boiling range: | | Not available. |
| Flash Point | | Not available. |
| Upper/lower flammability or explosive limits | | Not available. |
| Vapor Pressure: | | Not applicable |
| Vapor Density: (Air = 1) | | Not applicable |
| Density/relative density | | Not available. |
| Solubility in Water: | | Insoluble |
| n-octanol/water partition coefficient | | Not available. |
| Auto-ignition temperature | | 130°C |
| Decomposition temperature | | Not available. |
| Odor threshold | | Not available. |
| Evaporation rate | | Not available. |
| Flammability (soil, gas) | | Not available. |
| Viscosity | | Not applicable |

Section 10- Stability and Reactivity

| | |
|---|--|
| Stability | The product is stable under normal conditions. |
| Conditions to Avoid (e.g. static discharge, shocker vibration) | Do not subject Li-ion Battery to mechanical shock. Vibration encountered during transportation does not cause leakage, fire or explosion. Do not disassemble, crush, short or install with incorrect polarity. Avoid mechanical or electrical abuse. |
| Incompatible Materials | Not Available |
| Hazardous Decomposition Products | This material may release toxic fumes if burned or exposed to fire |
| Possibility of Hazardous Reaction | Not Available |

Section 11-Toxicological Information

| | |
|---------------------------------------|--|
| Irritation | Risk of irritation occurs only if the cell is mechanically, thermally or electrically abused to the point of compromising the enclosure. If this occurs, irritation to the skin, eyes and respiratory tract may occur. |
| Sensitization | Not Available |
| Neurological Effects | Not Available |
| Teratogenicity | Not Available |
| Reproductive Toxicity | Not Available |
| Mutagenicity (Genetic Effects) | Not Available |
| Toxicologically Synergistic Materials | Not Available |

Section 12-Ecological Information

General note:

Since a battery cell and the internal materials remain in the environment, do not bury or throw out into the environment.

Water hazard class 1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Section 13-Disposal Considerations

Product disposal recommendation: Observe local, state and federal laws and regulations. Packaging disposal recommendation: Be aware discarded batteries may cause fire, tape the battery terminals to insulate them. Don't disassembly the battery. Completely discharge containers (no tear drops, no powder rest, scraped carefully). Containers may be recycled or re-used. Observe local, state and federal laws and regulations.

The potential effects on the environment and human health of the substances used in batteries and accumulations; the desirability of not disposing of waste batteries and accumulators as unsorted municipal waste and of participating in their separate collection so as to facilitate treatment and recycling.

Section 14-Transport Information

This report applies to by sea, by air and by land;

The Li-ion Battery tested according to the requirements of the Rev.6 revised edition of the UN manual of tests and Criteria, Part III, subsection 38.3;

Lithium ion battery was protected so as to prevent short circuits. This includes protection against contact with conductive materials within the same packaging that could lead to short circuit;

The Lithium ion Battery according to Section II/IA/IB of PACKING INSTRUCTION 965/ 966 /967 of the 2021 IATA Dangerous Goods regulations 62nd Edition may be transported and applicable U.S.DOT regulations for the safe transport of Li-ion Battery.

More information concerning shipping, testing, marking and packaging can be obtained from label master at <http://www.labelmaster.com/>.

The packaging shall be adequate to avoid mechanical damage during transport, handling and stacking.

The materials and pack design shall be chosen so as to prevent the development of unintentional electrical conduction, corrosion of the terminals and ingress of moisture.

The package must be handled with care and that a flammability hazard exists if the package is damaged;

Each package must be labeled with a Li-ion Battery handling label or in addition to the Class 9 hazard label.

With regard to transport, the following regulations are cited and considered:

- The International Civil Aviation Organization (ICAO) Technical Instructions.
- The International Air transport Association (IATA) Dangerous Goods Regulations. UN number of lithium battery: UN3480 or UN3481;

UN Proper shipping name/Description (technical name): Lithium ion batteries or Lithium ion batteries contained in equipment or Lithium ion batteries packed with equipment;

UN Classification (Transport hazard class): Non dangerous;

Marine pollutant (Y/N): N;

- The International Maritime Dangerous Goods IMDG Code (Amdt. 39-18) 2018 Edition.

For lithium-ion batteries by sea, provided that packaging is strong and prevent the products from short-circuit. UN number of lithium battery: UN3480 or UN3481;

UN Proper shipping name/Description (technical name): Lithium ion batteries or Lithium ion batteries contained in equipment or Lithium ion batteries packed with equipment;

UN Classification (Transport hazard class): Non dangerous; Marine pollutant (Y/N): N;

Special Provision: International maritime dangerous goods code IMDG (Amend 39-2018)188, 230, 310, 348, 957;

- The US Hazardous Materials Regulation (HMR) pursuant to a final rule issued by RSPA
- The Office of Hazardous Materials Safety within the US Department of Transportations' (DOT) Research and Special Programs Administration (RSPA)

Section 15-Regulatory Information

Regulations specifically applicable to the product: Wastes Disposal and Public Cleaning Law [Japan] Law for Promotion of Effective Utilization of resources [Japan] US Department of Transportation 49 Code of Federal Regulations [USA]

OSHA hazard communication standard (29 CFR 1910.1200)

_____ Hazardous

_____ V _____ Non-hazardous

Section 16-Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, concord makes no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. Although reasonable precautions have been taken in the preparation of the data contained herein, it is offered solely for your information, consideration of investigation. This material safety data sheet provides guidelines for the safe handling and use of this product; it does not and cannot advise on all possible situations, therefore, your specific use of this product should be evaluated to determine if additional precautions are required.

The data/information contained herein has been reviewed and approved for general release on the basis that this document contains no export controlled information.

