SAFETY DATA SHEET



1/12

Oven Jell

Section 1. Identif	fication
GHS product identifier	: Oven Jell
Product code	: 139
Other means of identification	: Not available.
Product type	: Liquid.
Relevant identified uses o	f the substance or mixture and uses advised against
Identified uses	
Cleaner/Degreaser	
Uses advised against Not applicable.	
Supplier's details	: Betco Corporation 400 Van Camp Road Bowling Green, Ohio 43402 www.betco.com
	888-462-3826
Emergency telephone number	: Chemtrec (800) 424-9300 24 hour
Section 2. Hazar	ds identification
OSHA/HCS status	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	: SKIN CORROSION - Category 1 SERIOUS EYE DAMAGE - Category 1 SKIN SENSITIZATION - Category 1
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	Causes severe skin burns and eye damage. May cause an allergic skin reaction.
Precautionary statements	
Prevention	: Wear protective gloves. Wear protective clothing: Recommended: safety apron. Wear eye or face protection: Recommended: splash goggles. Avoid breathing vapor. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.
Response	: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor. IF SWALLOWED: Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER or doctor. Wash contaminated clothing before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

Section 2. Hazards identification

Storage	: Store locked up.
Disposal	: Dispose of contents and container in accordance with all local, regional, national and international regulations.

Hazards not otherwise classified

Section 3. Composition/information on ingredients

: None known.

Substance/mixture	: Mixture
Other means of	: Not available.
identification	

Ingredient name	%	CAS number
sodium hydroxide	≥10 - ≤25	1310-73-2
(R)-p-mentha-1,8-diene	≤0.3	5989-27-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
Inhalation	:	Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Get medical attention immediately. Call a poison center or physician. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health eff	ects				
Eye contact	: Causes s	erious eye damage.			
Inhalation	: No known	n significant effects or critic	al hazards.		
Skin contact	: Causes s	evere burns. May cause a	n allergic skin reaction.		
Date of issue/Date of revision	: 3/25/2024	Date of previous issue	: No previous validation	Version :1	2/1

12

Section 4. First aid measures

Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/symp	<u>otoms</u>
Eye contact	: Adverse symptoms may include the following: pain watering redness
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion	: Adverse symptoms may include the following: stomach pains
Indication of immediate me	dical attention and special treatment needed, if necessary
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

0	5
Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: metal oxide/oxides
Special protective actions for fire-fighters	 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Section 6. Accidental release measures

Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	<u>ont</u>	ainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from acids. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Separate from acids. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits	
sodium hydroxide	ACGIH TLV (United States, 1/2022). C: 2 mg/m ³ OSHA PEL 1989 (United States, 3/1989). CEIL: 2 mg/m ³	
	NIOSH REL (United States, 10/2020). CEIL: 2 mg/m ³ OSHA PEL (United States, 5/2018). TWA: 2 mg/m ³ 8 hours. CAL OSHA PEL (United States, 5/2018). C: 2 mg/m ³	
(R)-p-mentha-1,8-diene	OARS WEEL (United States, 4/2022). TWA: 30 ppm 8 hours.	

Section 8. Exposure controls/personal protection

Biological exposure indices

No exposure indices known.

Appropriate engineering controls Environmental exposure controls	 If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measu	res
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/ or face shield. If inhalation hazards exist, a full-face respirator may be required instead. Recommended: splash goggles
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: safety apron
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	 Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
Personal protective equipment (Pictograms)	

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance	
Physical state	: Liquid.
Color	: Amber.
Odor	: Lemon-like.

Date of issue/Date of revision

Section 9. Physical and chemical properties and safety characteristics

Odor threshold	: Not available.
рН	: 13 to 13.9
Melting point/freezing point	: Not available.
Boiling point, initial boiling point, and boiling range	: Not available.
Flash point	: Closed cup: Not applicable.
Flammability	: Not available.
Lower and upper explosion limit/flammability limit	: Not available.

: 1.1122

Vapor pressure

	Vapor Pressure at 20°C			Vapor pressure at 50°C			
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method	
Methanol	126.96	16.9					
water	17.5	2.3					
(R)-p-mentha-1,8-diene	1.5	0.2					
Linalyl acetate	<0.75	<0.1					
Linalool	0.2	0.027	OECD 104				
2,6-dimethyloct-7-en-2-ol	0.15	0.02	EU A.4				
citronellol	<0.08	<0.011					
alpha-Terpineol	0.049	0.0065					
citral	0.03	0.004					
eugenol	0.03	0.004					
2,6-di-tert-butyl-p-cresol	0.01	0.0013					
1-(5,6,7,8-tetrahydro- 3,5,5,6,8,8-hexamethyl-2-naphthyl) ethan-1-one	0.00051	0.000068	OECD 104				
benzyl salicylate	0.000078	0.00001					
geraniol	0	0					

Relative density

Solubility(ies)

Solubility(ies)	
Media	Result
cold water hot water	Easily soluble Easily soluble
Solubility in water	: Not available.
Miscible with water	: Yes.
Partition coefficient: n- octanol/water	: Not applicable.
Auto-ignition temperature	:

Ingredient name	°C	°F	Method	
citral	225	437	DIN 51794	
Linalool	235	455		
(R)-p-mentha-1,8-diene	237	458.6		
citronellol	240	464		
Linalyl acetate	270	518	EU A.15	
benzyl salicylate	440	824		
ate of issue/Date of revision : 3/25	/2024 Date of pr	evious issue	No previous validation Version	:1 6

Section 9. Physical and chemical properties and safety characteristics

	1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl- 2-naphthyl)ethan-1-one	>400	>752	EU A.16				
Methanol		455	851	DIN 51794				
D	Decomposition temperature : Not available.							
Vi	Viscosity : Not available.							
Pa	Particle characteristics							
N	ledian particle size : Not applic	able.						

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: Reactive or incompatible with the following materials: acids
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Oven Jell

Product/ingredient name	Result	Species	Dose	Exposure
(R)-p-mentha-1,8-diene	LD50 Dermal LD50 Oral		>5000 mg/kg 4400 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation	
sodium hydroxide	Eyes - Mild irritant	Rabbit	-	400 ug	-	
	Eyes - Severe irritant	Monkey	-	24 hours 1 %	-	
	Eyes - Severe irritant	Rabbit	-	1 %	-	
	Eyes - Severe irritant	Rabbit	-	0.5 minutes 1	-	
				mg		
	Eyes - Severe irritant	Rabbit	-	24 hours 50	-	
	-			ug		
	Skin - Mild irritant	Human	-	24 hours 2 %	-	
	Skin - Severe irritant	Rabbit	-	24 hours 500	-	
				mg		
(R)-p-mentha-1,8-diene	Skin - Mild irritant	Rabbit	-	24 hours 10	-	
				%		

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Section 11. Toxicological information

	-					
Classification						
Product/ingredient name	OSHA	IARC	NTP			
(R)-p-mentha-1,8-diene	-	3	-			
Reproductive toxicity	I		-			
Not available.						
<u>Teratogenicity</u> Not available.						
Specific target organ toxic Not available.	<u>ity (single ex</u>	<u>posure)</u>				
Specific target organ toxic Not available.	<u>ity (repeated</u>	<u>exposure)</u>	l			
Aspiration hazard Not available.						
Information on the likely routes of exposure	: Routes c	of entry anti	cipated: Oral, Der	mal, Inhalation, Eyes.		
Potential acute health effect	<u>ts</u>					
Eye contact	: Causes	serious eye	e damage.			
Inhalation	: No know	n significar	nt effects or critica	l hazards.		
Skin contact	: Causes	severe burr	ns. May cause an	allergic skin reaction.		
Ingestion	: No know	n significar	nt effects or critica	l hazards.		
Symptoms related to the ph	vsical, chem	ical and to	xicological char	acteristics		
Eye contact	: Adverse		may include the fe			
	pain watering redness					
Inhalation	: No speci	fic data.				
Skin contact	pain or ir redness	ritation	may include the f	ollowing:		
Ingestion	-		r may include the f	ollowing:		
Delayed and immediate effe	cts and also	chronic ef	fects from short	and long term exposu	re	
Short term exposure					<u></u>	
Potential immediate effects	: Not avail	able.				
Potential delayed effects	: Not avail	able.				
<u>Long term exposure</u>						
Potential immediate effects	: Not avail	able.				
Potential delayed effects	: Not avail	able.				
Potential chronic health ef Not available.	<u>fects</u>					
General	: Once ser very low		severe allergic rea	iction may occur when s	ubsequently exposed	l to
Carcinogenicity	•		nt effects or critica	l hazards.		
Date of issue/Date of revision	: 3/25/2024	Date of	^r previous issue	: No previous validation	Version : 1	8/12

Section 11. Toxicological information

Mutagenicity

: No known significant effects or critical hazards.

Reproductive toxicity : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

· · · · · · · · · · · · · · · · · · ·	Oral (mg/ kg)	Dermal (mg/kg)		(vapors)	Inhalation (dusts and mists) (mg/ I)
(R)-p-mentha-1,8-diene	4400	N/A	N/A	N/A	N/A

Section 12. Ecological information

Product/ingredient name	Result	Species	Exposure
sodium hydroxide	Acute EC50 40.38 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
(R)-p-mentha-1,8-diene	Acute LC50 125 ppm Fresh water Acute EC50 421 μg/l Fresh water Acute EC50 688 μg/l Fresh water	Fish - Gambusia affinis - Adult Daphnia - Daphnia magna Fish - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling)	96 hours 48 hours 96 hours

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
(R)-p-mentha-1,8-diene	4.38	-	High

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	•				
	DOT Classification	TDG Classification	Mexico Classification	IMDG	ΙΑΤΑ
UN number	UN1760	UN1760	UN1760	UN1760	UN1760
UN proper shipping name	CORROSIVE LIQUID, N.O.S. (sodium hydroxide)	CORROSIVE LIQUID, N.O.S. (sodium hydroxide)	CORROSIVE LIQUID, N.O.S. (sodium hydroxide)	CORROSIVE LIQUID, N.O.S. (sodium hydroxide)	CORROSIVE LIQUID, N.O.S. (sodium hydroxide)
Transport hazard class(es)	8	8	8	8	8
Packing group	11	II	Ш	11	II
Environmental hazards	No.	No.	No.	No.	No.
Additional inform	nation		•	•	
DOT Classificat		ortable quantity 8503 Bed quantity Not eligit		16.96 gal / 3471.1 L].	
Goods		uct classified as per t ls Regulations: 2.40-2 osive Limit and Lim	2.42 (Class 8).		n of Dangerous
IMDG	: Limit	ed quantity Not eligi	ible		
IATA : Limited quantity Not eligible					

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according	:	Not available.
to IMO instruments		

Section 15. Regulatory information

U.S. Federal regulations	: TSCA 8(a) I hexylcinnam	PAIR: 4-(4-hydroxy-4-meth naldehyde	hylpentyl)cyclohex-3-ene	ecarbaldehyde;	α-
	TSCA 8(a) (CDR Exempt/Partial exer	mption: Not determined	l	
	Clean Wate	er Act (CWA) 307: dodeca	nenitrile		
	Clean Wate	er Act (CWA) 311: sodium	hydroxide		
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Listed				
Clean Air Act Section 602 Class I Substances	: Not listed				
Clean Air Act Section 602 Class II Substances	: Not listed				
DEA List I Chemicals (Precursor Chemicals)	: Not listed				
DEA List II Chemicals (Essential Chemicals)	: Not listed				
SARA 302/304					
Composition/information	on ingredients				
No products were found.					
Date of issue/Date of revision	: 3/25/2024	Date of previous issue	: No previous validation	Version : 1	10/12

Section 15. Regulatory information

SARA 304 RQ

: Not applicable.

SARA 311/312

Classification

: SKIN CORROSION - Category 1 SERIOUS EYE DAMAGE - Category 1 SKIN SENSITIZATION - Category 1

Composition/information on ingredients

Name	%	Classification	
sodium hydroxide	≥10 - ≤25	CORROSIVE TO METALS - Category 1 SKIN CORROSION - Category 1A SERIOUS EYE DAMAGE - Category 1	
(R)-p-mentha-1,8-diene	≤0.3	FLAMMABLE LIQUIDS - Category 3 SKIN IRRITATION - Category 2 SKIN SENSITIZATION - Category 1	

State regulations

Massachusetts	: The following components are listed: Sodium Hydroxide Solution
New York	: The following components are listed: Sodium hydroxide
New Jersey	: The following components are listed: Sodium Hydroxide Solution
Pennsylvania	: The following components are listed: Sodium Hydroxide Solution
<u>California Prop. 65</u>	

This product does not require a Safe Harbor warning under California Prop. 65.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals
Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals


Not listed.

Inventory list

<u>inventory list</u>	
Australia	: Not determined.
Canada	: All components are listed or exempted.
China	: Not determined.
Eurasian Economic Union	: Russian Federation inventory: Not determined.
Japan	: Japan inventory (CSCL): Not determined. Japan inventory (ISHL): Not determined.
New Zealand	: Not determined.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: All components are listed or exempted.
Thailand	: Not determined.
Turkey	: Not determined.
United States	: Not determined.
Viet Nam	: Not determined.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)



Procedure used to derive the classification

Classification	Justification
SERIOUS EYE DAMAGE - Category 1	On basis of test data On basis of test data Calculation method

Date of printing : 3/25/2024 Date of issue/Date of 3/25/2024 revision Date of previous issue : No previous validation Version : 1 : ATE = Acute Toxicity Estimate Key to abbreviations **BCF** = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient

UN = United Nations

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973
as modified by the Protocol of 1978. ("Marpol" = marine pollution)
N/A = Not available
SGG = Segregation Group

References

History

: Not available. Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.