## SAFETY DATA SHEET

**Issuing Date** 02-Sep-2022

Revision Date 01-Sep-2022

**Revision Number** 1

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

## 1. IDENTIFICATION

Product identifier

Product Name AHB110520CPS-02 Li-ion Rechargeable battery by SYNergy

Other means of identification

Product Code(s) 1714418

Recommended use of the chemical and restrictions on use

Recommended Use Lithium Ion Battery

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Identification SYNergy

Address 6F-3, No.9, Prosperity 1st Road,

Hsinchu Science Park

HsinChu N/A 300091 TW

Telephone Phone:3-5643700

Fax:886-3-5646767

E-mail stellah0917@gmail.com

Emergency telephone number

**Company Emergency Phone** 

Number

886-911254622

## 2. HAZARDS IDENTIFICATION

#### Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1



Carcinogenicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 1

This is a battery. In case of rupture: the above hazards exist.

Appearance Silver Physical state Solid Odor Odorless

#### GHS Label elements, including precautionary statements

#### **Danger**

#### **Hazard statements**

Causes skin irritation
Causes serious eye irritation
May cause an allergic skin reaction
May cause cancer

Causes damage to organs through prolonged or repeated exposure



#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Wash face, hands and any exposed skin thoroughly after handling

Contaminated work clothing must not be allowed out of the workplace

Do not breathe dust/fume/gas/mist/vapors/spray

Do not eat, drink or smoke when using this product

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

Specific treatment (see supplemental first aid instructions on this label)

## **Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

#### Skin

IF ON SKIN: Wash with plenty of water and soap

Take off contaminated clothing and wash it before reuse

If skin irritation or rash occurs: Get medical advice/attention

#### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Other information

Very toxic to aquatic life with long lasting effects.

**Unknown acute toxicity** 28.04 % of the mixture consists of ingredient(s) of unknown toxicity



Page 2/13

Revision Date 01-Sep-2022

7.46 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

28.04 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

28.04 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

28.04 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

28.04 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Substance**

Not applicable.

#### Mixture

Chemical name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Lithium Cobalt Oxide (CoLiO2)	12190-79-3	32.62	-	-
Carbon black	1333-86-4	16.96	-	-
Aluminum	7429-90-5	14.6	-	-
Copper	7440-50-8	7.87	-	-
Ethylene carbonate	96-49-1	5.06	-	-
Phosphate(1-), hexafluoro-, lithium	21324-40-3	1.82	-	-
Nickel	7440-02-0	0.6	-	-
Propylene imine	75-55-8	0.1	-	-

## 4. FIRST AID MEASURES

Description of first aid measures

General advice This is a battery. In case of rupture:. Show this safety data sheet to the doctor in

attendance. IF exposed or concerned: Get medical advice/attention. First aid is upon

rupture of sealed battery.

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area.

**Skin contact** May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a

physician. Wash off immediately with soap and plenty of water for at least 15 minutes.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

**Symptoms** Itching. Rashes. Hives. Burning sensation.

Indication of any immediate medical attention and special treatment needed



Page 3 / 13

Revision Date 01-Sep-2022

**Note to physicians** May cause sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Hazardous Combustion Products Carbon oxides.

**Explosion Data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

**Other Information** Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

## 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling In case of rupture: Handle in accordance with good industrial hygiene and safety practice.

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this

product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep out of the reach of children. Keep containers tightly closed in a dry, cool and

well-ventilated place. Store locked up.

\_\_\_\_\_\_



## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

### **Exposure Limits**

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name		ACGIH T	LV	0:	SHA PEL		NIOSH IDLH
Lithium Cobalt Oxide (CoL 12190-79-3	iO2)	TWA: 0.02 mg/m <sup>3</sup>			-		
Carbon black 1333-86-4	on black TWA: 3 mg/m³ inhalable TWA: 3.5 mg/m³			TWA: 0 in pr	DLH: 1750 mg/m³ TWA: 3.5 mg/m³ 0.1 mg/m³ Carbon black esence of Polycyclic utic hydrocarbons PAH		
Aluminum 7429-90-5	TWA: 1 mg/m³ respirable particulate matter  TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction (vacated) TWA: 15 mg/m³ total dust (vacated) TWA: 15 mg/m³ total dust (vacated) TWA: 5 mg/m³ total dust (vacated) TWA: 5 mg/m³ respirable fraction		ng/m <sup>3</sup> respirable fraction VA: 15 mg/m <sup>3</sup> total dust		10 mg/m³ total dust mg/m³ respirable dust		
Copper 7440-50-8		TWA: 0.2 mg/r	n <sup>3</sup> fume	TWA: 1 mg, (vacated) T	1 mg/m³ fume /m³ dust and mist WA: 0.1 mg/m³ Cu , fume, mist	TWA: 1	100 mg/m³ dust, fume and mist mg/m³ dust and mist A: 0.1 mg/m³ fume
Phosphate(1-), hexafluor lithium 21324-40-3	0-,	TWA: 2.5 mg		TWA: 2.5 mg/m³ F (vacated) TWA: 2.5 mg/m³			DLH: 250 mg/m <sup>3</sup> F
Nickel 7440-02-0		TWA: 1.5 m	ng/m³		A: 1 mg/m³ ) TWA: 1 mg/m³		IDLH: 10 mg/m <sup>3</sup> WA: 0.015 mg/m <sup>3</sup>
Propylene imine 75-55-8		STEL: 0.4 TWA: 0.2 S*		TW/ (vacated (vacated)	/A: 2 ppm A: 5 mg/m³ d) TWA: 2 ppm ) TWA: 5 mg/m³ acated) S* S*		IDLH: 100 ppm TWA: 2 ppm TWA: 5 mg/m <sup>3</sup>
Chemical name		Alberta	British C	Columbia	Ontario TWAE	V	Quebec
Lithium Cobalt Oxide (CoLiO2) 12190-79-3		VA: 0.02 mg/m <sup>3</sup>	TWA: 0.0	02 mg/m³	TWA: 0.02 mg/s	m³	TWA: 0.02 mg/m <sup>3</sup>
Carbon black 1333-86-4		WA: 3.5 mg/m <sup>3</sup>		3 mg/m <sup>3</sup>	TWA: 3 mg/m		TWA: 3 mg/m <sup>3</sup>
Aluminum 7429-90-5		WA: 10 mg/m <sup>3</sup>		0 mg/m³	TWA: 1 mg/m		TWA: 10 mg/m <sup>3</sup>
Copper		WA: 0.2 mg/m <sup>3</sup>		mg/m <sup>3</sup>	TWA: 0.2 mg/n		TWA: 0.2 mg/m <sup>3</sup>
7440-50-8 Phosphate(1-), hexafluoro-, lithium 21324-40-3	T	FWA: 1 mg/m <sup>3</sup> WA: 2.5 mg/m <sup>3</sup>	TWA: 2.	2 mg/m <sup>3</sup> 5 mg/m <sup>3</sup>	TWA: 1 mg/m TWA: 2.5 mg/r	n <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> TWA: 2.5 mg/m <sup>3</sup>
Nickel	T\	WA: 1.5 mg/m <sup>3</sup>	TWA: 0.0	05 mg/m <sup>3</sup>	TWA: 1 mg/m	3	TWA: 1.5 mg/m <sup>3</sup>



7440-02-0				
Propylene imine	TWA: 2 ppm	TWA: 2 ppm	TWA: 0.2 ppm	TWA: 0.2 ppm
75-55-8	TWA: 4.7 mg/m <sup>3</sup>	Skin	STEL: 0.4 ppm	STEL: 0.4 ppm
	Skin		Skin	Skin

**Other Exposure Guidelines** 

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Hand protection** Wear suitable gloves. Impervious gloves.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or

clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid
Appearance Silver
Odor Odorless

Color No information available
Odor Threshold No data available

 Property
 Values
 Remarks
 Method

 pH
 No data available
 None known

 Melting / freezing point
 No data available
 None known

 Boiling point / boiling range
 No data available
 None known

 Flash Point
 No data available
 None known

Boiling point / boiling range No data available None known Flash Point No data available None known Evaporation Rate No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability limitNo data availableLower flammability limitNo data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone knownRelative densityNo data availableNone known

Water Solubility Insoluble in water

Solubility(ies) No data available None known

Partition coefficient: n-octanol/water1

Autoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone known



Kinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Other Information

No information available **Explosive properties Oxidizing properties** No information available **Softening Point** No information available **Molecular Weight** No information available **VOC Content (%)** No information available **Liquid Density** No information available **Bulk Density** No information available **Particle Size** No information available **Particle Size Distribution** No information available

## 10. STABILITY AND REACTIVITY

**Reactivity** No information available.

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.

Conditions to avoid None known based on information supplied.

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

Hazardous Decomposition Products Carbon oxides.

## 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

**Product Information** Product does not present an acute toxicity hazard based on known or supplied information.

In case of rupture:

**Inhalation** Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract. (based on components).

**Eye contact** Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). Irritating to eyes.

Skin contact Specific test data for the substance or mixture is not available. Causes skin irritation. (based

on components). May cause sensitization by skin contact. Repeated or prolonged skin

contact may cause allergic reactions with susceptible persons.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea. (based on components).

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes.

Numerical measures of toxicity



**Acute toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)** 24,119.60 mg/kg **ATEmix (dermal)** 11,861.50 mg/kg

Unknown acute toxicity 28.04 % of the mixture consists of ingredient(s) of unknown toxicity

7.46 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

28.04 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

28.04 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas) 28.04 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

28.04 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

#### **Product Information**

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Lithium Cobalt Oxide (CoLiO2)	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 5.05 mg/L (Rat) 4 h
Carbon black	> 15400 mg/kg (Rat)	-	> 4.6 mg/m³ (Rat) 4 h
Aluminum	-	-	> 0.888 mg/L (Rat) 4 h
Copper	-	-	> 5.11 mg/L (Rat) 4 h
Ethylene carbonate	= 10 g/kg (Rat)	> 26420 mg/kg (Rabbit)	> 730 mg/m³ (Rat) 8 h
Nickel	> 9000 mg/kg (Rat)	-	> 10.2 mg/L (Rat) 1 h
Propylene imine	= 19 mg/kg (Rat)	-	-

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Classification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

**Respiratory or skin sensitization** May cause sensitization by skin contact.

**Germ cell mutagenicity** No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Lithium Cobalt Oxide (CoLiO2) 12190-79-3	A3	Group 2B	Reasonably Anticipated	X
Carbon black 1333-86-4	A3	Group 2B	-	Х
Nickel 7440-02-0	-	Group 2B	Reasonably Anticipated	Х
Propylene imine 75-55-8	A3	Group 2B	Reasonably Anticipated	Х

#### Legend

**ACGIH (American Conference of Governmental Industrial Hygienists)** 

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)



X - Present

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**Causes damage to organs through prolonged or repeated exposure.

**Aspiration hazard** No information available.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

Very toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Copper	96h EC50: 0.031 - 0.054 mg/L (Pseudokirchneriella subcapitata) 72h EC50: 0.0426 - 0.0535 mg/L (Pseudokirchneriella subcapitata)	96h LC50: 0.0068 - 0.0156 mg/L (Pimephales promelas) 96h LC50: < 0.3 mg/L (Pimephales promelas) 96h LC50: = 0.052 mg/L (Oncorhynchus mykiss) 96h LC50: = 0.112 mg/L (Poecilia reticulata) 96h LC50: = 0.2 mg/L (Pimephales promelas) 96h LC50: = 0.3 mg/L (Cyprinus carpio) 96h LC50: = 0.8 mg/L (Cyprinus carpio) 96h LC50: = 1.25 mg/L (Lepomis macrochirus)	No data available	48h EC50: = 0.03 mg/L (Daphnia magna)
Ethylene carbonate	No data available	96h LC50: > 100 mg/L (Oncorhynchus mykiss)	No data available	No data available
Nickel	96h EC50: 0.174 - 0.311 mg/L (Pseudokirchneriella subcapitata) 72h EC50: = 0.18 mg/L (Pseudokirchneriella subcapitata)	96h LC50: = 1.3 mg/L (Cyprinus carpio) 96h LC50: = 10.4 mg/L (Cyprinus carpio) 96h LC50: > 100 mg/L (Brachydanio rerio)	No data available	48h EC50: = 1 mg/L (Daphnia magna) 48h EC50: > 100 mg/L (Daphnia magna)

**Persistence and Degradability** 

No information available.

**Bioaccumulation** 

**Component Information** 

Chemical name	Partition coefficient
Ethylene carbonate	0.11

**Mobility** No information available.

Other adverse effects No information available.



## 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Do not reuse empty containers. Contaminated packaging

Chemical name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Propylene imine 75-55-8		P067		

**California Waste Codes** 

141

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Lithium Cobalt Oxide (CoLiO2)	Toxic
12190-79-3	
Aluminum	Ignitable powder
7429-90-5	
Nickel	Toxic powder
7440-02-0	Ignitable powder

### 14. TRANSPORT INFORMATION

Note:

The transportation of primary lithium cells and batteries is regulated by the International Civil Aviation Organization, International Air Transport Association, International Maritime Dangerous Goods Code and the US Department of Transportation. The batteries must meet the following criteria for shipment: 1. Air shipments must meet the requirements listed in Special Provision A45 of the International Air Transport Association Dangerous Goods Regulations. 2. Meet the requirements for the US Department of Transportation listed in 49 CFR 173.185. 3. The transport of primary lithium batteries is prohibited aboard passenger aircraft. Refer to the Federal Register December 15, 2004 (Hazardous Materials: Prohibited on the Transportation of Primary Lithium Batteries and Cells Aboard Passenger Aircraft; Final Rule)

Lithium batteries shipped as "Lithium batteries", "Lithium batteries packed with equipment", or "Lithium batteries contained in equipment" may not be classified as "Dangerous Goods" when shipped in accordance with "special provision A45 of IATA-DGR" or "special provision

188 of IMO-IMDG Code"

**Proper Shipping Name** 

NOT REGULATED NON-REGULATED

**Hazard Class** 

N/A

**Emergency Response Guide** 

147

Number

TDG

DOT

MEX Not applicable

Not applicable **ICAO** 

IATA



**UN-No.** UN3480

Proper Shipping Name LITHIUM ION BATTERIES

Hazard Class 9 ERG Code 12FZ

**Description** UN3480, LITHIUM ION BATTERIES, 9

IMDG/IMO Not applicable

Proper Shipping Name NON-REGULATED PER SP 188

Hazard Class N/A EmS-No. F-A, S-I

RID Not applicable

ADR Not applicable

Tunnel restriction code (E)

ADN Not applicable

## 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

**International Inventories** 

TSCA

Contact supplier for inventory compliance status.

#### Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Lithium Cobalt Oxide (CoLiO2) - 12190-79-3	12190-79-3	32.62	0.1
Aluminum - 7429-90-5	7429-90-5	14.6	1.0



# 1714418 - AHB110520CPS-02 Li-ion Rechargeable battery by SYNergy

Copper - 7440-50-8	7440-50-8	7.87	1.0
Nickel - 7440-02-0	7440-02-0	0.6	0.1
Propylene imine - 75-55-8	75-55-8	0.1	0.1

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Copper		X	Χ	
7440-50-8				
Nickel		X	X	
7440-02-0				

## **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Copper	5000 lb		RQ 5000 lb final RQ
7440-50-8			RQ 2270 kg final RQ
Nickel	100 lb		RQ 100 lb final RQ
7440-02-0			RQ 45.4 kg final RQ
Propylene imine	1 lb	1 lb	RQ 1 lb final RQ
75-55-8			RQ 0.454 kg final RQ

## **US State Regulations**

### **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65		
Carbon black - 1333-86-4	Carcinogen		
Nickel - 7440-02-0	carcinogen, 10/1/1989 (metallic)		
Propylene imine - 75-55-8	carcinogen, 1/1/1988		
1,3-Propane sultone - 1120-71-4	carcinogen, 1/1/1988		

### U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Lithium Cobalt Oxide (CoLiO2)	X		Х	Х	X
12190-79-3					
Carbon black 1333-86-4	Х	Х	Х		Х
Aluminum 7429-90-5	X	Х	Х	Х	
Copper 7440-50-8	X	Х	Х	X	Х



Ethylene carbonate 96-49-1		X	X		
Phosphate(1-), hexafluoro-, lithium 21324-40-3	X				
Nickel 7440-02-0	Χ	X	X	Х	Х
Propylene imine 75-55-8	X	Х	X	Х	X

## **16. OTHER INFORMATION**

NFPA Health hazards 1 Flammability 0 Instability 0 Physical and Chemical

Properties -

HMIS Health hazards 0 Flammability 0 Physical hazards 0 Personal Protection X

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date 02-Sep-2022

Revision Date 01-Sep-2022

Revision Note No information available

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 

