# **SAFETY DATA SHEET**

Issuing Date 21-Dec-2020 Revision Date 11-Dec-2020 **Revision Number** 1

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is @ 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION

Product identifier

**Product Name** Rechargeable Li-ion Battery - L20L3PF0

Other means of identification

Product Code(s) 1615081

Recommended use of the chemical and restrictions on use

**Recommended Use** Lithium Ion Battery

Restrictions on use No information available

Details of the supplier of the safety data sheet

**Supplier Identification** Lenovo LNB laptops

**Address** Songtao Road 696

> shanghai shanghai 201203 CN

**Telephone** Phone:18116118603

E-mail yuanbb1@lenovo.com

Emergency telephone number

**Company Emergency Phone** Number

18116118603

# 2. HAZARDS IDENTIFICATION

#### Classification

Skin sensitization	Category 1
Carcinogenicity	Category 1B



Specific target organ toxicity (repeated exposure) Category 1

This is a battery. In case of rupture: the above hazards exist.

Appearance Solid Physical state Solid Odor No information available

#### GHS Label elements, including precautionary statements

#### **Danger**

#### **Hazard statements**

May cause an allergic skin reaction May cause cancer Causes damage to organs through prolonged or repeated exposure



#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection

Contaminated work clothing must not be allowed out of the workplace

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

Specific treatment (see supplemental first aid instructions on this label)

#### Skin

IF ON SKIN: Wash with plenty of water and soap

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

#### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other information

Causes mild skin irritation. Very toxic to aquatic life with long lasting effects.

#### Unknown acute toxicity 99 % of the mixture consists of ingredient(s) of unknown toxicity

70 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

99 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

99 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

99 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

99 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)



\_\_\_\_\_

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Not applicable.

#### <u>Mixture</u>

Chemical name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Nickel	7440-02-0	30	-	-
Lithium Cobalt Oxide (CoLiO2)	12190-79-3	30	-	-
Copper	7440-50-8	7	-	-
Aluminum	7429-90-5	3	-	-

# 4. FIRST AID MEASURES

#### Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get

medical advice/attention. First aid is upon rupture of sealed battery.

**Inhalation** Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation

or allergic reactions see a physician.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

**Note to physicians** May cause sensitization in susceptible persons. Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media**Do not scatter spilled material with high pressure water streams.



Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

**Hazardous Combustion Products** Carbon oxides.

**Explosion Data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.

#### Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

# 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on safe handling In case of rupture: Handle in accordance with good industrial hygiene and safety practice.

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this

product. Take off contaminated clothing and wash before reuse.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Limits** 

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Nickel	TWA: 1.5 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>



7440-02-0				(vacated)	) TWA: 1 mg/m <sup>3</sup>		TWA: 0.015 ı	mg/m³
Lithium Cobalt Oxide (Col 12190-79-3	_iO2)	TWA: 0.02 mg/m <sup>3</sup>			-			
Copper 7440-50-8		TWA: 0.2 mg/m <sup>3</sup> fume		TWA: 1 mg/ (vacated) T	1 mg/m <sup>3</sup> fume /m <sup>3</sup> dust and mist WA: 0.1 mg/m <sup>3</sup> Cu , fume, mist	TWA:	0	lust and mist
Aluminum 7429-90-5		TWA: 1 mg/m³ particulate r		TWA: 15 m TWA: 5 m (vacated) TW	ng/m³ total dust g/m³ respirable fraction /A: 15 mg/m³ total dust ) TWA: 5 mg/m³ able fraction	TWA TWA	VA: 0.1 mg/m <sup>3</sup> A: 10 mg/m <sup>3</sup> A: 5 mg/m <sup>3</sup> dust	total dust respirable
Chemical name		Alberta	British C	Columbia	Ontario TWAE	V	Que	bec
Nickel 7440-02-0	T	WA: 1.5 mg/m <sup>3</sup>	TWA: 0.0	05 mg/m <sup>3</sup>	TWA: 1 mg/m	3	TWA: 1.	5 mg/m <sup>3</sup>
Lithium Cobalt Oxide (CoLiO2) 12190-79-3	TV	VA: 0.02 mg/m <sup>3</sup>	TWA: 0.0	02 mg/m <sup>3</sup>	TWA: 0.02 mg/	m <sup>3</sup>	TWA: 0.0	02 mg/m <sup>3</sup>
Copper 7440-50-8		WA: 0.2 mg/m <sup>3</sup> WA: 1 mg/m <sup>3</sup>		l mg/m³ .2 mg/m³	TWA: 0.2 mg/r TWA: 1 mg/m		TWA: 0.: TWA: 1	
Aluminum 7429-90-5	Τ	WA: 10 mg/m <sup>3</sup>	TWA: 1	.0 mg/m <sup>3</sup>	TWA: 1 mg/m	3	TWA: 10	) mg/m <sup>3</sup>

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992). See section 15 for national exposure control parameters.

#### Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Hand protection** Wear suitable gloves.

**Skin and body protection**Wear suitable protective clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Wash hands before breaks and immediately after handling

the product.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid Appearance Solid

Odor No information available
Color No information available
Odor Threshold No information available



**Property** Values Remarks Method

pН No data available None known Melting / freezing point No data available None known Boiling point / boiling range No data available None known Flash Point No data available None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known None known

Flammability Limit in Air

Upper flammability limit No data available Lower flammability limit No data available

Vapor pressure No data available None known Vapor density No data available None known Relative density No data available None known

**Water Solubility** Insoluble in water

Solubility(ies) No data available None known

Partition coefficient: n-octanol/water1

**Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known

Other Information

**Explosive properties** No information available Oxidizing properties No information available **Softening Point** No information available **Molecular Weight** No information available **VOC Content (%)** No information available **Liquid Density** No information available No information available **Bulk Density Particle Size** No information available **Particle Size Distribution** No information available

#### 10. STABILITY AND REACTIVITY

Reactivity No information available.

**Chemical stability** Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.

Conditions to avoid None known based on information supplied.

Incompatible materials None known based on information supplied.

Hazardous Decomposition Products Carbon oxides.

# 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

**Product Information** Product does not present an acute toxicity hazard based on known or supplied information.

In case of rupture:



**Inhalation** Specific test data for the substance or mixture is not available.

**Eye contact** Specific test data for the substance or mixture is not available.

**Skin contact** Specific test data for the substance or mixture is not available. May cause sensitization by

skin contact. (based on components). Repeated or prolonged skin contact may cause

Revision Date 11-Dec-2020

allergic reactions with susceptible persons.

**Ingestion** Specific test data for the substance or mixture is not available.

#### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives.

#### Numerical measures of toxicity

#### **Acute toxicity**

The following values are calculated based on chapter 3.1 of the GHS document ...

**ATEmix (oral)** 35,454.50 mg/kg

**Unknown acute toxicity** 99 % of the mixture consists of ingredient(s) of unknown toxicity

70 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

99 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

99 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

99 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

99 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Nickel	> 9000 mg/kg (Rat)	-	> 10.2 mg/L (Rat) 1 h
Lithium Cobalt Oxide (CoLiO2)	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 5.05 mg/L (Rat) 4 h

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**No information available.

Serious eye damage/eye irritation No information available.

**Respiratory or skin sensitization** May cause sensitization by skin contact.

**Germ cell mutagenicity** No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Nickel	-	Group 2B	Reasonably Anticipated	X
7440-02-0			·	
Lithium Cobalt Oxide (CoLiO2) 12190-79-3	A3	Group 2B	Reasonably Anticipated	X

Legend



ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**Causes damage to organs through prolonged or repeated exposure.

**Aspiration hazard** No information available.

# 12. ECOLOGICAL INFORMATION

Marine Pollutant This product contains a chemical which is listed as a severe marine pollutant according to

DOT

**Ecotoxicity** Very toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Nickel	96h EC50: 0.174 - 0.311 mg/L (Pseudokirchneriella subcapitata) 72h EC50: = 0.18 mg/L (Pseudokirchneriella subcapitata)	96h LC50: = 1.3 mg/L (Cyprinus carpio) 96h LC50: = 10.4 mg/L (Cyprinus carpio) 96h LC50: > 100 mg/L (Brachydanio rerio)	No data available	48h EC50: = 1 mg/L (Daphnia magna) 48h EC50: > 100 mg/L (Daphnia magna)
Copper	96h EC50: 0.031 -	96h LC50: 0.0068 - 0.0156 mg/L (Pimephales promelas) 96h LC50: < 0.3 mg/L (Pimephales promelas) 96h LC50: = 0.052 mg/L (Oncorhynchus mykiss) 96h LC50: = 0.112 mg/L (Poecilia reticulata) 96h LC50: = 0.2 mg/L (Pimephales promelas) 96h LC50: = 0.3 mg/L (Cyprinus carpio) 96h LC50: = 0.8 mg/L (Cyprinus carpio) 96h LC50: = 1.25 mg/L (Lepomis macrochirus)	No data available	48h EC50: = 0.03 mg/L (Daphnia magna)

**Persistence and Degradability** No information available.

**Bioaccumulation** No information available.

**Mobility** No information available.



Revision Date 11-Dec-2020

Other adverse effects No information available.

### 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

**California Waste Codes** 141

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste	
Nickel	Toxic powder	
7440-02-0	Ignitable powder	
Lithium Cobalt Oxide (CoLiO2)	Toxic	
12190-79-3		
Aluminum	Ignitable powder	
7429-90-5		

# 14. TRANSPORT INFORMATION

Note:

The transportation of primary lithium cells and batteries is regulated by the International Civil Aviation Organization, International Air Transport Association, International Maritime Dangerous Goods Code and the US Department of Transportation. The batteries must meet the following criteria for shipment: 1. Air shipments must meet the requirements listed in Special Provision A45 of the International Air Transport Association Dangerous Goods Regulations. 2. Meet the requirements for the US Department of Transportation listed in 49 CFR 173.185. 3. The transport of primary lithium batteries is prohibited aboard passenger aircraft. Refer to the Federal Register December 15, 2004 (Hazardous Materials; Prohibited on the Transportation of Primary Lithium Batteries and Cells Aboard Passenger Aircraft; Final Rule)

Lithium batteries shipped as "Lithium batteries", "Lithium batteries packed with equipment", or "Lithium batteries contained in equipment" may not be classified as "Dangerous Goods" when shipped in accordance with "special provision A45 of IATA-DGR" or "special provision 188 of IMO-IMDG Code"

**NOT REGULATED Proper Shipping Name** NON-REGULATED

**Hazard Class** 

**Marine Pollutant** This product contains a chemical which is listed as a severe marine pollutant according to

> DOT 147

**Emergency Response Guide** 

Number

**TDG** Not applicable

**Marine Pollutant** This product contains a chemical which is listed as a severe marine pollutant according to

TDG.

**MEX** Not applicable



·

ICAO Not applicable

IATA Not applicable

Proper Shipping Name NON REGULATED

Hazard Class N/A

IMDG/IMO Not applicable

Hazard Class N/A F-A, S-I

RID Not applicable

ADR Not applicable

ADN Not applicable

# 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

#### **International Inventories**

TSCA Contact supplier for inventory compliance status.

DSL/NDSL Contact supplier for inventory compliance status.

EINECS/ELINCS Contact supplier for inventory compliance status.

ENCS Contact supplier for inventory compliance status.

KECL Contact supplier for inventory compliance status.

#### <u>Legend</u>

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### **US Federal Regulations**

# **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Nickel - 7440-02-0	7440-02-0	30	0.1
Lithium Cobalt Oxide (CoLiO2) - 12190-79-3	12190-79-3	30	0.1
Copper - 7440-50-8	7440-50-8	7	1.0



Revision Date 11-Dec-2020

Aluminum - 7429-90-5	7429-90-5	3	1.0

# SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable	<b>CWA - Toxic Pollutants</b>	CWA - Priority	CWA - Hazardous
	Quantities		Pollutants	Substances
Nickel		X	X	
7440-02-0				
Copper		X	X	
7440-50-8				

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Nickel	100 lb		RQ 100 lb final RQ
7440-02-0			RQ 45.4 kg final RQ
Copper	5000 lb		RQ 5000 lb final RQ
7440-50-8			RQ 2270 kg final RQ

# US State Regulations

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65	
Nickel - 7440-02-0	carcinogen, 10/1/1989 (metallic)	

#### U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Nickel	Χ	X	X	X	X
7440-02-0					
Lithium Cobalt Oxide	Χ		X	X	X
(CoLiO2)					
12190-79-3					
Copper	Χ	X	X	X	X
7440-50-8					
Aluminum	Χ	X	X	X	
7429-90-5					

16. OTHER INFORMATION								
NFPA	Health hazards 1	Flammability	0 Instability 0	Physical and Chemical Properties -				
<u>HMIS</u>	Health hazards 0	Flammability	0 Physical hazards 0	Personal Protection X				



Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date 21-Dec-2020

Revision Date 11-Dec-2020

Revision Note No information available

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 



Revision Date 11-Dec-2020