

# SAFETY DATA SHEET

Date of issue 21-12-2022

Canada/English

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

Product Name Rechargeable Li-ion Polymer Battery ST50

### Other means of identification

### Recommended use of the chemical and restrictions on use

Recommended Use LITHIUM ION BATTERIES

Uses advised against No information available

### Details of the supplier of the safety data sheet

Initial supplier identifier Sunwoda Electronic Co., Ltd.

Address Floor 1,A,B,D District of Floor 2 and Floor 3 to 9 of Comprehensive Building, No.2 Yihe Road, Shilong Community, Shiyan Street, Bao'an District, Shenzhen City, Guangdong Province, P.R. China

Telephone 0755-29516888

E-mail [xiangjing@sunwoda.com](mailto:xiangjing@sunwoda.com)

### Emergency telephone number

Company Emergency Phone Number 0755-29516888

## 2. HAZARDS IDENTIFICATION

### Classification

This is a battery. In case of rupture:

|  |             |
|--|-------------|
| Skin corrosion/irritation                          | Category 2  |
| Serious eye damage/eye irritation                  | Category 2A |
| Carcinogenicity                                    | Category 2  |
| Specific target organ toxicity (repeated exposure) | Category 1  |

### GHS Label elements, including precautionary statements

#### Danger

#### Hazard statements

This is a battery. In case of rupture:.

Causes skin irritation

Causes serious eye irritation

Suspected of causing cancer

Causes damage to organs through prolonged or repeated exposure



**Precautionary Statements - Prevention**

Obtain special instructions before use  
Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling  
Do not breathe dust/fume/gas/mist/vapors/spray Do not eat, drink or smoke when using this product

**Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention  
Specific treatment (see supplemental first aid instructions on this label)

**Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

**Skin**

IF ON SKIN: Wash with plenty of water and soap  
If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Other information**

Very toxic to aquatic life with long lasting effects

**Unknown acute toxicity**

30.9 % of the mixture consists of ingredient(s) of unknown toxicity

30.9 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

30.9 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

30.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

30.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

30.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Substance**

Not applicable.

**Mixture**

---

| Chemical name                              | CAS-No     | Percent(%)<br>Max | Hazardous Material<br>Information Review<br>Act registry number<br>(HMIRA registry #) | Date HMIRA filed and<br>date exemption<br>granted (if applicable) |
|--|------------|-------------------|---|---|
| Aluminum                                   | 7429-90-5  | 8.48%             |   |   |
| Lithium Cobalt Oxide (CoLiO <sub>2</sub> ) | 12190-79-3 | 41.95%            | -   | -   |
| 1,1-Difluoroethylene polymer               | 24937-79-9 | 0.56%             | -   | -   |
| Styrene-Butadiene polymer                  | 9003-55-8  | 0.28%             | -   | -   |
| Copper                                     | 7440-50-8  | 8.39%             | -   | -   |
| Graphite                                   | 7782-42-5  | 23.27%            | -   | -   |
| Nickel                                     | 7440-02-0  | 0.34%             | -   | -   |
| 1-Propene, homopolymer, isotactic          | 25085-53-4 | 2.78%             | -   | -   |
| Dimethyl carbonate                         | 616-38-6   | 6.43%             |   |   |
| Ethylene carbonate                         | 96-49-1    | 4.29%             | -   | -   |
| Phosphate(1-), hexafluoro-, lithium        | 21324-40-3 | 1.58%             | -   | -   |
| Nylon-6                                    | 25038-54-4 | 1.65%             |   |   |

## 4. FIRST AID MEASURES

### First aid measures

|   |   |
|---|---|
| <b>General advice</b>                     | First aid is upon rupture of sealed battery. IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.  |
| <b>Inhalation</b>                         | Remove to fresh air. Get medical attention immediately if symptoms occur.   |
| <b>Eye contact</b>                        | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area. |
| <b>Skin contact</b>                       | Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.  |
| <b>Ingestion</b>                          | Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.   |
| <b>Self-protection of the first aider</b> | Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).   |

### Most important symptoms and effects, both acute and delayed

**Symptoms** Burning sensation.

### Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

|   |   |
|---|---|
| <b>Suitable Extinguishing Media</b>                 | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| <b>Unsuitable extinguishing media</b>               | CAUTION: Use of water spray when fighting fire may be inefficient.                                      |
| <b>Specific hazards arising from the chemical .</b> | No information available  |
| <b>Hazardous Combustion Products</b>                | Carbon oxides.  |

### Explosion Data

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

**Special protective equipment for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas.

**Other Information** Refer to protective measures listed in Sections 7 and 8.

**Environmental precautions** Prevent further leakage or spillage if safe to do so.

### Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

**Advice on safe handling** In case of rupture: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

**Exposure Limits** The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

| Chemical name   | ACGIH TLV                       | OSHA PEL   | NIOSH IDLH  |
|---|---------------------------------|--|---|
| Lithium Cobalt Oxide<br>(CoLiO <sub>2</sub> )<br>12190-79-3 | TWA: 0.02 mg/m <sub>3</sub>     | -  | TWA: 0.02 mg/m <sup>3</sup>   |
| Copper<br>7440-50-8   | TWA: 0.2 mg/m <sub>3</sub> fume | TWA: 0.1 mg/m <sub>3</sub> fume<br>TWA: 1 mg/m <sub>3</sub> dust and mist<br>(vacated) TWA: 0.1 mg/m <sub>3</sub> Cu<br>dust, fume, mist | IDLH: 100 mg/m <sub>3</sub> dust, fume<br>and mist<br>TWA: 1 mg/m <sub>3</sub> dust and mist<br>TWA: 0.1 mg/m <sub>3</sub> fume |

|   |  |   |  |
|---|--|---|--|
| Aluminum<br>7429-90-5                             | TWA: 1 mg/m <sup>3</sup> respirable particulate matter | TWA: 15 mg/m <sup>3</sup> total dust<br>TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated)<br>TWA: 15 mg/m <sup>3</sup> total dust(vacated)<br>TWA: 5 mg/m <sup>3</sup> respirable fraction | TWA: 10 mg/m <sup>3</sup> total dust<br>TWA: 5 mg/m <sup>3</sup> respirable dust |
| Phosphate(1-), hexafluoro-, lithium<br>21324-40-3 | TWA: 2.5 mg/m <sup>3</sup> F                           | TWA: 2.5 mg/m <sup>3</sup> F (vacated)<br>TWA: 2.5 mg/m <sup>3</sup>  | IDLH: 250 mg/m <sup>3</sup> F  |

| Chemical name  | Alberta  | British Columbia                                       | Ontario TWAEV  | Quebec   |
|--|--|--|--|--|
| Lithium Cobalt Oxide (CoLiO <sub>2</sub> )<br>12190-79-3 | TWA: 0.02 mg/m <sup>3</sup>                            | TWA: 0.02 mg/m <sup>3</sup>                            | TWA: 0.02 mg/m <sup>3</sup>                            | TWA: 0.02 mg/m <sup>3</sup>                            |
| Copper<br>7440-50-8                                      | TWA: 0.2 mg/m <sup>3</sup><br>TWA: 1 mg/m <sup>3</sup> | TWA: 1 mg/m <sup>3</sup><br>TWA: 0.2 mg/m <sup>3</sup> | TWA: 0.2 mg/m <sup>3</sup><br>TWA: 1 mg/m <sup>3</sup> | TWA: 0.2 mg/m <sup>3</sup><br>TWA: 1 mg/m <sup>3</sup> |
| Aluminum<br>7429-90-5                                    | TWA: 10 mg/m <sup>3</sup>                              | TWA: 1.0 mg/m <sup>3</sup>                             | TWA: 1 mg/m <sup>3</sup>                               | TWA: 10 mg/m <sup>3</sup>                              |
| Phosphate(1-), hexafluoro-, lithium<br>21324-40-3        | TWA: 2.5 mg/m <sup>3</sup>                             | TWA: 2.5 mg/m <sup>3</sup>                             | TWA: 2.5 mg/m <sup>3</sup>                             | TWA: 2.5 mg/m <sup>3</sup>                             |

#### Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d962 (11th Cir., 1992).

#### Appropriate engineering controls

##### Engineering controls

Showers  
Eyewash stations  
Ventilation systems.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

If splashes are likely to occur, wear safety glasses with side-shields.

##### Hand protection

Wear suitable gloves. Impervious gloves.

##### Skin and body protection

Wear suitable protective clothing. Long sleeved clothing.

##### Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

##### General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Physical and Chemical Properties

|                |                          |
|----------------|--------------------------|
| Physical state | Solid                    |
| Appearance     | Black                    |
| Odor           | Odorless                 |
| Color          | No information available |
| Odor Threshold | Not applicable           |

#### Property

#### Values

#### Remarks Method

|   |                           |            |
|---|---------------------------|------------|
| <b>pH</b>   | No data available         | None known |
| <b>Melting / freezing point</b>                           | No data available         | None known |
| <b>Boiling point / boiling range</b>                      | No data available         | None known |
| <b>Flash Point</b>  | No data available         | None known |
| <b>Evaporation Rate</b>                                   | No data available         | None known |
| <b>Flammability (solid, gas)</b>                          | No data available         | None known |
| <b>Flammability Limit in Air</b>                          |                           | None known |
| <b>Upper flammability limit</b>                           | No data available         |            |
| <b>Lower flammability limit</b>                           | No data available         |            |
| <b>Vapor pressure</b>                                     | No data available         | None known |
| <b>Vapor density</b>                                      | No data available         | None known |
| <b>Relative density</b>                                   | No data available         | None known |
| <b>Water Solubility</b>                                   | Insoluble in water        |            |
| <b>Solubility(ies)</b>                                    | No data available         | None known |
| <b>Partition coefficient: n-octanol/water<sup>1</sup></b> |                           |            |
| <b>Autoignition temperature</b>                           | No data available         | None known |
| <b>Decomposition temperature</b>                          | No data available         |            |
| <b>Kinematic viscosity</b>                                | No data available         |            |
| <b>Dynamic viscosity</b>                                  |                           |            |
| <b><u>Other Information</u></b>                           |                           |            |
| <b>Explosive properties</b>                               | No information available. |            |
| <b>Oxidizing properties</b>                               | No information available. |            |
| <b>Softening Point</b>                                    | No information available  |            |
| <b>Molecular Weight</b>                                   | No information available  |            |
| <b>VOC Content (%)</b>                                    | No information available  |            |
| <b>Liquid Density</b>                                     | No information available  |            |
| <b>Bulk Density</b>                                       | No information available  |            |
| <b>Particle Size</b>                                      | No information available  |            |
| <b>Particle Size Distribution</b>                         | No information available  |            |

## 10. STABILITY AND REACTIVITY

|   |  |
|---|--|
| <b>Reactivity</b>                         | No information available.                            |
| <b>Chemical stability</b>                 | Stable under normal conditions.                      |
| <b>Possibility of Hazardous Reactions</b> | None under normal processing.                        |
| <b>Hazardous Polymerization</b>           | Hazardous polymerization does not occur.             |
| <b>Conditions to avoid</b>                | None known based on information supplied.            |
| <b>Incompatible materials</b>             | Strong acids. Strong bases. Strong oxidizing agents. |
| <b>Hazardous Decomposition Products</b>   | Carbonoxides.  |

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

|                            |   |
|----------------------------|---|
| <b>Product Information</b> | Product does not present an acute toxicity hazard based on known or supplied information<br>In case of rupture:                             |
| <b>Inhalation</b>          | Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.                                |
| <b>Eye contact</b>         | Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). Irritating to eyes. |

|                     |   |
|---------------------|---|
| <b>Skin contact</b> | Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).                                  |
| <b>Ingestion</b>    | Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. |

**Information on toxicological effects**

**Symptoms** Redness. Burning. May cause blindness. Coughing and/ or wheezing

**Numerical measures of toxicity**

**Acute Toxicity**

The following values are calculated based on chapter 3.1 of the GHS document .

|                        |                 |
|------------------------|-----------------|
| <b>ATEmix (oral)</b>   | 12,452.00 mg/kg |
| <b>ATEmix (dermal)</b> | 9,132.00 mg/kg  |

**Unknown acute toxicity** 30.9 % of the mixture consists of ingredient(s) of unknown toxicity  
 30.9 % of the mixture consists of ingredient(s) of unknown acute oral toxicity  
 30.9 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity  
 30.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)  
 30.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)  
 30.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

**Component Information**

| Chemical name        | Oral LD50            | Dermal LD50          | Inhalation LC50          |
|----------------------|----------------------|----------------------|--------------------------|
| Lithium Cobalt Oxide | > 5000 mg/kg ( Rat ) | > 2000 mg/kg ( Rat ) | > 5.05 mg/L ( Rat ) 4 h  |
| Copper               | -                    | -                    | > 5.11 mg/L ( Rat ) 4 h  |
| Aluminum             | -                    | -                    | > 0.888 mg/L ( Rat ) 4 h |

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

|  |   |
|--|---|
| <b>Skin corrosion/irritation</b>         | Classification based on data available for ingredients. Irritating to skin.                       |
| <b>Serious eye damage/eye irritation</b> | Classification based on data available for ingredients. Irritating to eyes.                       |
| <b>Respiratory or skin sensitization</b> | No information available.   |
| <b>Germ cell mutagenicity</b>            | No information available.   |
| <b>Carcinogenicity</b>                   | Classification based on data available for ingredients. Contains a known or suspected carcinogen. |

**Legend**

- ACGIH (American Conference of Governmental Industrial Hygienists)**
- A3 - Animal Carcinogen
- IARC (International Agency for Research on Cancer)**
- Group 2B - Possibly Carcinogenic to Humans
- NTP (National Toxicology Program)**
- Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen
- OSHA (Occupational Safety and Health Administration of the US Department of Labor)**
- X - Present

|                                 |   |
|---------------------------------|---|
| <b>Reproductive toxicity</b>    | No information available.                                       |
| <b>STOT - single exposure</b>   | No information available.                                       |
| <b>STOT - repeated exposure</b> | Causes damage to organs through prolonged or repeated exposure. |
| <b>Aspiration hazard</b>        | No information available.                                       |

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Very toxic to aquatic life with long lasting effects.

| Chemical name | Algae/aquatic plants  | Toxicity to Fish  | Toxicity to Microorganism | Crustacea                             |
|---------------|---|---|---------------------------|---------------------------------------|
| Copper foil   | 96h EC50: 0.031 - 0.054 mg/L(Pseudokirchneriella subcapitata)<br>72h EC50: 0.0426 - 0.0535 mg/L (Pseudokirchneriella subcapitata) | 96h LC50: 0.0068 - 0.0156 mg/L (Pimephales promelas)<br>96h LC50: < 0.3 mg/L(Pimephales promelas) | No data available         | 48h EC50: = 0.03 mg/L (Daphnia magna) |

**Persistence and Degradability** No information available.

**Bioaccumulation** No information available

**Mobility** No information available.

**Other adverse effects** No information available.

## 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

---



---

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

## 14. TRANSPORT INFORMATION

**Note:** The transportation of primary lithium cells and batteries is regulated by the International Civil Aviation Organization, International Air Transport Association, International Maritime Dangerous Goods Code and the US Department of Transportation. The batteries must meet the following criteria for shipment: 1. Air shipments must meet the requirements listed in Special Provision A45 of the International Air Transport Association Dangerous Goods Regulations. 2. Meet the requirements for the US Department of Transportation listed in 49 CFR 173.185. 3. The transport of primary lithium batteries is prohibited aboard passenger aircraft. Refer to the Federal Register December 15, 2004 (Hazardous Materials; Prohibited on the Transportation of Primary Lithium Batteries and Cells Aboard Passenger Aircraft; Final Rule)  
Lithium batteries shipped as "Lithium batteries", "Lithium batteries packed with equipment", or "Lithium batteries contained in equipment" may not be classified as "Dangerous Goods" when shipped in accordance with "special provision A45 of IATA-DGR" or "special provision 188 of IMO-IMDG Code"

**TDG** Not regulated

**DOT** NOT REGULATED  
**Proper Shipping Name** NON-REGULATED  
**Hazard Class** N/A  
**Emergency Response Guide Number** 147

**MEX** Not regulated

**ICAO** Not regulated

**IATA**  
**UN-No.** UN3480  
**Proper Shipping Name** LITHIUM ION BATTERIES  
**Hazard Class** 9  
**ERG Code** 12FZ  
**Description** Lithium Battery Mark, Class 9 lithium battery hazard label, Cargo Aircraft Only Label.

**IMDG/IMO** Not regulated  
**Hazard Class** N/A  
**EmS-No.** F-A, S-I

**RID** Not regulated

**ADR** Not regulated

**ADN** Not regulated

## 15. REGULATORY INFORMATION

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**International Regulations**

**Ozone-depleting substances (ODS)** Not applicable

---

**Persistent Organic Pollutants** Not applicable

**Export Notification requirements** Not applicable

**International Inventories**

|                      |   |
|----------------------|---|
| <b>TSCA</b>          | Contact supplier for inventory compliance status. |
| <b>DSL/NDSL</b>      | Contact supplier for inventory compliance status. |
| <b>EINECS/ELINCS</b> | Contact supplier for inventory compliance status. |
| <b>ENCS</b>          | Contact supplier for inventory compliance status. |
| <b>KECL</b>          | Contact supplier for inventory compliance status. |
| <b>PICCS</b>         | Contact supplier for inventory compliance status. |
| <b>AICS</b>          | Contact supplier for inventory compliance status. |

**Legend**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

**16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION**

|                    |                         |                       |                           |   |
|--------------------|-------------------------|-----------------------|---------------------------|---|
| <b><u>NFPA</u></b> | <b>Health hazards</b> 1 | <b>Flammability</b> 0 | <b>Instability</b> 0      | <b>Physical and Chemical Properties -</b> |
| <b><u>HMIS</u></b> | <b>Health hazards</b> 0 | <b>Flammability</b> 0 | <b>Physical hazards</b> 0 | <b>Personal Protection</b> X              |

**Prepared By** Shenzhen Precise Testing Technology Co., Ltd.

**Issuing Date** 21-12-2022

**Revision Note** No information available

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**

|                           |  |
|---------------------------|--|
| Inhalation Statement      | dust   |
| Not Hazardous             | This is a battery. In case of rupture:   |
| Hazard statements         | Causes damage to organs through prolonged or repeated exposure   |
| Signal word               | Danger   |
| Precautionary Statements  | P302 + P352 - IF ON SKIN: Wash with plenty of water and soap P321 - Specific treatment (see supplemental first aid instructions on this label) P332 + P313 - If skin irritation occurs: Get medical advice/attention P362 + P364 - Take off contaminated clothing and wash it before reuse P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337 + P313 - If eye irritation persists: Get medical advice/attention P201 - Obtain special instructions before use P202 - Do not handle until all safety precautions have been read and understood P280 - Wear protective gloves/protective clothing/eye protection/face protection P308 + P313 - IF exposed or concerned: Get medical advice/attention P405 - Store locked up P260 - Do not breathe dust/fume/gas/mist/vapors/spray P264 - Wash face, hands and any exposed skin thoroughly after handling P270 - Do not eat, drink or smoke when using this product P314 - Get medical advice/attention if you feel unwell P501 - Dispose of contents/ container to an approved waste disposal plant |
| Signal word               | Danger   |
| Skin corrosion/irritation | Category 2   |

|  |                               |
|--|-------------------------------|
| Hazard statements                                  | Causes skin irritation        |
| Signal word  | Warning                       |
| Serious eye damage/eye irritation                  | Category 2A                   |
| Hazard statements                                  | Causes serious eye irritation |
| Signal word  | Warning                       |
| Carcinogenicity                                    | Category 2                    |
| Hazard statements                                  | Suspected of causing cancer   |
| Signal word  | Warning                       |
| Specific target organ toxicity (repeated exposure) | Category 1                    |
| Skin corrosion/irritation                          | - (H315)                      |
| Serious eye damage/eye irritation                  | - (H319)                      |
| Carcinogenicity                                    | - (H351)                      |
| STOT - repeated exposure                           | - (H372)                      |
| STOT - repeated exposure                           | - (H372)                      |

Graphic



Graphic



Graphic



|  |  |
|--|--|
| Hazard statements                              | Causes skin irritation Causes serious eye irritation Suspected of causing cancer Causes damage to organs through prolonged or repeated exposure  |
| Hazard statements                              | H315 - Causes skin irritation H319 - Causes serious eye irritation H351 - Suspected of causing cancer H351 - Suspected of causing cancer H372 - Causes damage to organs through prolonged or repeated exposure H372 - Causes damage to organs through prolonged or repeated exposure   |
| Precautionary Statements - EU (§28, 1272/2008) | P103 - Read label before use P280 - Wear face protection P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish P234 - Keep only in original container P303 - IF ON SKIN (or hair):   |
| Precautionary Statements                       | IF ON SKIN: Wash with plenty of water and soap IF ON SKIN: Wash with plenty of water and soap If skin irritation occurs: Get medical advice/attention If skin irritation occurs: Get medical advice/attention Take off contaminated clothing And wash it before reuse Take off contaminated clothing and wash it before reuse Take off contaminated clothing and wash it before reuse IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention If eye irritation persists: Get medical advice/attention Obtain special instructions before use Obtain special instructions before use Do not handle until all safety precautions have been read and understood Do not handle until all safety precautions have been read and understood Wear protective gloves Wear protective gloves IF exposed or concerned: Get medical advice/attention IF exposed or concerned: Get medical advice/attention Store locked up Do not breathe dust/fume/gas/mist/vapors/spray Do not breathe dust/fume/gas/mist/vapors/spray Do not breathe dust/fume/gas/mist/vapors/spray Do not eat, drink or smoke when using this product Do not eat, drink or smoke when using this product Get medical advice/attention if you feel unwell Get medical advice/attention if you feel unwell |
| Skin   | IF ON SKIN: Wash with plenty of water and soap If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse   |

|  |  |
|--|--|
| Precautionary Statements   | P302 + P352 - IF ON SKIN: Wash with plenty of water and soap P321 - Specific treatment (see supplemental first aid instructions on this label) P332 + P313 - If skin irritation occurs: Get medical advice/attention P362 + P364 - Take off contaminated clothing and wash it before reuse P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337 + P313 - If eye irritation persists: Get medical advice/attention P201 - Obtain special instructions before use P202 - Do not handle until all safety precautions have been read and understood P280 - Wear protective gloves/protective clothing/eye protection/face protection P308 + P313 - IF exposed or concerned: Get medical advice/attention P405 - Store locked up P260 - Do not breathe dust/fume/gas/mist/vapors/spray P264 - Wash face, hands and any exposed skin thoroughly after handling P270 - Do not eat, drink or smoke when using this product P314 - Get medical advice/attention if you feel unwell P501 - Dispose of contents/ container to an approved waste disposal plant |
| Precautionary Statements - Prevention  | Obtain special instructions before use Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling Do not breathe dust/fume/gas/mist/vapors/spray Do not eat, drink or smoke when using this product  |
| Precautionary Statements - Response  | IF exposed or concerned: Get medical advice/attention Specific treatment (see supplemental first aid instructions on this label)   |
| Eyes   | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention   |
| Skin   | IF ON SKIN: Wash with plenty of water and soap If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse   |
| Precautionary Statements - Storage   | Store locked up  |
| Precautionary Statements - Disposal  | Dispose of contents/container to an approved waste disposal plant  |
| The following values are calculated based on chapter 3.1 of the GHS document |  |
| ATEmix (oral)  | 12,452.00  |
| Units  | mg/kg  |
| ATEmix (dermal)  | 9,132.00   |
| Units  | mg/kg  |
| Contains Carbon black, Phosphate(1-), hexafluoro-, lithium                   |  |
| Unknown acute toxicity   | 90.77 % of the mixture consists of component(s) of unknown hazards to the aquatic environment  |
| Unknown Acute Aquatic Toxicity   | 90.77  |
| Unknown Chronic Aquatic Toxicity   | 90.77  |
| Product ATE Oral Status  | 1  |
| Product ATE Dermal Status  | 1  |
| Product ATE Inhalation - Gas Status  | 1  |
| Product ATE Inhalation - Vapor Status  | 1  |
| Product ATE Inhalation - Dust/Mist Status                                    | 1  |
| Product Skin Corrosion Status  | 1  |
| Product Eye Damage Status  | 1  |
| Product Respiratory Sens. Status   | 1  |
| Product Skin Sensitization Status  | 1  |
| Product Mutagenic Status   | 1  |
| Product Carcinogenic Status  | 1  |
| Product Reproductive Toxicity Status   | 1  |
| Product STOT Single Status   | 1  |
| Product STOT Repeated Status   | 1  |
| Product Aquatic Toxicity Status  | 1  |
| Product Aspiration Toxicity Status   | 1  |
| Product Ozone Status   | 1  |
| Product and Component Overall  | 1  |
| Classification Status  |  |
| STOT - repeated exposure   | - (H372)   |
| <b>Unknown acute toxicity</b>  | 30.9 % of the mixture consists of ingredient(s) of unknown toxicity  |
|  | 30.9 % of the mixture consists of ingredient(s) of unknown acute oral toxicity   |
|  | 30.9 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity   |
|  | 30.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)   |
|  | 30.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)   |
|  | 30.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)   |
| Symbols/Pictograms   |  |
| Symbols/Pictograms   |  |
| Other hazards  | Very toxic to aquatic life with long lasting effects   |
| Health hazards   | Skull and Crossbones   |
| Health hazards   | Exclamation mark   |
| Inhalation Statement   | dust   |
| Health hazards   | 1  |