Ref, No.: RZUN2024-1183-DS1 Page 2 of 9 Pages Rechargeable lithium-ion cylindrical battery pack Name of Product KYBC100SP20 Type/Model 7.2V 1900mAh 13.68Wh

Hai Xin Techa Commissioned by

equirements of Special provision 188 of IMDG CODE (Amdt.

41-22) 2022 Edition

Block B1、B2. Hao Si Lin Po Keng Industrial District. Shaiing

### **SECTION 15: Regulatory information**

Internation Regulation OBALLY HARMONIZED SYSTEM OF CLASSIFICATION acedopianto Harmondzedberenieno of contention of harmondzedberenieno of CHEMICALS (GHS)

Recommendations on the TRANSP

	•			
Common	Chemical	Concentration	CAS No.	EC No.
Chemical Name	Formula	(%)	CAS NO.	EC NO.

Ref, No.: RZUN2024-1183-DS1 Page 3 of 9 Pages

### **SECTION 1: Product and company identification**

#### **Product Identifier:**

Product name: Rechargeable lithium-ion cylindrical battery p \(\bar{\pi}\)

gainst: Don't disassemble, impact, crush, put into fire or water,

Don't use above 60 °C!

#### **Details of the Supplier of the safety data sheet:**

Name: Hai Xin Technology(Shenzhen) Co., Ltd Address: Block B1 S2, Hao Si Lin Po Keng Indus

#### Classification:

The product is tested according to Secti The watt-hour rate of the product is 13,6

**SECTION 2: Hazard identific** 

Phone Number: 1

LTC-R-6037-SDSs C&E+&port without written pe

- 2. Nobody is allowed to ph
- 1. The test report is invalid

Ref, No.: RZUN2024-1183-DS1				Page 4 of 9 Page 4	ages
Lithium nickel	LiNixCoy Mn	20	346417-97-8	,	
cobait manganite	1x <b>-</b> y02	30	340417-97-0	/	
Graphite	С	15	7782-45-5	231-955-3	
Ethylene carbonate	C 4 H 8 O3	•	'	•	

/A=Not apply.

#### **SECTION 4: First-aid measures**

#### First aid measures:

Eye Contact: Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.

Skin Contact: Remove contaminated clothing and s

r. If symptoms persist, call a physician.

Swallowing: Do not induce vomiting. Get medical attention.

### **Most Important Symptoms/Effects:**

No information available.

Indication of any immediate medical attention and special treate

vailable.

#### **Protective Equipment and Precautions for Firefighters:**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. For example: Wear s

Ref, No.: RZUN2024-1183-DS1

Page 5 of 9 Pages

Lithium batteries contain flammable ingredients that may vent, ignite and produce sparks when subjected to high teme

#### ures

#### Personal precautions, protective equipment and emergency procedures:

Personal Precautions Avoid contact with eyes.

Refer to section 8 for personal protective equipment. Ensure adequate ventilation. Remove all

cid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

#### Methods and material for containment and cleaning up:

Methods for Containment Prevent further leakage or •

rs. Clean contaminated surface thoroughly.

### **SECTION 7: Handling and storage**

#### Precautions for safe handling:

Keep away from ignition sources, heat and flame. Such batteries must be packed in inner packages in such v

oid reversing

battery polarity within the battery assembly. In case of a battery unintentionally be crushed, rubber gloves must be used to handle all battery components. Avoid contact with eyes, skin. Avoid inhalation. No smok \*\*

e. Such

batteries must be packed in inner packages in such a manner as to effectively prevent short circuits and to prevent movement which could lead to short-circuits. Materials to Avoid: Strong oxidizing agents, Corrosives.

### **SECTION 8: Exposure controls/personal protection**

#### **Engineering Controls:**

Ref, No.: RZUN2024-1183-DS1

Page 6 of 9 Pages

Use ventilation equipment if available. Safety shower and eye bath.

#### **Personal Protective Equipment:**

Respiratory Syste

working site. Wash thoroughly after handling.

## **SECTION 9: Physical and chemical properties**

PhysicalState	Form: Irregular shape	
	Color: Green	
	Odour: Odourless	
	Odor Threshold: No information	n available
Change in cond	ition:	

р

mmability or explosive limits	Not determined.
Auto-ignition temperature	Product is not self-igniting.
Decomposition temperature	Not determined.
Other Information	No further relevant information available.

# SECTION 10: Stability and re

	e avoided:	No	decomposition	if	used	according	to
specifications.							

<u>Possibility of Hazardous Reactions:</u> None under normal processing. <u>Hazardous Polymerization:</u> Hazardous polymerization does not occur. <u>Conditions to avoid:</u> Strong heating, fire, Incompatible materials. <u>Incompatible materials:</u> Strong oxidizing agents. Strong acids.

Ref, No.: RZUN2024-1183-DS1 Page 7 of 9 Pages

<u>Hazardous Decomposition Products:</u> Carbon oxides, other irritating and toxic gases.

### **SECTION 11: Toxicological information**

Ac &

tem toxicity: No information available.

Note: The internal battery materials may cause irritation to eyes and skin.

### **SECTION 12: Ecological information**

**Toxicity:** No further relevant information available.

Persistence and degrada

vB: Not applicable.

Other adverse effects: No information available.

### **SECTION 13: Disposal considerations**

#### **Waste treatment methods:**

Recommendation: Lithium batteries are best disposed of as a non-hazardous wasts

e according to official regulations.

### **SECTION 14: Transport information**

The product had been tested according to the requirements of the UN manual of tests and Criteria, Part III, subsection 38.3 (see section 2)

EmS No: F-A,S-I Marine pollutant: No

<u>Environmental hazards:</u> Not applicable. <u>Special precautions for user:</u> Not applicable.

**Proper Shipping name:** Lithium ion batteries contained in equipment

Ref, No.: RZUN2024-1183-DS1 Page 8 of 9 Pages

<u>Hazard Class:</u> Not applicable <u>UN/ID Number:</u> UN3481

Packaging Group: Not applicable.

**Air transport:** 

Label for conveyance: Lithium

equirements of Special provision 188 of IMDG CODE (Amdt.

41-22) 2022 Edition

### **SECTION 15: Regulatory information**

#### **International Regulation:**

GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS)

Recommendations on the TRANSR®

ts

EU regulation (EC) 1272/2008 on "Classification, Labeling and Packaging of Substances and Mixtures" (CLP)

 $\label{eq:Registration} \textbf{Registration, Evaluation and Authorization of Chemicals} \ \ (\textbf{REACH})$ 

Agreement concerning the International C b

n

US DOT, Code of Federal Regulations, Title 49, Transportation, PT. 100-185

#### **SECTION 16: Other information**

This file is only effective to the batteries (KYBC100SP20) provided by commissioner Hai Xin Technology(Shenzhen) Co., Ltd. The com

Ref, No.: RZUN2024-1183-DS1 Page 9 of 9 Pages

# **I**mportant

- 1. The test report is invalid without the official seal of CVC.
- 2. Nobody is allowed to photocopy or partly photocopy this test report without written permissio

for the samples provided by commissioner

only.

<sup>\*</sup>The test data and test results given in this test report should only be used for purposes of scientific research, teaching and internal quality control when the CMA s