
MSDS Report

Report No.:	LA2025B2155002M
-------------	-----------------

Samples	Rechargeable lithium-ion battery pack
---------	---------------------------------------

Model	JY01
-------	------

Applicant	Dongguan Ping Xin Energy Co., Ltd.
-----------	------------------------------------

Issue Date	2025-09-16
------------	------------


Shenzhen Lionaces Technology Co., Ltd.

The result shown in this test report refers only to the samples(s) tested by unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by Lionaces Technology Co., Ltd. and cannot be reproduced except in full with our prior written permission. The document is available on request and the brief information for its validation can be obtained from the website, <http://www.lionaces.com>

Shenzhen Lionaces Technology Co., Ltd.

Add: 301, Building B6, Junfeng Industrial Zone, Yonghe Road, Heping Community, Fuhai Street, Baoan District, Shenzhen, Guangdong, China.

Website: www.lionaces.com

E-mail: service@lionaces.com

Tel: (86-755)-28280690

Material Safety Data Sheet

According to GB/T16483-2008&ISO11014:2009

Section 1 - Chemical Product and Company Identification

Chemical product information											
Sample Name		Rechargeable lithium-ion battery pack									
Model and specification		JY01 3.65V, 5000mAh, 18.25Wh									
Sample Uses		N/A									
Company information											
Laboratory		Shenzhen Lionaces Technology Co., Ltd.									
Testing Address		301, Building B6, Junfeng Industrial Zone, Yonghe Road, Heping Community, Fuhai Street, Baoan, Shenzhen, Guangdong, China									
Applicant		Dongguan Ping Xin Energy Co., Ltd.									
Applicant address		Room 501 Building 2, No.2, Mashanmiao Road, Baihua Cave, Dalingshan Town, Dongguan City, Guangdong Province									
Factory		Dongguan Ping Xin Energy Co., Ltd.									
Factory address		Room 501 Building 2, No.2, Mashanmiao Road, Baihua Cave, Dalingshan Town, Dongguan City, Guangdong Province									
Emergency telephone		0769-84966194									
Receiving Date		2025-09-16		Completing Date		2025-09-16					
Prepared by		Li Wen		Checked by		Allen Zeng		Approved by		Luthri	

The result shown in this test report refers only to the samples(s) tested by unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by Lionaces Technology Co., Ltd. and cannot be reproduced except in full with our prior written permission. The document is available on request and the brief information for its validation can be assessed and confirmed on the website, <http://www.lionaces.com>

Section 2 - Hazards Identification

Emergency overview: No information available.

Classification according to GHS: Not a dangerous substance according to GHS.

Label elements	
Hazard pictogram(s)	No data available
Signal word	No data available
Hazard statement(s)	No data available
Precautionary statement(s)	
Prevention	No data available
Response	No data available
Safe storage	No data available
Disposal	No data available

Physical and chemical risk: No information available.

Health hazard: No information available.

Environmental hazards: No information available.

Other hazards: No information available.

Section 3 - Composition, Information on Ingredients

Classification of the substance or mixture: ☐ substance ☒ mixture

The result shown in this test report refers only to the samples(s) tested by unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by Lionaces Technology Co., Ltd. and cannot be reproduced except in full with our prior written permission. The document is available on request and the brief information for its validation can be assessed and confirmed on the website, <http://www.lionaces.com>

Chemical Composition	CAS No.	Weight (%)
Lithium Cobalt Oxide	12190-79-3	49.5
PVDF	24937-79-9	0.33
Aluminum	7429-90-5	7.6
Graphite	7782-42-5	16.3
Styrene-Butadiene polymer	9003-55-8	0.05
Carboxymethyl cellulose	9000-11-7	0.28
Copper	7440-50-8	6.96
Nickel	7440-02-0	0.06
Lithium hexafluorophosphate	21324-40-3	10.96
Polyethylene	9002-88-4	4.03
Nylon	24937-16-4	3.93

Note: CAS: Chemical Abstracts Service (Division of the American Chemical Society).
"N/A": No Data

Section 4 - First Aid Measures

General information: No special measures required.

After inhalation: Remove victim to fresh area. Administer artificial respiration if breathing is difficult. Seek medical attention.

After skin contact: Remove contaminated clothing and shoes. Immediately wash with water and soap and rinse thoroughly. Wash clothing and shoes before reuse. If irritation occurs, get medical attention.

After eye contact: Flush eyes with plenty of water for several minutes while holding eyelids open. Get medical attention if irritation persists.

After swallowing: Do not induce vomiting. Get medical attention.

Acute and delayed effects

The main symptoms: No relevant details information.

Health effects: No relevant details information.

To protect the rescuers advice: No relevant details information.

To the doctor's advice: Need timely medical treatment and special symptoms, no relevant details information.

Section 5 - Fire Fighting Measures

The result shown in this test report refers only to the samples(s) tested by unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by Lionaces Technology Co., Ltd. and cannot be reproduced except in full with our prior written permission. The document is available on request and the brief information for its validation can be assessed and confirmed on the website, <http://www.lionaces.com>

Suitable extinguishing agents: Use extinguishing agent suitable for local conditions and the surrounding environment. Such as dry powder, CO₂.
Special hazards arising from the substance or mixture: Battery may burst and release hazardous decomposition products when exposed to a fire situation. Battery contain flammable electrolyte that may vent, ignite and produce sparks when subjected to high temperature(>150°C (302°F)), when damaged or abused (e.g. mechanical damage or electrical overcharging); may burn rapidly with flare-burning effect; may ignite other batteries in clothes proximity.
Attention extinguishing method and protective measures: Wear self-contained respirator. Wear fully protective impervious suit.

Section 6 - Accidental Release Measures

Homework personnel protective measures, protective equipment and emergency disposal procedures: Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation
Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.
Steps to be taken in case material is spilled or released and Waste disposal method: Remove ignition sources, evacuate area. Sweep up using a method that does not generate dust. Collect as much of the spilled material as possible, placed the spilled material into a suitable disposal container. Keep spilled material out of sewers, ditches and bodies of water. All waste must refer to the United Nations, the national and local regulations for disposal.
To prevent the secondary disasters prevention measures: See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

Section 7 - Handling and Storage

Precautions for safe handling: Consumption of food and beverage should be avoided in work areas. Wash hands with soap and water before eating, drinking. Ground containers when transferring liquid to prevent static accumulation and discharge.
Information about fire and explosion protection: Batteries may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity.
Conditions for safe storage, including any incompatibilities: Requirements to be met by storerooms and receptacles. Store in a cool, dry, well-ventilated place. Keep away from heat, avoiding the long time of sunlight.

Section 8 - Exposure Controls, Personal Protection

Occupational exposure limit: no relevant details information.
Biological limit: no relevant details information.

The result shown in this test report refer only to the samples(s) tested by unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by Lionaces, it cannot be reproduced except in full with our prior written permission. The document is available on request and the brief information for its validation can be assessed and confirmed on the website, <http://www.lionaces.com>



Detection: no relevant details information.

Engineering control

General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work.

Respiratory Protection: Use suitable respirator when high concentrations are present.

Personal Protection

Hand protection	Eye protection
 Protective gloves	 Tightly sealed goggles

Section 9 - Physical and Chemical Properties

Appearance: Red

Form: Approximate cuboid

Odour: If leaking, smells of medical ether

pH: Not applicable as supplied.

Flash Point: Not applicable unless individual components exposed.

Flammability: Not applicable unless individual components exposed.

Relative density: Not applicable unless individual components exposed.

Solubility (water): Not applicable unless individual components exposed

Solubility (other): Not applicable unless individual components exposed.

Section 10 - Stability and Reactivity

Chemical stability: Stable in normal circumstances.

Possibility of hazardous reactions: Data not available.

Conditions to Avoid: Flames, sparks, and other sources of ignition, incompatible materials.

Incompatibilities: Oxidizing agents, acid, base.

Hazardous Combustible Products: Carbon monoxide, carbon dioxide, lithium oxide fumes.

Section 11 - Toxicological Information

Information on toxicological effects

Acute toxicity LD/LC50 Values relevant for classification: Not available.

LC50: (lethal concentration, 50 percent kill)

LD50: (lethal dose, 50 percent kill)

Skin irritation/corrosion: No further relevant information available.

Eyes stimulus/corrosion: No further relevant information available.

Breathing or skin irritation: No further relevant information available.

The result shown in this test report refers only to the sample(s) tested by unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by Lionaces Technology Co., Ltd. and cannot be reproduced except in full with our prior written permission. The document is available on request and the brief information for its validation can be assessed and confirmed on the website, <http://www.lionaces.com>

Germ cell respectively: No further relevant information available.
Carcinogenicity: No further relevant information available.
Reproductive toxicity: No relevant details information.
Specific target organ system toxicity disposable contact: No further relevant information available.
Specific target organ system toxicity, repeated contact: No further relevant information available.
Inhalation hazard: No further relevant information available.
Potentially harmful effects: No further relevant information available.

Section 12 - Ecological Information

Ecological toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability: No further relevant information available.
Behaviour in environmental systems
Bioaccumulative potential: No further relevant information available.
Mobility in soil: No further relevant information available.
Ecological effects
Additional ecological information :No further relevant information available.
General notes:Do not allow material to be released to the environment without proper governmental permits.
Other adverse effects: No further relevant information available.

Section 13 - Disposal Considerations

Waste treatment methods and Recommendation: Consult state, local or national regulations to ensure proper disposal.
Uncleaned packaging and Recommendation: Disposal must be made according to official regulations.

Section 14 - Transport Information

Label for conveyance: Battery Label, or Lithium Battery or Sodium Ion Battery Class 9 Label, or Cargo Aircraft only
UN Number: 3480 & 3481
Packaging Group: N/A
Marine pollutant: No
Proper Shipping name: Lithium Ion Battery (Including Lithium Polymer Battery) , Lithium Ion Battery Packed With Equipment, Lithium Ion Battery Contained In Equipment
Transport information: Lithium battery is of a type proved to meet the Requirements of each test in the UN Manual of Tests And Criteria, Part III, sub-section 38.3. (Report No. : S03A24071229U00101)
The lithium-ion battery with a watt-hour rating not exceeding 100Wh or the cell with the watt-hour rating is not exceeding 20Wh, The lithium-ion battery according to Section IB of Packing

The result shown in this test report refer only to the samples(s) tested by unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by Lionaces, it cannot be reproduced except in full with our prior written permission. The document is available on request and the brief information for its validation can be assessed and confirmed on the website, <http://www.lionaces.com>

Instruction 965, or Section II of Packing Instruction 966~967 of the Dangerous Goods regulations 66th (2025 Edition) Edition may be transported. The goods shall be complied with the requirements of special provision 188 of IMDG CODE (Amdt. 42-24) , The goods to be transport as Unrestricted goods.

Section 15 - Regulatory Information

Law information

- 《Dangerous Goods Regulations》
- 《Recommendations on the Transport of Dangerous Goods Model Regulations》
- 《International Maritime Dangerous Goods》
- 《Technical Instructions for the Safe Transport of Dangerous Goods》
- 《Classification and code of dangerous goods》
- 《Occupational Safety and Health Act》 (OSHA)
- 《Toxic Substance Control Act》 (TSCA)
- 《Consumer Product Safety Act》 (CPSA)
- 《Federal Environmental Pollution Control Act》 (FEPCA)
- 《The Oil Pollution Act》 (OPA)
- 《Superfund Amendments and Reauthorization Act TitleIII (302/311/312/313)》 (SARA)
- 《Resource Conservation and Recovery Act》 (RCRA)
- 《Safety Drinking Water Act》 (CWA)
- 《California Proposition 65》
- 《Code of Federal Regulations》 (CFR)

In accordance with all Federal, State and local laws

This Material Safety Data Sheet complies with the requirements of Regulation (EU) No 2020/878.

(EC) No 1907/2006, Article 31, appendix II;

GB/T 17519-2013, Guidance on the compilation of safety data sheet for chemical products.

Section 16 - Additional Information

Declare to reader:

The above information is based on the data of which we are aware and is believed to be correct as of the data hereof. Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

The result shown in this test report refer only to the samples(s) tested by unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by Lionaces, it cannot be reproduced except in full with our prior written permission. The document is available on request and the brief information for its validation can be assessed and confirmed on the website, <http://www.lionaces.com>

Statement

- 1、 This report is invalid without the special seal for report of Lionaces and the signatures of approver
- 2、 This report is invalid if it is blotted out and deleted.
- 3、 If the applicant has any questions about results, shall submit to Lionaces within 15 days.
- 4、 This report is responsible for the sample provided by the client only.
- 5、 This report shall not be reproduced except in full,or extracted,without the written approval of Lionaces.
- 6、 The applicant must provide samples and materials truthfully. All of information such as product information, parameters, drawings, components, etc. are provided by the applicant. Otherwise we will not take on any relevant responsibilities for this report.

----End of report----

The result shown in this test report refer only to the samples(s) tested by unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by Lionaces, it cannot be reproduced except in full with our prior written permission. The document is available on request and the brief information for its validation can be assessed and confirmed on the website, <http://www.lionaces.com>