SAFETY DATA SHEET

Océ Developer

Section 1. Identification

GHS product identifier	: Océ Developer
Article number (Océ)	: 1070036685, 1070055284, 1060040977, 7045011, 1070055285, 2955005, 1060041623, 1070012437, 1060077716, 1070055286
Product type	: Powder.
Relevant identified uses of	the substance or mixture and uses advised against
	: Ink powder for Océ printers. Other uses are not recommended.
Supplier's details	: Canon USA Inc.
	One Canon Park, Melville, NY, 11747, USA
	1-800-OK-CANON
e-mail address of person responsible for this SDS	: sds-hq@oce.com
Emergency telephone	: CHEMTREC# 1-800-424-9300 (24-hour safety information)
number (with hours of operation)	or
	001866 928 0789 24h
	For chemical emergenies only.

Section 2. Hazards identification

OSHA/HCS status	: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	: Not classified.
	Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 1%
GHS label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Hazards not otherwise classified	 Fine dust clouds may form explosive mixtures with air. Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

CAS number/other identifiers

CAS number : Not applicable.



Section 3. Composition/information on ingredients

Ingredient name	%	CAS number
carbon black, respirable powder	0 - 1	1333-86-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	 Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin contact	: Wash contaminated skin with soap and water.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Do not induce vomiting unless directed to do so by medical personnel.

Most important symptoms/effects, acute and delayed

Potential acute health effects Eye contact : Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes. Inhalation : Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs. Skin contact : No known significant effects or critical hazards. Ingestion : No known significant effects or critical hazards.

indication of initiculate met	and attention and special reatment needed, in needsary
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: In case of fire, use water spray (fog), foam, dry chemical or CO ₂ .
Unsuitable extinguishing media	: Do not use water jet.
Specific hazards arising from the chemical	: Fine dust clouds may form explosive mixtures with air.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds

Section 5. Fire-fighting measures

Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

equipment for fire-fighters

Section 6. Accidental release measures

ctive equipment and emergency procedures
: Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust.
: Wear a respirator conforming to EN140 with type A/P2 filter or better. See also Section 8 for additional information on hygiene measures. See also the information in "For non-emergency personnel".
: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
ontainment and cleaning up
: Avoid formation of dust. Slowly sweep spilled toner and carefully transfer into waste bag or container. Remove residue with wet paper or water and soap. Do not vacuum up large quantities unless using an explosion proof vacuum cleaner.
: Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling	1	
Protective measures	:	Handle and open container with care. Avoid formation of dust. Use with adequate ventilation. See operator manual or safety data sheet of the copier/printer.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Do not store above the following temperature: 35°C (95°F). Store in accordance with local regulations. Store in original container, protected from direct sunlight. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

3/10

Section 8. Exposure controls/personal protection

Ingredient name	Exposure limits	
arbon black, respirable powder	NIOSH REL (United States, 10/2013). TWA: 3,5 mg/m ³ 10 hours. TWA: 0,1 mg of PAHs/cm ³ 10 hours. OSHA PEL (United States, 2/2013). TWA: 3,5 mg/m ³ 8 hours. ACGIH TLV (United States, 4/2014).	
	TWA: 3 mg/m ³ 8 hours. Form: Inhalable fraction OSHA PEL 1989 (United States, 3/1989). TWA: 3,5 mg/m ³ 8 hours.	

Appropriate engineering controls	:	Use only with adequate ventilation. See operator manual or safety data sheet of the copier/printer.
Environmental exposure controls	:	Not required during normal intended use of this product.

Individual protection measures

Hygiene measures	: Wash hands after handling compounds and before eating, smoking and using the lavatory and at the end of the day.
Eye/face protection	: Not required during normal intended use of this product.
Skin protection	
Hand protection	: Not required during normal intended use of this product.
Body protection	: Not required during normal intended use of this product.
Other skin protection	: Not required during normal intended use of this product.
Respiratory protection	: Not required during normal intended use of this product.

Section 9. Physical and chemical properties

<u>Appearance</u>		
Physical state	Solid. [Powder.]	
Color	Black.	
Odor	Faint odor.	
Odor threshold	Not available.	
рН	Not applicable.	
Melting point	>60°C (>140°F)	
Boiling point	Not applicable.	
Flash point	Not applicable.	
Evaporation rate	Not applicable.	
Flammability (solid, gas)	Fine developer dust clouds may form explosive mixtures with air	r.
Lower and upper explosive (flammable) limits	Not available.	
Vapor pressure	Not available.	
Vapor density	Not applicable.	
Relative density	4.5	
Solubility	Insoluble in the following materials: cold water and hot water.	
Partition coefficient: n- octanol/water	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	Dynamic (room temperature): Not applicable.	

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity						
Product/ingredient name	Result			Species	Dose	Exposure
carbon black, respirable powder	LD50 Ora			Rat	>15400 mg/kg	-
Conclusion/Summary	: No adve	rse effects	are expected	under intende	ed use.	
Irritation/Corrosion						
Not available.						
Conclusion/Summary						
Skin	: Non-irrita	ating to the	skin.			
Eyes	: Mildly irri	tating to the	e eyes.			
Respiratory	: Repeate	d or prolon	ged inhalatio	n of dust may	lead to chronic respir	atory irritation.
Sensitization						
Not available.						
Conclusion/Summary						
Skin	: Based of	n available	data, the cla	ssification crite	eria are not met.	
Respiratory	: Based of	n available	data, the cla	ssification crite	eria are not met.	
<u>Mutagenicity</u>						
Not available.						
Conclusion/Summary	: Not muta	agenic in Ar	nes test. Bas	sed on test res	sult of similar product	
Carcinogenicity						
Classification						
Product/ingredient name	OSHA	IARC	NTP			
carbon black, respirable powder	-	2B	-			
Conclusion/Summary	evaluated upon the free carbo concentra Studies p associatio bioassay	I carbon bla developme on black. T ations of ca erformed ir on between using a typ	ack as a Grou ent of lung tur he effects we rbon black a n animal moo carbon blac ical toner pre	up 2B carcino nors in rats re re observed of levels that ind lels other than k and lung tun paration conta	v for Research on Car gen (possible human ceiving chronic inhala only in animals expose duce particle overload rats have not demor nors. Moreover, a two aining carbon black d development in rats.	carcinogen), based ation exposures to ed to high d of the lung. Instrated an In-year cancer emonstrated no

Section 11. Toxicological information

Reproductive toxicity	studies of workers in the carbon black producing industries of North America and Western Europe do not demonstrate an association between carbon black and cancer, even in high exposure occupational settings. In addition, in its re-evaluation of carbon black, IARC concluded that "there is inadequate evidence in humans for the carcinogenicity of carbon black". Chronic overexposure to many dusts, including carbon black dust, may result in respiratory tract irritation and slight changes in lung function.
Not available.	
Conclusion/Summary Teratogenicity Not available.	: No known significant effects or critical hazards.
Specific target organ toxi Not available.	<u>city (single exposure)</u>
Specific target organ toxi Not available.	<u>city (repeated exposure)</u>
Aspiration hazard Not available.	
Information on the likely routes of exposure	: Routes of entry anticipated: Inhalation.
Symptoms related to the pl	hysical, chemical and toxicological characteristics
Eye contact	: Adverse symptoms may include the following: irritation redness
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing
Skin contact	: No specific data.
Ingestion	: No specific data.

Numerical measures of toxicity

Acute toxicity estimates Not available.

Section 12. Ecological information

<u>Toxicity</u>			
Product/ingredient name	Result	Species	Exposure
carbon black, respirable powder	Acute EC50 37.563 mg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours

Persistence and degradability

Conclusion/Summary

: Not readily biodegradable.

Bioaccumulative potential

Not available.

Section 12. Ecological information

Mobility in soil

Soil/water partition	: Not available.
coefficient (Koc)	

Other adverse effects : No known significant effects or critical hazards.

CFR Part 261

Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
RCRA classification	: This product is not listed hazardous waste in accordance with Federal Regulation 40

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	ΙΑΤΑ
UN number	Not available.	Not available.	Not available.	Not available.	Not available.	Not available.
UN proper shipping name	Not available.	Not available.	Not available.	Not available.	Not available.	Not available.
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not available.	Not available.	Not available.
Packing group	-	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.	No.
Additional information	-	-	-	-	-	-

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL 73/78 and the IBC Code

Section 15. Regulatory information

0								
U.S. Federal regulations	1	TSCA 8	(a) PAIR: Silo	oxanes ar	nd Silicones, d	li-Me		
		TSCA 8	(a) CDR Exe	mpt/Parti	al exemption	n: Not determir	ned	
		All comp	ponents are lis	sted or ex	empted.			
		Clean V	Vater Act (CV	VA) 307:	zinc distearate	9		
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	:	Not liste	d					
Clean Air Act Section 602 Class I Substances	:	Not liste	d					
Clean Air Act Section 602 Class II Substances	:	Not liste	d					
DEA List I Chemicals (Precursor Chemicals)	:	Not liste	d					
DEA List II Chemicals (Essential Chemicals)	:	Not liste	d					
SARA 302/304								
Composition/information	on	<u>ingredie</u>	<u>nts</u>					
No products were found.								
SARA 304 RQ	:	Not app	licable.					
SARA 311/312								
Classification	:	Not app	licable.					
Composition/information	on	<u>ingredie</u>	<u>nts</u>					
Name			%	Fire	Sudden	Reactive	Immediate	Delayed (chronic)

Name			hazard	Sudden release of pressure		(acute) health	Delayed (chronic) health hazard
carbon black, respirable p	owder	0 - 1	No.	No.	No.	No.	Yes.

State regulations

· · · · · · · · · · · · · · · · · · ·	
Massachusetts	: None of the components are listed.
New York	: None of the components are listed.
New Jersey	: The following components are listed: CARBON BLACK; CARBON BLACK
Pennsylvania	: The following components are listed: CARBON BLACK; CARBON BLACK
California Prop. 65	

Listing of the carbon black on the Proposition 65 list of carcinogens is restricted to unbound particles of respirable size. In printer toners carbon black is bound in polymer matrices, therefore warnings under Proposition 65 are not required.

Ingredient name	Cancer	•	_	Maximum acceptable dosage level
carbon black, respirable powder	Yes.	No.	No.	No.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Section 15. Regulatory information

Rotterdam Convention on Prior Inform Consent (PIC) Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

<u>History</u>	
Date of printing	: 29-05-2015
Date of issue/Date of revision	: 29-05-2015
Date of previous issue	: No previous validation
Version	: 1
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
References	: Not available.
Indicates information the	at has changed from previously issued version.

Indicates information that has changed from previously issued version <u>Notice to reader</u>

Section 16. Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.