SAFETY DATA SHEET

Issuing Date 26-Jul-2017

Revision Date 26-Jul-2017

Revision Number 1

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION				
Product identifier				
Product Name	SB10K97574			
Other means of identification				
Product Code(s)	1409153			
Recommended use of the chemic	cal and restrictions on use			
Recommended Use	LITHIUM ION BATTERIES			
Restrictions on use	No information available			
Details of the supplier of the safe	ety data sheet			
Supplier Identification	Lenovo LNB laptops			
Address	Songtao Road 696 shanghai shanghai 201203 CN			
Telephone	Phone:18116118603			
E-mail	yuanbb1@lenovo.com			
Emergency telephone number				
Company Emergency Phone Number	18116118603			
	2. HAZARDS IDENTIFICATION			

Classification

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 3
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1



1409153 - SB10K97574

Carcinogenicity	Category 1A
Specific target organ toxicity (repeated exposure)	Category 1

This is a battery. In case of rupture: the above hazards exist.

Appearance No information available Physical state Solid

Odor No information available

GHS Label elements, including precautionary statements

Danger

Hazard statements

Harmful if swallowed Toxic in contact with skin Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction May cause cancer Causes damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Contaminated work clothing must not be allowed out of the workplace Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Specific treatment (see supplemental first aid instructions on this label)

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Skin

IF ON SKIN: Wash with plenty of water and soap

Call a POISON CENTER or doctor if you feel unwell

Take off immediately all contaminated clothing and wash it before reuse

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell Rinse mouth

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant



Other information

Very toxic to aquatic life with long lasting effects.

Unknown acute toxicity

- 98.5 % of the mixture consists of ingredient(s) of unknown toxicity 73 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 96.5 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 98.5 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 98.5 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 98.5 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

Chemical name	CAS-No	Percent	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Lithium nickel oxide (LiNiO2)	12031-65-1	36	-	-
Graphite	7782-42-5	22.5	-	-
Iron	7439-89-6	11.5	-	-
Copper	7440-50-8	9	-	-
Aluminum	7429-90-5	4.5	-	-
Phosphate(1-), hexafluoro-, lithium	21324-40-3	2	-	-
Nickel	7440-02-0	0.5	-	-

4. FIRST AID MEASURES

First aid measures

General advice	First aid is upon rupture of sealed battery. Show this safety data sheet to the doctor in attendance. Immediate medical attention is required. IF exposed or concerned: Get medical advice/attention. Remove to fresh air. Get medical attention immediately if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub affected area. Get immediate medical advice/attention.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. May cause an allergic skin reaction. Get immediate medical advice/attention.
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Wear personal protective clothing (see section 8). Avoid direct contact with skin. Use barrier to give mouth-to-mouth



resuscitation. Avoid contact with skin, eyes or clothing.				
Most important symptoms and effe	cts, both acute and delayed			
Symptoms	Itching. Rashes. Hives. Burning sensation.			
Indication of any immediate medica	al attention and special treatment needed			
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.			
	5. FIRE-FIGHTING MEASURES			
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.			
Unsuitable extinguishing media	CAUTION: Use of water spray when fighting fire may be inefficient.			
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by skin contact.			
Hazardous Combustion Products	Carbon oxides.			
Explosion Data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.				
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.			

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.		
Other Information	Refer to protective measures listed in Sections 7 and 8.		
Methods and material for containment and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Pick up and transfer to properly labeled containers.		

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

In case of rupture: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Take off contaminated clothing and wash before reuse. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product.



Conditions for safe storage, including any incompatibilities

.

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Store locked up.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical name		ACGIH T	LV		SHA PEL	NIOSH	IDLH
Lithium nickel oxide (LiN	liO2)				1 mg/m³ Ni	IDLH: 10 n	ng/m³ Ni
12031-65-1		particulate matter		(vacated)	TWA: 1 mg/m ³ Ni	TWA: 0.015 m	ig/m ³ except
				T 14/4 4 5		Nickel car	
Graphite 7782-42-5		TWA: 2 mg/m ³ i particulate matte			ng/m³ total dust ynthetic	IDLH: 125 TWA: 2.5 mg/m	
1182-42-5					ig/m ³ respirable	dus	
		except graphite fibers		fractic	on synthetic	uus	51
				(vacated)	TWA: 2.5 mg/m ³		
					le dust natural		
					VA: 10 mg/m ³ total		
					t synthetic		
					TWA: 5 mg/m ³		
					fraction synthetic		
					5 mppcf natural		
Copper		TWA: 0.2 mg/m ³ fu			1 mg/m ³ fume	IDLH: 100 mg/n	
7440-50-8		mg/m ³ Cu dust	and mist		/m ³ dust and mist WA: 0.1 mg/m ³ Cu	and mist IDLH: dust and	
					fume, mist	TWA: 1 mg/m ³	
				uusi,	iume, misi	TWA: 0.1 mg/m ³	
						mg/m ³ Cu du	
Aluminum		TWA: 1 mg/m ³ i	VA: 1 mg/m ³ respirable TWA: 15		ng/m ³ total dust	TWA: 10 mg/m	
7429-90-5		particulate matter		TWA: 5 mg/m ³ respirable		TWA: 5 mg/m ³	
				1	raction	TWĂ: 5 m	g/m³ Al
				(vacated) TV	VA: 15 mg/m ³ total		-
					dust		
					TWA: 5 mg/m ³		
					fraction (vacated)		
Phosphate(1-), hexaflue		TWA: 2.5 mg			/m ³ Al Aluminum 2.5 mg/m ³ F		
lithium	510-,	TVVA. 2.5 Mg	g/111° F		TWA: 2.5 mg/m ³		
21324-40-3				(vaoatoa)	1 W/ & 2.0 Mg/M		
Nickel		TWA: 1.5 m	ng/m ³	TW	A: 1 mg/m ³	IDLH: 10	mg/m ³
7440-02-0				(vacated)	TWA: 1 mg/m ³	TWA: 0.01	
Chemical name		Alberta		Columbia Ontario TWAE			uebec
Lithium nickel oxide	Т	WA: 0.2 mg/m ³	TWA: 0.0	05 mg/m³	TWA: 0.2 mg/n	n ³ TWA	: 1 mg/m³
(LiNiO2)							
12031-65-1					T 14/1 0 1		2 / 2
Graphite	TWA: 2 mg/m ³		TWA: 2 mg/m ³		TWA: 2 mg/m	3 TWA	: 2 mg/m³
7782-42-5	- -	$1/(A \cdot O 2 m \pi/m^3)$	Τ \Λ/Λ - 4	mg/m ³	TWA: 0.2 mg/n	o3 T\A/A.	0.2 mg/m ³
Copper 7440-50-8	TWA: 0.2 mg/m ³ TWA: 1 mg/m ³			mg/m ³ 2 mg/m ³	TWA: 0.2 mg/n TWA: 1 mg/m		0.2 mg/m ³ : 1 mg/m ³
Aluminum		: 10 mg/m ³ TWA: 5			TWA: 1 mg/m TWA: 1 mg/m		mg/m ³ TWA: 5
7429-90-5		mg/m ³	1 1 1 .	VA: 1.0 mg/m ³ TWA: 1 m			ng/m³
Phosphate(1-),	Т	WA: 2.5 mg/m ³	TWA: 2.	5 mg/m ³	TWA: 2.5 mg/n		2.5 mg/m ³
	· ·				· · · · · = · • · · · · · · · · · · · ·		



hexafluoro-, lithium 21324-40-3				
Nickel	TWA: 1.5 mg/m ³	TWA: 0.05 mg/m ³	TWA: 1 mg/m ³	TWA: 1 mg/m ³
7440-02-0				_

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering controls	Showers
	Eyewash stations
	Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Hand protection	Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties		
Physical state	Solid	
Appearance	No information available	
Odor	No information available	
Color	No information available	
Odor Threshold	No information available	
Property_	Values_	Remarks Method
pH	No data available	None known
Melting / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash Point	No data available	None known
Evaporation Rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	No data available	None known
Water Solubility	Insoluble in water	
Solubility(ies)	No data available	None known
Partition coefficient: n-octanol/wate	rNo data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known



Kinematic viscosity	No data available
Dynamic viscosity	No data available
Other Information Explosive properties Oxidizing properties Softening Point Molecular Weight VOC Content (%) Liquid Density Bulk Density Particle Size Particle Size Distribution	No information available No information available

10. STABILITY AND REACTIVITY

None known

None known

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous Polymerization	Hazardous polymerization does not occur.
Conditions to avoid	None known based on information supplied.
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information In case of rupture:
Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). Irritating to eyes.
Skin contact	Specific test data for the substance or mixture is not available. May cause sensitization by skin contact. (based on components). Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. Causes skin irritation. Toxic in contact with skin.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if swallowed. (based on components).
Information on toxicological effects	<u>8</u>
Symptoms	Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	961.00 mg/kg
ATEmix (dermal)	525.00 mg/kg

Unknown acute toxicity

98.5 % of the mixture consists of ingredient(s) of unknown toxicity

73 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

96.5 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

98.5 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

98.5 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

98.5 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Iron	= 984 mg/kg (Rat)	-	-
Nickel	> 9000 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Irritating to skin.	
Serious eye damage/eye irritation	Classification based on data available for ingredients. Irritating to eyes.	
Respiratory or skin sensitization	May cause sensitization by skin contact.	
Germ cell mutagenicity	No information available.	
Carcinogenicity	Classification based on data available for ingredients. Contains a known or suspected carcinogen.	

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Lithium nickel oxide	A1	Group 1	Known	Х
(LiNiO2)				
12031-65-1				
Nickel	-	Group 2B	Reasonably Anticipated	Х
7440-02-0		-		
Legend				

 ACGIH (American Conference of Governmental Industrial Hygienists) A1 - Known Human Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present 			
Reproductive toxicity No information available.			
STOT - single exposure No information available.			
STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure			
Aspiration hazard No information available.			

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Chemical name		Toxicity to Fich	Toxicity to	Daphaia Magna (Weter
Chemical hame	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
			Microorganisms	Fiea)
Iron	-	96h LC50: = 13.6 mg/L	-	-
		(Morone saxatilis)		
Copper	96h EC50: 0.031 - 0.054		-	48h EC50: = 0.03 mg/L
	mg/L	0.0156 mg/L (Pimephales		
	(Pseudokirchneriella	promelas) 96h LC50: =		
	subcapitata) 72h EC50:	1.25 mg/L (Lepomis		
	0.0426 - 0.0535 mg/L	macrochirus) 96h LC50:		
	(Pseudokirchneriella	= 0.052 mg/L		
	subcapitata)	(Oncorhynchus mykiss)		
		96h LC50: = 0.2 mg/L		
		(Pimephales promelas)		
		96h LC50: < 0.3 mg/L		
		(Pimephales promelas)		
		96h LC50: = 0.112 mg/L		
		(Poecilia reticulata) 96h		
		LC50: = 0.3 mg/L		
		(Cyprinus carpio) 96h		
		LC50: = 0.8 mg/L		
		(Cyprinus carpio)		
Nickel	72h EC50: = 0.18 mg/L	96h LC50: > 100 mg/L	-	48h EC50: > 100 mg/L
	(Pseudokirchneriella	(Brachydanio rerio) 96h		48h EC50: = 1 mg/L
	subcapitata) 96h EC50:	LC50: = 1.3 mg/L		Ũ
	0.174 - 0.311 mg/L	(Cyprinus carpio) 96h		
	(Pseudokirchneriella	LC50: = 10.4 mg/L		
	subcapitata)	(Cyprinus carpio)		
Persistence and Degrad	ability No informati	on available.		
Bioaccumulation	There is no o	data for this product.		
Mobility	No information available.			
Other adverse effects	No information available.			

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

California Hazardous Waste Codes 141

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Copper	Toxic
7440-50-8	
Aluminum	Ignitable powder



7429-90-5 Nickel 7440-02-0		Toxic powder Ignitable powder
14. TRANSPORT INFORMATION		
Note:	The transportation of primary lithium cells and batteries is regulated by the International Civil Aviation Organization, International Air Transport Association, International Maritime Dangerous Goods Code and the US Department of Transportation. The batteries must meet the following criteria for shipment: 1. Air shipments must meet the requirements listed in Special Provision A45 of the International Air Transport Association Dangerous Goods Regulations. 2. Meet the requirements for the US Department of Transportation listed in 49 CFR 173.185. 3. The transport of primary lithium batteries is prohibited aboard passenger aircraft. Refer to the Federal Register December 15, 2004 (Hazardous Materials; Prohibited on the Transportation of Primary Lithium Batteries and Cells Aboard Passenger Aircraft; Final Rule) Lithium batteries shipped as "Lithium batteries", "Lithium batteries packed with equipment", or "Lithium batteries contained in equipment" may not be classified as "Dangerous Goods" when shipped in accordance with "special provision A45 of IATA-DGR" or "special provision 188 of IMO-IMDG Code"	
DOT Proper Shipping Name Hazard Class Emergency Response Guide Number	NOT REGULATED NON-REGULATED N/A 147	
TDG	Not regulated	
MEX	Not regulated	
ICAO	Not regulated	
IATA Proper Shipping Name Hazard Class	Not regulated NON REGULATED N/A	
IMDG/IMO Hazard Class EmS-No.	Not regulated N/A F-A, S-I	
RID	Not regulated	
ADR	Not regulated	
ADN	Not regulated	
	15 REGULATOR	

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories	
TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AICS	Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances **ENCS** - Japan Existing and New Chemical Substances

KCC Kereen Evisting and Evaluated Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS-No	Percent	SARA 313 - Threshold Values %
Lithium nickel oxide (LiNiO2) - 12031-65-1	12031-65-1	36	0.1
Copper - 7440-50-8	7440-50-8	9	1.0
Aluminum - 7429-90-5	7429-90-5	4.5	1.0
Nickel - 7440-02-0	7440-02-0	0.5	0.1

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Lithium nickel oxide (LiNiO2) 12031-65-1		Х		
Copper 7440-50-8		Х	Х	
Nickel 7440-02-0		Х	Х	

<u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Copper 7440-50-8	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ



Nickel	100 lb	RQ 100 lb final RQ
7440-02-0		RQ 45.4 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Lithium nickel oxide (LiNiO2) - 12031-65-1	Carcinogen
Nickel - 7440-02-0	Carcinogen

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusett	Pennsylvania	Rhode Island	Illinois
		S			
Lithium nickel oxide (LiNiO2) 12031-65-1	X		Х	Х	Х
Graphite 7782-42-5	X	X	Х		
Copper 7440-50-8	X	X	Х	Х	Х
Aluminum 7429-90-5	X	X	Х	Х	
Phosphate(1-), hexafluoro-, lithium 21324-40-3	X				
Nickel 7440-02-0	Х	Х	Х	Х	Х

16. OTHER INFORMATION					
<u>NFPA</u>	Health hazards 1	Flammability 0	Instability 0	Physical and Chemical Properties -	
<u>HMIS</u>	Health hazards 0	Flammability 0	Physical hazards 0	Personal Protection X	
Prepared By	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501				
Issuing Date	26-Jul-2017				
Revision Date	26-Jul-2017				
Revision Note	No information available				

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet



SAFETY DATA SHEET

Issuing Date 26-Jul-2017

Revision Date 26-Jul-2017

Revision Number 1

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION					
Product identifier					
Product Name	Ct Name SB10K97575				
Other means of identification					
Product Code(s)	1409155				
Recommended use of the chemi	cal and restrictions on use				
Recommended Use	LITHIUM ION BATTERIES				
Restrictions on use	No information available				
Details of the supplier of the safe	ety data sheet				
Supplier Identification Lenovo LNB laptops					
Address	Songtao Road 696 shanghai shanghai 201203 CN				
Telephone	Phone:18116118603				
E-mail	yuanbb1@lenovo.com				
Emergency telephone number					
Company Emergency Phone Number	18116118603				
	2. HAZARDS IDENTIFICATION				

Classification

Skin sensitization	Category 1
Carcinogenicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 1



This is a battery. In case of rupture: the above hazards exist.

Appearance No information available

Physical state Solid

Odor No information available

GHS Label elements, including precautionary statements

Danger

Hazard statements

May cause an allergic skin reaction May cause cancer Causes damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Contaminated work clothing must not be allowed out of the workplace Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention Specific treatment (see supplemental first aid instructions on this label) Skin

IF ON SKIN: Wash with plenty of water and soap If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Causes mild skin irritation. Very toxic to aquatic life with long lasting effects.

Unknown acute toxicity

99 % of the mixture consists of ingredient(s) of unknown toxicity 88 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

99 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

99 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

99 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

99 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

<u>Mixture</u>

Chemical name	CAS-No	Percent	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Nickel	7440-02-0	30	-	-
Lithium Cobalt Oxide (CoLiO2)	12190-79-3	30	-	-
Copper	7440-50-8	7	-	-
Aluminum	7429-90-5	3	-	-

4. FIRST AID MEASURES

First aid measures		
General advice	First aid is upon rupture of sealed battery. Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.	
Inhalation	Remove to fresh air.	
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.	
Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.	
Ingestion	Clean mouth with water and drink afterwards plenty of water.	
Most important symptoms and effects, both acute and delayed		
Symptoms	Itching. Rashes. Hives.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.	
5. FIRE-FIGHTING MEASURES		

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	CAUTION: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by skin contact.
Hazardous Combustion Products	Carbon oxides.
Explosion Data Sensitivity to Mechanical Impac Sensitivity to Static Discharge	t None. None.
Special protective equipment for	Firefighters should wear self-contained breathing apparatus and full firefighting turnout



away

fire-fighters

gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures		
Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people aw from and upwind of spill/leak.	
Other Information	Refer to protective measures listed in Sections 7 and 8.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Pick up and transfer to properly labeled containers.	

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling In case of rupture: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Nickel	TWA: 1.5 mg/m ³	TWA: 1 mg/m ³	IDLH: 10 mg/m ³
7440-02-0	-	(vacated) TWA: 1 mg/m ³	TWA: 0.015 mg/m ³
Lithium Cobalt Oxide (CoLiO2)	TWA: 0.02 mg/m ³	-	
12190-79-3			
Copper	TWA: 0.2 mg/m ³ fume TWA: 1	TWA: 0.1 mg/m ³ fume	IDLH: 100 mg/m ³ dust, fume
7440-50-8	mg/m ³ Cu dust and mist	TWA: 1 mg/m ³ dust and mist	and mist IDLH: 100 mg/m ³ Cu
		(vacated) TWA: 0.1 mg/m ³ Cu	dust and mist
		dust, fume, mist	TWA: 1 mg/m ³ dust and mist
			TWA: 0.1 mg/m ³ fume TWA: 1
			mg/m ³ Cu dust and mist
Aluminum	TWA: 1 mg/m ³ respirable	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ total dust
7429-90-5	particulate matter	TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³ respirable dust
		fraction	TWA: 5 mg/m ³ Al
		(vacated) TWA: 15 mg/m ³ total	



		respirable	dust) TWA: 5 mg/m ³ fraction (vacated) g/m ³ AI Aluminum	
Chemical name	Alberta	British Columbia	Ontario TWAEV	Quebec
Nickel 7440-02-0	TWA: 1.5 mg/m ³	TWA: 0.05 mg/m ³	TWA: 1 mg/m ³	TWA: 1 mg/m ³
Lithium Cobalt Oxide (CoLiO2) 12190-79-3	TWA: 0.02 mg/m ³	TWA: 0.02 mg/m ³	TWA: 0.02 mg/m ³	TWA: 0.02 mg/m ³
Copper	TWA: 0.2 mg/m ³	TWA: 1 mg/m ³	TWA: 0.2 mg/m ³	TWA: 0.2 mg/m ³
7440-50-8	TWA: 1 mg/m ³	TWA: 0.2 mg/m ³	TWA: 1 mg/m ³	TWA: 1 mg/m ³
Aluminum 7429-90-5	TWA: 10 mg/m ³ TWA: 5 mg/m ³	TWA: 1.0 mg/m ³	TWA: 1 mg/m ³	TWA: 10 mg/m ³ TWA: 5 mg/m ³

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering controls	Showers
	Eyewash stations
	Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Hand protection	Wear suitable gloves.
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state	
Appearance	
Odor	
Color	
Odor Threshold	

Property
рН
Melting / freezing point
Boiling point / boiling range
Flash Point
Evaporation Rate
Flammability (solid, gas)
Flammability Limit in Air
Upper flammability limit
Lower flammability limit

Solid No information available No information available No information available No information available

Values

No data available No data available

No data available

Remarks Method

None known None known None known None known None known None known



Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	No data available	None known
Water Solubility	Insoluble in water	
Solubility(ies)	No data available	None known
Partition coefficient: n-octanol/wa	terNo data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Other Information		
Explosive properties	No information available	
Oxidizing properties	No information available	
Softening Point	No information available	
Molecular Weight	No information available	
VOC Content (%)	No information available	
Liquid Density	No information available	
Bulk Density	No information available	
Particle Size	No information available	
Particle Size Distribution	No information available	

10. STABILITY AND REACTIVITY

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous Polymerization	Hazardous polymerization does not occur.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information In case of rupture:	
Inhalation	Specific test data for the substance or mixture is not available.	
Eye contact	Specific test data for the substance or mixture is not available.	
Skin contact	Specific test data for the substance or mixture is not available. May cause sensitization by skin contact. (based on components). Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.	
Ingestion	Specific test data for the substance or mixture is not available.	
Information on toxicological effects		
Symptoms	Itching Rashes Hives	

Symptoms

Itching. Rashes. Hives.



Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document . ATEmix (oral)

14,182.00 mg/kg

Unknown acute toxicity

99 % of the mixture consists of ingredient(s) of unknown toxicity

88 % of the mixture consists of ingredient(s) of unknown acute oral toxicity 99 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

99 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

99 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

99 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Nickel	> 9000 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	May cause sensitization by skin contact.
Germ cell mutagenicity	No information available.
Carcinogenicity	Classification based on data available for ingredients. Contains a known or suspected carcinogen.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

		, , ,		
Chemical name	ACGIH	IARC	NTP	OSHA
Nickel	-	Group 2B	Reasonably Anticipated	Х
7440-02-0		-		
Lithium Cobalt Oxide	A3	Group 2B	Reasonably Anticipated	Х
(CoLiO2)		-		
12190-79-3				

Legend

ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 2B - Possibly Carcinogenic to Humans NTP (National Toxicology Program) Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present **Reproductive toxicity** No information available. No information available. STOT - single exposure **STOT - repeated exposure** Causes damage to organs through prolonged or repeated exposure.

No information available. Aspiration hazard

12. ECOLOGICAL INFORMATION



Ecotoxicity

Very toxic to aquatic life with long lasting effects.

	Taxiaita ta Alara	Tableto ta Fial	T	
Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to	Daphnia Magna (Water
· · · · ·			Microorganisms	Flea)
Nickel	72h EC50: = 0.18 mg/L	96h LC50: > 100 mg/L	-	48h EC50: > 100 mg/L
	(Pseudokirchneriella	(Brachydanio rerio) 96h		48h EC50: = 1 mg/L
	subcapitata) 96h EC50:	LC50: = 1.3 mg/L		
	0.174 - 0.311 mg/L	(Cyprinus carpio) 96h		
	(Pseudokirchneriella	LC50: = 10.4 mg/L		
	subcapitata)	(Cyprinus carpio)		
Copper	96h EC50: 0.031 - 0.054	96h LC50: 0.0068 -	-	48h EC50: = 0.03 mg/L
	mg/L	0.0156 mg/L (Pimephales		
	(Pseudokirchneriella	promelas) 96h LC50: =		
	subcapitata) 72h EC50:	1.25 mg/L (Lepomis		
	0.0426 - 0.0535 mg/L	macrochirus) 96h LC50:		
	(Pseudokirchneriella	= 0.052 mg/L		
	subcapitata)	(Oncorhynchus mykiss)		
	,	96h LC50: = 0.2 mg/L		
		(Pimephales promelas)		
		96h LC50: < 0.3 mg/L		
		(Pimephales promelas)		
		96h LC50: = 0.112 mg/L		
		(Poecilia reticulata) 96h		
		LC50: = 0.3 mg/L		
		(Cyprinus carpio) 96h		
		LC50: = 0.8 mg/L		
		(Cyprinus carpio)		
Persistence and Degrada	ability No information	on available.		
Bioaccumulation	There is no data for this product.			
Mahilita	No informatio	n availabla		
Mobility	no mormano	n avallable.		
Other adverse effects	No information	on available.		
	13 חופו	POSAL CONSIDER		
	13. 0131			
Marta tractin ant mathe				
Waste treatment method	<u>.5</u>			

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

California Hazardous Waste Codes 141

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste	
Nickel	Toxic powder	
7440-02-0	Ignitable powder	
Lithium Cobalt Oxide (CoLiO2)	Toxic	
12190-79-3		
Copper	Toxic	

7440-50-8 Aluminum 7429-90-5		Ignitable powder			
	14. TRANSPORT INFORMATION				
Note:	The transportation of primary lithium cells and batteries is regulated by the International Civil Aviation Organization, International Air Transport Association, International Maritime Dangerous Goods Code and the US Department of Transportation. The batteries must meet the following criteria for shipment: 1. Air shipments must meet the requirements listed in Special Provision A45 of the International Air Transport Association Dangerous Goods Regulations. 2. Meet the requirements for the US Department of Transportation listed in 49 CFR 173.185. 3. The transport of primary lithium batteries is prohibited aboard passenger aircraft. Refer to the Federal Register December 15, 2004 (Hazardous Materials; Prohibited on the Transportation of Primary Lithium Batteries and Cells Aboard Passenger Aircraft; Final Rule) Lithium batteries shipped as "Lithium batteries", "Lithium batteries packed with equipment", or "Lithium batteries contained in equipment" may not be classified as "Dangerous Goods" when shipped in accordance with "special provision A45 of IATA-DGR" or "special provision 188 of IMO-IMDG Code"				
DOT Proper Shipping Name Hazard Class Emergency Response Guide Number	NOT REGULATED NON-REGULATED N/A 147				
TDG	Not regulated				
MEX	Not regulated				
ICAO	Not regulated				
IATA Proper Shipping Name Hazard Class	Not regulated NON REGULATED N/A				
IMDG/IMO Hazard Class EmS-No.	Not regulated N/A F-A, S-I				
RID	Not regulated				
ADR	Not regulated				
ADN	Not regulated				

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories	
TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AICS	Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances **ENCS** - Japan Existing and New Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS-No	Percent	SARA 313 - Threshold Values %
Nickel - 7440-02-0	7440-02-0	30	0.1
Lithium Cobalt Oxide (CoLiO2) - 12190-79-3	12190-79-3	30	0.1
Copper - 7440-50-8	7440-50-8	7	1.0
Aluminum - 7429-90-5	7429-90-5	3	1.0

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Nickel 7440-02-0		Х	Х	
Copper 7440-50-8		Х	Х	

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Nickel 7440-02-0	100 lb		RQ 100 lb final RQ RQ 45.4 kg final RQ
Copper 7440-50-8	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ



US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65		
Nickel - 7440-02-0	Carcinogen		

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusett	Pennsylvania	Rhode Island	Illinois
		3			
Nickel	Х	Х	Х	Х	Х
7440-02-0					
Lithium Cobalt Oxide (CoLiO2)	Х		Х	Х	Х
12190-79-3					
Copper	Х	Х	Х	Х	Х
7440-50-8					
Aluminum	Х	Х	Х	Х	
7429-90-5					

16. OTHER INFORMATION							
NFPA	Health hazards 1	Flammability 0	Instability 0	Physical and Chemical Properties -			
HMIS	Health hazards 0	Flammability 0	Physical hazards 0	Personal Protection X			
Prepared By	23 British	Stewardship American Blvd. NY 12110 2-6501					
Issuing Date	26-Jul-20	17					
Revision Date	26-Jul-20	26-Jul-2017					
Revision Note	No inform	nation available					

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet