#### Issuing Date No data available

SAFETY DATA SHEET

Revision Date 13-May-2015

**Revision Number** 2



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier			
Product Name	dry erase marker blue ink		
Other means of identification			
Synonyms	None		
Recommended use of the chemical and restrictions on use			
Recommended Use	Pens		
Uses advised against	No information available		
Details of the supplier of the safety data sheet			
Supplier Name	Wenzhou Aihao Pen Trade Co., Ltd		
Supplier Address	No.128, Wenchang Road, Longwan Zone Wenzhou Zhejiang 325011 CN		
Supplier Phone Number	Phone:86-13524536325 Contact Phone86-021-68622126		
Supplier Email	732314056@qq.com		
Emergency telephone number			

# 2. HAZARDS IDENTIFICATION

#### **Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3

#### GHS Label elements, including precautionary statements



# Emergency Overview Signal word Warning Hazard Statements Causes serious eye irritation May cause drowsiness or dizziness . Image: Colspan="2">Colspan="2">Causes serious eye irritation May cause drowsiness or dizziness . Image: Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Causes serious eye irritation May cause drowsiness or dizziness . Image: Colspan="2">Colspan="2" Colspan="2">Colspan="2" . Colspan="2">Colspan="2" . Colspan="2">Colspan="2" . Colspan="2" . . . Colspan="2" . . . . Colspan="2" . . .

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Wear eye/face protection

#### **Precautionary Statements - Response**

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed Store locked up

# Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

#### Not applicable

#### Unknown Toxicity

12.6% of the mixture consists of ingredient(s) of unknown toxicity

#### **Other information**

Toxic to aquatic life PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION

#### Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.



# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%	Trade Secret
Third Party Formulation (TP # 1114526)	Proprietary	30 - 60	*
Third Party Formulation (TP # 1114526)	Proprietary	10 - 30	*
Third Party Formulation (TP # 1114526)	Proprietary	7 - 13	*
Third Party Formulation (TP # 1114526)	Proprietary	1 - 5	*

#### The exact percentage (concentration) of composition has been withheld as a trade secret

#### 4. FIRST AID MEASURES

First aid measures

General Advice	Show this safety data sheet to the doctor in attendance.

- Eye contactRinse immediately with plenty of water, also under the eyelids, for at least 15<br/>minutes. Remove contact lenses, if present and easy to do. Continue rinsing.<br/>Keep eye wide open while rinsing. Do not rub affected area. Get medical attention<br/>if irritation develops and persists.
- Skin contact Wash with soap and water.
- Inhalation Remove to fresh air.
- Ingestion Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

#### Most important symptoms and effects, both acute and delayed

Most Important Symptoms and	Burning sensation. Inhalation of high vapor concentrations may cause symptoms
Effects	like headache, dizziness, tiredness, nausea and vomiting.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.



# **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

No information available.

Uniform Fire Code Irritant: Solid

Hazardous Combustion Products Carbon oxides.

Explosion Data Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.	
Other Information	Refer to protective measures listed in Sections 7 and 8.	
Environmental precautions		
Environmental precautions       Refer to protective measures listed in Sections 7 and 8.         Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Pick up and transfer to properly labeled containers.	



## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.

#### Conditions for safe storage, including any incompatibilities

StorageKeep containers tightly closed in a dry, cool and well-ventilated place.Incompatible ProductsStrong oxidizing agents. Acids. Chlorinated compounds.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Third Party Formulation (TP # 1114526)	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm 10% LEL
		TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m <sup>3</sup>
		(vacated) TWA: 1900 mg/m <sup>3</sup>	
Third Party Formulation (TP # 1114526)	STEL: 100 ppm	(vacated) TWA: 100 ppm	TWA: 100 ppm
	TWA: 50 ppm	(vacated) TWA: 360 mg/m <sup>3</sup>	TWA: 360 mg/m <sup>3</sup>
		(vacated) STEL: 150 ppm	STEL: 150 ppm
		(vacated) STEL: 540 mg/m <sup>3</sup>	STEL: 540 mg/m <sup>3</sup>
Third Party Formulation (TP # 1114526)	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm 10% LEL
	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 980 mg/m <sup>3</sup>
		(vacated) TWA: 400 ppm	TWA: 400 ppm
		(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m <sup>3</sup>
		(vacated) STEL: 1225 mg/m <sup>3</sup>	
Third Party Formulation (TP # 1114526)	TWA: 1 mg/m <sup>3</sup> Cu dust and mist	-	IDLH: 100 mg/m <sup>3</sup> Cu dust and
			mist
			TWA: 1 mg/m <sup>3</sup> Cu dust and mist

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters

Appropriate engineering controls

Engineering Measures	Showers
	Eyewash stations
	Ventilation systems

#### Individual protection measures, such as personal protective equipment

Eye/face protection	None required for consumer use. If there is a risk of contact:. Wear safety glasses with side shields (or goggles).
Skin and body protection	None required for consumer use. Wear protective gloves and protective clothing.



Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**Hygiene Measures** 

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### **Physical and Chemical Properties**

Physical state Appearance Color	Solid containing liquid / Blue	Odor Odor Threshold	Alcohol No information available
Property pH Melting / freezing point Boiling point / boiling range Flash Point Evaporation Rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit Lower flammability limit Vapor pressure Vapor density Specific Gravity Water Solubility Solubility in other solvents Partition coefficient: n-octanol/wate Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties	No data available No data available No data available No data available No data available	Remarks Method None known None known	
Oxidizing properties Other Information	No data available		
Softening Point VOC Content (%) Particle Size Particle Size Distribution	No data available No data available No data available		

# **10. STABILITY AND REACTIVITY**

#### **Reactivity**

No data available.

<u>Chemical stability</u> Stable under recommended storage conditions. <u>Possibility of Hazardous Reactions</u> None under normal processing. <u>Hazardous Polymerization</u> Hazardous polymerization does not occur.

Conditions to avoid None known based on information supplied. Incompatible materials Strong oxidizing agents. Acids. Chlorinated compounds. Hazardous Decomposition Products Carbon oxides.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. May cause drowsiness and dizziness.
Eye contact	Specific test data for the substance or mixture is not available. Expected to be an irritant based on components. May cause redness, itching, and pain. May cause temporary eye irritation.
Skin contact	Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Third Party Formulation (TP # 1114526)	-	-	= 124.7 mg/L (Rat)4 h
Third Party Formulation (TP # 1114526)	= 5200 mg/kg (Rat)	= 13 g/kg (Rabbit)	= 54.6 mg/L (Rat)4 h >24 mg/L (Rat)1 h
Third Party Formulation (TP # 1114526)	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rabbit)	= 16000 ppm (Rat)8 h

#### Information on toxicological effects

#### Symptoms

May cause redness and tearing of the eyes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.



#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.
Mutagenic Effects	No information available.
Carcinogenicity	The table below indicates who

The table below indicates whether each agency has listed any ingredient as a carcinogen. The listed substance(s) has been shown to be carcinogenic in long-term studies only when consumed orally. This is not a relevant route of exposure for this product.

Chemical Name	ACGIH	IARC	NTP	OSHA
Third Party Formulation (TP # 1114526)	A3	Group 1	Known	Х
Third Party Formulation (TP # 1114526)		Group 3		Х
A3 - Animal Carcinogen IARC (International Age Group 1 - Carcinogenic to Group 3 - Not Classifiabl NTP (National Toxicolo Known - Known Carcinog	e as to Carcinogenicity in Hur gy Program) gen	r)	f Labor)	
Reproductive toxicity	No information	No information available.		
STOT - single exposure	No information	No information available.		
STOT - repeated exposu	re No informatio	No information available.		
Chronic Toxicity	adverse liver to reproduction	May cause adverse effects on the bone marrow and blood-forming system. May cause adverse liver effects. The listed substance(s) has been shown to be carcinogenic and tox to reproduction in long-term studies only when consumed orally. This is not a relevant rou of exposure for this product.		
Target Organ Effects	•	Eyes. Blood. Central Nervous System (CNS). Kidney. Liver. Reproductive System. Respiratory system. Skin. Spleen. Systemic Toxicity.		oductive System.
Aspiration Hazard	No information	No information available.		

Numerical measures of toxicity Product Information

#### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 13,767.00 mg/kg ATEmix (dermal) 36,450.00 mg/kg (ATE) ATEmix (inhalation-dust/mist) 110.40 mg/l ATEmix (inhalation-vapor) 441.85 ATEmix



# **12. ECOLOGICAL INFORMATION**

Ecotoxicity Toxic to aquatic organisms.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Third Party Formulation (TP # 1114526)		96h LC50: > 100 mg/L (Pimephales promelas) 96h LC50: 13400 - 15100 mg/L (Pimephales promelas) 96h LC50: 12.0 - 16.0 mL/L (Oncorhynchus mykiss)	EC50 = 34634 mg/L 30 min EC50 = 35470 mg/L 5 min	48h LC50: 9268 - 14221 mg/L 48h EC50: = 2 mg/L 24h EC50: = 10800 mg/L
Third Party Formulation (TP # 1114526)		96h LC50: = 20.8 g/L (Pimephales promelas) 96h LC50: 4600 - 10000 mg/L (Leuciscus idus)		48h EC50: = 23300 mg/L
Third Party Formulation (TP # 1114526)	96h EC50: > 1000 mg/L (Desmodesmus subspicatus) 72h EC50: > 1000 mg/L (Desmodesmus subspicatus)	96h LC50: > 1400000 μg/L (Lepomis macrochirus) 96h LC50: = 11130 mg/L (Pimephales promelas) 96h LC50: = 9640 mg/L (Pimephales promelas)		48h EC50: = 13299 mg/L
Third Party Formulation (TP # 1114526)		48h LC50: > 100 mg/L (Oryzias latipes)		

# Persistence and Degradability No information available.

#### **Bioaccumulation**

Chemical Name	Log Pow
Third Party Formulation (TP # 1114526)	-0.32
Third Party Formulation (TP # 1114526)	-0.437
Third Party Formulation (TP # 1114526)	0.05
Third Party Formulation (TP # 1114526)	6.6

# Other adverse effects No information available.

# **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Disposal methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.
Contaminated Packaging	Dispose of contents/containers in accordance with local regulations.

#### California Hazardous Waste Codes 331

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Third Party Formulation (TP # 1114526)	Toxic Ignitable
Third Party Formulation (TP # 1114526)	Toxic Ignitable
Third Party Formulation (TP # 1114526)	Toxic

# **14. TRANSPORT INFORMATION**

	15. REGULAT
ADN	Not regulated
ADR	Not regulated
RID	Not regulated
IMDG/IMO Hazard Class	Not regulated N/A
IATA Proper Shipping Name Hazard Class	Not regulated NON REGULATED N/A
ICAO	Not regulated
MEX	Not regulated
TDG	Not regulated
<u>DOT</u> Proper Shipping Name Hazard Class	NOT REGULATED NON REGULATED N/A

# **15. REGULATORY INFORMATION**

International Inventories

TSCA Complies DSL All components are listed either on the DSL or NDSL.



TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### **US Federal Regulations**

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Third Party Formulation (TP # 1114526) -		7 - 13	1.0
Third Party Formulation (TP # 1114526) -		1 - 5	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Third Party Formulation (TP # 1114526)		Х		

#### <u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Third Party Formulation (TP # 1114526) -	Carcinogen
	Developmental

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Third Party Formulation (TP # 1114526)		X			
Third Party Formulation (TP # 1114526)	X	Х	Х		
Third Party Formulation (TP # 1114526)	X	X	Х	Х	
Third Party Formulation (TP # 1114526)			Х	Х	

#### International Regulations



# Mexico

#### National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Third Party Formulation (TP # 1114526)		Mexico: TWA 1000 ppm
( 30 - 60 )		Mexico: TWA 1900 mg/m <sup>3</sup>
Third Party Formulation (TP # 1114526)		Mexico: TWA 400 ppm
(7-13)		Mexico: TWA 980 mg/m <sup>3</sup>
		Mexico: STEL 500 ppm
		Mexico: STEL 1225 mg/m <sup>3</sup>

Mexico - Occupational Exposure Limits - Carcinogens

# Canada WHMIS Hazard Class

## Not determined

# **16. OTHER INFORMATION**

NFPA HMIS	Health Hazards 2 Health Hazards 2	Flammability 0 Flammability 0	Instability 0 Physical Hazard 0	Physical and Chemical Hazards Personal Protection X
Prepared By Revision Date	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501 13-May-2015			
Revision Note	No inform	ation available		

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

### End of Safety Data Sheet

#### Issuing Date 18-Jan-2016

SAFETY DATA SHEET

Revision Date 13-May-2015

**Revision Number** 2

**(U)** 

The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier	
Product Name	dry erase marker green ink
Other means of identification	
Synonyms	None
Recommended use of the chemical	and restrictions on use
Recommended Use	Pens
Uses advised against	No information available
Details of the supplier of the safety	data sheet
Supplier Name	Wenzhou Aihao Pen Trade Co., Ltd
Supplier Address	No.128, Wenchang Road, Longwan Zone Wenzhou Zhejiang 325011 CN
Supplier Phone Number	Phone:86-13524536325 Contact Phone86-021-68622126
Supplier Email	732314056@qq.com
Emergency telephone number	

2. HAZARDS IDENTIFICATION

#### **Classification**


This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Specific target organ toxicity (single exposure)	Category 3
opedate anget organ texterly (on gib expectate)	oulogoly o

GHS Label elements, including precautionary statements

**Emergency Overview** 





#### **Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area

#### **Precautionary Statements - Response**

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

#### **Unknown Toxicity**

13 % of the mixture consists of ingredient(s) of unknown toxicity

#### **Other information**

Toxic to aquatic life PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION

#### Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.



# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical name	CAS No	Weight-%	Trade Secret
Third Party Formulation (TP # 1303905)	Trade Secret	30 - 60	*
Third Party Formulation (TP # 1303905)	Trade Secret	10 - 30	*
Third Party Formulation (TP # 1303905)	Trade Secret	5 - 10	*
Third Party Formulation (TP # 1303905)	Trade Secret	1 - 5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret

# 4. FIRST AID MEASURES

#### First aid measures

General Advice	Show this safety data sheet to the doctor in attendance.			
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.			
Skin contact	Wash with soap and water.			
Inhalation	Remove to fresh air.			
Ingestion	Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician.			
Most important symptoms and effects, both acute and delayed				
Most Important Symptoms and Effects	Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.			
Indication of any immediate medical attention and special treatment needed				

Notes to Physician

Treat symptomatically.

# **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

#### <u>Specific hazards arising from the chemical</u> No information available.

Explosion Data Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas.		
Other Information	Refer to protective measures listed in Sections 7 and 8.		
Environmental precautions			
Environmental precautions	See Section 12 for additional Ecological Information.		
Methods and material for containme	ent and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Pick up and transfer to properly labeled containers.		
	7. HANDLING AND STORAGE		
Precautions for safe handling			
Handling	Handle in accordance with good industrial hygiene and safety practice.		
Conditions for safe storage, includir	ng any incompatibilities		
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place.		
Incompatible Products	Strong oxidizing agents. Acids. Chlorinated compounds.		

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### **Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Third Party Formulation (TP # 1303905)	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	IDLH: 3300 ppm 10% LEL TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>
Third Party Formulation (TP # 1303905)	STEL: 100 ppm TWA: 50 ppm	(vacated) TWA: 100 ppm (vacated) TWA: 360 mg/m <sup>3</sup> (vacated) STEL: 150 ppm (vacated) STEL: 540 mg/m <sup>3</sup>	TWA: 100 ppm TWA: 360 mg/m <sup>3</sup> STEL: 150 ppm STEL: 540 mg/m <sup>3</sup>
Third Party Formulation (TP # 1303905)	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m <sup>3</sup> (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m <sup>3</sup>	IDLH: 2000 ppm 10% LEL TWA: 980 mg/m <sup>3</sup> TWA: 400 ppm STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>
Third Party Formulation (TP # 1303905)	TWA: 1 mg/m <sup>3</sup> Cu dust and mist	-	IDLH: 100 mg/m <sup>3</sup> Cu dust and

			mist
	 Governmental Industrial Hygienists - Th Limits NIOSH IDLH Immediately Dange		TWA: 1 mg/m <sup>3</sup> Cu dust and mist ccupational Safety and Health
Other Exposure Guidelines	Vacated limits revoked by the (11th Cir., 1992)	Court of Appeals decision in Al	FL-CIO v. OSHA, 965 F.2d 962
Appropriate engineering contro	<u>s</u>		
Engineering Measures	Showers Eyewash stations Ventilation systems		
Individual protection measures,	such as personal protective equ	ipment	
Eye/face protection	No special protective equipme	nt required.	
Skin and body protection	No special protective equipme	nt required.	
Respiratory protection	respiratory protection should b	d or irritation is experienced, N le worn. Positive-pressure supp aminant concentrations. Respi urrent local regulations.	blied air respirators may be
Hygiene Measures	Handle in accordance with go	od industrial hygiene and safety	/ practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### **Physical and Chemical Properties**

Physical state Appearance	Solid	Odor	Alcohol
Color	, No information available	Odor Threshold	No information available
000		Oubl Threshold	
Property_	Values_	Remarks Method	
pH	No data available	None known	
Melting / freezing point	No data available	None known	
Boiling point / boiling range	No data available	None known	
Flash Point	No data available	None known	
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Specific Gravity	No data available	None known	
Water Solubility	Difficult solubility	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octanol/wat	erNo data available	None known	
Autoignition temperature	No data available	None known	
Decomposition temperature	No data available	None known	
Kinematic viscosity	No data available	None known	
Dynamic viscosity	No data available	None known	
Explosive properties	No data available		
Oxidizing properties	No data available		

#### **Other Information**

Softening Point VOC Content (%) Particle Size Particle Size Distribution No data available No data available No data available

# **10. STABILITY AND REACTIVITY**

#### **Reactivity**

No data available.

Chemical stability Stable under recommended storage conditions. Possibility of Hazardous Reactions None under normal processing. Conditions to avoid None known based on information supplied. Incompatible materials Strong oxidizing agents. Acids. Chlorinated compounds. Hazardous Decomposition Products Carbon oxides.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Inhalation	May cause drowsiness or dizziness.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Specific test data for the substance or mixture is not available.
Ingestion	Specific test data for the substance or mixture is not available.

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Third Party Formulation (TP # 1303905)	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat)4 h
Third Party Formulation (TP # 1303905)	= 5000 mg/kg (Rat)	= 13 g/kg (Rabbit)	> 6 mg/L (Rat)4 h
Third Party Formulation (TP # 1303905)	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m <sup>3</sup> ( Rat ) 4 h
Third Party Formulation (TP # 1303905)	> 3000 mg/kg (Rat)	-	-

#### Information on toxicological effects

#### Symptoms

Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.



#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.
Mutagenic Effects	No information available.
Carcinogenicity	The table below indicates whe

The table below indicates whether each agency has listed any ingredient as a carcinogen. The listed substance(s) has been shown to be carcinogenic in long-term studies only when consumed orally. This is not a relevant route of exposure for this product.

Chemical name	ACGIH	IARC	NTP	OSHA	
Third Party Formulation (TP # 1303905)	A3	Group 1	Known	X	
Third Party Formulation (TP # 1303905)		Group 3		Х	
ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 3 - Not Classifiable as to Carcinogenicity in Humans NTP (National Toxicology Program) Known - Known Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present					
Reproductive toxicity	No information	on available.			
STOT - single exposure No information available.					
STOT - repeated exposure No information available.					
Chronic Toxicity		No known effect based on information supplied. Repeated or prolonged inhalation to high concentrations of vapors may cause respiratory irritation or central nervous system effects.			
Target Organ Effects		Respiratory system. Eyes. Skin. Gastrointestinal tract (GI). Blood. Central Nervous System (CNS). Kidney. Liver. Reproductive System. Spleen. Systemic Toxicity.			
Aspiration Hazard	No information available.				

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 5,665.00 mg/kg ATEmix (dermal) 28,692.00 mg/kg (ATE) ATEmix (inhalation-dust/mist) 154.90 mg/l

# **12. ECOLOGICAL INFORMATION**

Ecotoxicity Toxic to aquatic organisms.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)	
Third Party Formulation (TP # 1303905)		96h LC50: > 100 mg/L (Pimephales promelas) 96h LC50: 13400 - 15100 mg/L (Pimephales promelas) 96h LC50: 12.0 - 16.0 mL/L (Oncorhynchus mykiss)	EC50 = 34634 mg/L 30 min EC50 = 35470 mg/L 5 min	48h LC50: 9268 - 14221 mg/L 48h EC50: = 2 mg/L 24h EC50: = 10800 mg/L	
Third Party Formulation (TP # 1303905)		96h LC50: = 20.8 g/L (Pimephales promelas) 96h LC50: 4600 - 10000 mg/L (Leuciscus idus)		48h EC50: = 23300 mg/L	
Third Party Formulation (TP # 1303905)	96h EC50: > 1000 mg/L (Desmodesmus subspicatus) 72h EC50: > 1000 mg/L (Desmodesmus subspicatus)	96h LC50: > 1400000 µg/L (Lepomis macrochirus) 96h LC50: = 11130 mg/L (Pimephales promelas) 96h LC50: = 9640 mg/L (Pimephales promelas)		48h EC50: = 13299 mg/L	
Third Party Formulation (TP # 1303905)		96h LC50: = 752.4 mg/L (Lepomis macrochirus)	EC50 > 10000 mg/L 30 min	24h EC50: > 500 mg/L	

# Persistence and Degradability No information available.

#### **Bioaccumulation**

Chemical name	Log Pow
Third Party Formulation (TP # 1303905)	-0.32
Third Party Formulation (TP # 1303905)	-0.437
Third Party Formulation (TP # 1303905)	0.05

#### Other adverse effects

No information available.

# **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Disposal methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.
Contaminated Packaging	Dispose of contents/containers in accordance with local regulations.

#### California Hazardous Waste Codes 331

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Third Party Formulation (TP # 1303905)	Toxic Ignitable
Third Party Formulation (TP # 1303905)	Toxic Ignitable
Third Party Formulation (TP # 1303905)	Toxic

# **14. TRANSPORT INFORMATION**

	15. REGULAT
ADN	Not regulated
ADR	Not regulated
RID	Not regulated
IMDG/IMO Hazard Class	Not regulated N/A
IATA_ Proper Shipping Name Hazard Class	Not regulated NON REGULATED N/A
ICAO	Not regulated
MEX	Not regulated
TDG	Not regulated
DOT Proper Shipping Name Hazard Class	NOT REGULATED NON REGULATED N/A

# **15. REGULATORY INFORMATION**

International Inventories

TSCA Complies DSL All components are listed either on the DSL or NDSL.



TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### **US Federal Regulations**

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Third Party Formulation (TP # 1303905) -		5 - 10	1.0
SARA 311/312 Hazard Categories	-	•	
Acute Health Hazard	Yes		
Chronic Health Hazard	No		
Fire Hazard	No		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals. The listed substance(s) is only a considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

Chemical name	California Proposition 65
Third Party Formulation (TP # 1303905) -	Carcinogen
	Developmental

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Third Party Formulation (TP # 1144126)		X	Х		
Third Party Formulation (TP # 1144126)	Х	X	Х		
Third Party Formulation (TP # 1144126)	Х	X	Х	Х	
Third Party Formulation (TP # 1144126)			Х	Х	

#### International Regulations

#### Mexico

#### National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Third Party Formulation (TP # 1303905)		Mexico: TWA 1000 ppm
(30-60)		Mexico: TWA 1900 mg/m <sup>3</sup>



Third Party Formulation (TP # 1303905)	Mexico: TWA 400 ppm
(5-10)	Mexico: TWA 980 mg/m <sup>3</sup>
	Mexico: STEL 500 ppm
	Mexico STEL 1225 mg/m <sup>3</sup>

Mexico - Occupational Exposure Limits - Carcinogens

#### Canada

WHMIS Hazard Class

Not determined

16. OTHER INFORMATION				
NFPA	Health Hazards 1	Flammability 1	Instability 0	Physical and Chemical Hazards -
HMIS	Health Hazards 1	Flammability 1	Physical Hazard 0	Personal Protection
Prepared By	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501			
Issuing Date	18-Jan-2	016		
Revision Date	13-May-2	2015		
Revision Note	No information available			

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

#### End of Safety Data Sheet

#### Issuing Date No data available

Revision Date 06-Jul-2015

SAFETY DATA SHEET Revision Number 2

The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier	
Product Name	dry erase marker WB600.11
Other means of identification	
Synonyms	None
Recommended use of the chemical	and restrictions on use
Recommended Use	Pens
Uses advised against	No information available
Details of the supplier of the safety	data sheet
Supplier Name	Wenzhou Aihao Pen Trade Co., Ltd
Supplier Address	No.128, Wenchang Road, Longwan Zone Wenzhou Zhejiang 325011 CN
Supplier Phone Number	Phone:86-21-68622126
Supplier Email	732314056@qq.com
Emergency telephone number	
Company Emergency Phone Number	86-13524536325
	2. HAZARDS IDENTIFICATION

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Serious eye damage/eye irritation

Category 2



#### GHS Label elements, including precautionary statements

Emergency Overview		
Signal word	Warning	
Hazard Statements Causes serious eye irritation		
	·	
Appearance /	Physical state Solid containing liquid	Odor Alcohol

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

#### **Precautionary Statements - Storage**

None

Precautionary Statements - Disposal None

#### Hazards not otherwise classified (HNOC)

Not applicable

<u>Unknown Toxicity</u> 20.5% of the mixture consists of ingredient(s) of unknown toxicity

#### **Other information**

Toxic to aquatic life with long lasting effects PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION

#### Interactions with Other Chemicals

No information available.



# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%	Trade Secret
Third Party Formulation (TP # 1102591)	Proprietary	40 - 70	*
Third Party Formulation (TP # 1102591)	Proprietary	10 - 30	*
Third Party Formulation (TP # 1102591)	Proprietary	3 - 7	*
Third Party Formulation (TP # 1102591)	Proprietary	1 - 5	*
Third Party Formulation (TP # 1102591)	Proprietary	1 - 5	*
Third Party Formulation (TP # 1102591)	Proprietary	1 - 5	*
Third Party Formulation (TP # 1102591)	Proprietary	1 - 5	*
Third Party Formulation (TP # 1102591)	Proprietary	0.1 - 1	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret

# 4. FIRST AID MEASURES

#### First aid measures

Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	Wash with soap and water.
Inhalation	Remove to fresh air.
Ingestion	Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

#### Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Burning sensation. Effects

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.



# **5. FIRE-FIGHTING MEASURES** Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient. Specific hazards arising from the chemical No information available. **Uniform Fire Code** Sensitizer: Solid **Hazardous Combustion Products** Carbon oxides. Explosion Data Sensitivity to Mechanical Impact No. Sensitivity to Static Discharge No. Protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. 6. ACCIDENTAL RELEASE MEASURES Personal precautions, protective equipment and emergency procedures **Personal precautions** Avoid contact with eyes. Use personal protective equipment as required. **Other Information** Refer to protective measures listed in Sections 7 and 8. **Environmental precautions Environmental precautions** Refer to protective measures listed in Sections 7 and 8. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.



# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes.		
Conditions for safe storage, includ	ng any incompatibilities		
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place.		
Incompatible Products	Strong oxidizing agents. Acids. Chlorinated compounds.		
8. EXP	8. EXPOSURE CONTROLS/PERSONAL PROTECTION		

#### **Control parameters**

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Third Party Formulation (TP # 1102591)	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
		TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m <sup>3</sup>
		(vacated) TWA: 1900 mg/m <sup>3</sup>	
Third Party Formulation (TP # 1102591)	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm 10% LEL
	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 980 mg/m <sup>3</sup>
		(vacated) TWA: 400 ppm	TWA: 400 ppm
		(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m <sup>3</sup>
		(vacated) STEL: 1225 mg/m <sup>3</sup>	
Third Party Formulation (TP # 1102591)	TWA: 3 mg/m <sup>3</sup> inhalable fraction	TWA: 3.5 mg/m <sup>3</sup>	IDLH: 1750 mg/m <sup>3</sup>
		(vacated) TWA: 3.5 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup>
			TWA: 0.1 mg/m <sup>3</sup> Carbon black in
			presence of Polycyclic aromatic
			hydrocarbons PAH
Third Party Formulation (TP # 1102591)	TWA: 1 mg/m <sup>3</sup> Cu dust and mist	-	IDLH: 100 mg/m <sup>3</sup> Cu dust and
	_		mist
			TWA: 1 mg/m <sup>3</sup> Cu dust and mist
Third Party Formulation (TP # 1102591)	TWA: 5 mg/m <sup>3</sup> inhalable fraction	TWA: 5 mg/m <sup>3</sup>	IDLH: 2500 mg/m <sup>3</sup>
	excluding metal working fluids,	(vacated) TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
	highly & severely refined	· · · · ·	STEL: 10 mg/m <sup>3</sup>

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

#### Appropriate engineering controls

Engineering Measures Showers Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

**Eye/face protection** None required for consumer use. If there is a risk of contact:. Wear safety glasses with side shields (or goggles).

Skin and body protection	No special protective equipment required.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### **Physical and Chemical Properties**

Physical state Appearance Color	Solid containing liquid / No information available	Odor Odor Threshold	Alcohol No information available
Property	Values	Remarks Method	
pH	No data available	None known	
Melting / freezing point	No data available	None known	
Boiling point / boiling range	No data available	None known	
Flash Point	No data available	None known	
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Specific Gravity	No data available	None known	
Water Solubility	Difficult solubility	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octanol/wate	rNo data available	None known	
Autoignition temperature	No data available	None known	
Decomposition temperature	No data available	None known	
Kinematic viscosity	No data available	None known	
Dynamic viscosity	No data available	None known	
Explosive properties	No data available		
Oxidizing properties	No data available		
Other Information			
Softening Point	No data available		

Softening Point VOC Content (%) Particle Size Particle Size Distribution No data available No data available No data available

# **10. STABILITY AND REACTIVITY**

#### **Reactivity**

No data available.

<u>Chemical stability</u> Stable under recommended storage conditions. <u>Possibility of Hazardous Reactions</u> None under normal processing. <u>Hazardous Polymerization</u> Hazardous polymerization does not occur.

<u>Conditions to avoid</u> None known based on information supplied. <u>Incompatible materials</u> Strong oxidizing agents. Acids. Chlorinated compounds. <u>Hazardous Decomposition Products</u> Carbon oxides.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	· ·
Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Third Party Formulation (TP # 1102591)	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat)4 h
Third Party Formulation (TP # 1102591)	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rabbit)	= 16000 ppm (Rat)8 h
Third Party Formulation (TP # 1102591)	> 15400 mg/kg (Rat)	> 3 g/kg (Rabbit)	-
Third Party Formulation (TP # 1102591)	> 10000 mg/kg (Rat)	= 5 g/kg (Rabbit)	> 41 mg/L (Rat)
Third Party Formulation (TP # 1102591)	> 5000 mg/kg (Rat)	-	-
Third Party Formulation (TP #	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-



1102591)

#### Information on toxicological effects

Symptoms	May cause redness and tearing of the eyes.			
Delayed and immediate effects as well as chronic effects from short and long-term exposure				
Sensitization	No information available.			
Mutagenic Effects	No information available.			
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen. The listed substance(s) has been shown to be carcinogenic in long-term studies only when consumed orally. This is not a relevant route of exposure for this product. This product contains a proprietary material in a non-respirable form. Inhalation of this substance is unlikely to occur from exposure to this product.			

Chemical Name	ACGIH	IARC	NTP	OSHA		
Third Party Formulation (TP # 1102591)	A3	Group 1	Known	Х		
Third Party Formulation (TP # 1102591)		Group 3		Х		
Third Party Formulation (TP # 1102591)		Х				
A3 - Animal Carcinogen IARC (International Agency Group 1 - Carcinogenic to Hur Group 2B - Possibly Carcinog Group 3 - Not Classifiable as t NTP (National Toxicology Pi Known - Known Carcinogen OSHA (Occupational Safety X - Present	nans enic to Humans to Carcinogenicity in Hu <b>rogram)</b>		f Labor)			
Reproductive toxicity	No informati	No information available.				
STOT - single exposure	No informati	No information available.				
STOT - repeated exposure	No informati	No information available.				
Chronic Toxicity	No known e	No known effect based on information supplied.				
Target Organ Effects	Eyes. Respi	Eyes. Respiratory system. Skin. Gastrointestinal tract (GI).				
Aspiration Hazard	No informati	No information available.				
Numerical measures of toxic	ity Product Informa	ation				
The following values are calc	wlated based on ab	optor 2.1 of the CUS door	mont			

#### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 6,300.00 mg/kg ATEmix (dermal) 50,577.00 mg/kg ATEmix (inhalation-dust/mist) 152.50 mg/l ATEmix (inhalation-vapor) 294.74 ATEmix

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Toxic to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Algae Toxicity to Fish		Daphnia Magna (Water	
			Microorganisms	Flea)	
Third Party Formulation (TP		96h LC50: 12.0 - 16.0 mL/L	EC50 = 34634 mg/L 30 min	48h LC50: 9268 - 14221	
# 1102591)		(Oncorhynchus mykiss) 96h	EC50 = 35470 mg/L 5 min	mg/L 48h EC50: = 2 mg/L	
,		LC50: > 100 mg/L	č	24h EC50: = 10800 mg/L	
		(Pimephales promelas) 96h		5	
		LC50: 13400 - 15100 mg/L			
		(Pimephales promelas)			
Third Party Formulation (TP	96h EC50: > 1000 mg/L	96h LC50: > 1400000 µg/L		48h EC50: = 13299 mg/L	
# 1102591)	(Desmodesmus subspicatus)	10			
,	72h EC50: > 1000 mg/L	LC50: = 11130 mg/L			
		(Pimephales promelas) 96h			
	(	LC50: = 9640  mg/L			
		(Pimephales promelas)			
Third Party Formulation (TP				24h EC50: > 5600 mg/L	
# 1102591)					
Third Party Formulation (TP	72h EC50: > 100 mg/L	96h LC50: > 10000 mg/L		48h EC50: = 17 mg/L	
# 1102591)	(Desmodesmus subspicatus)			<b>.</b>	
,	96h EC50: = 50 mg/L	( ,			
	(Desmodesmus subspicatus)				
Third Party Formulation (TP		48h LC50: > 100 mg/L			
# 1102591)		(Oryzias latipes)			
,					
Third Party Formulation (TP	72h EC50: > 100 mg/L	96h LC50: = 8400 mg/L		48h EC50: = 100 mg/L	
# 1102591)	(Desmodesmus subspicatus)	0			
,	· · · · · · · · · · · · · · · · · · ·				
Third Party Formulation (TP		96h LC50: > 10000 mg/L			
# 1102591)		(Lepomis macrochirus)			
,		· · · · · · · · · · · · · · · · · · ·			
Third Party Formulation (TP		96h LC50: 1.0 - 10.0 mg/L	EC50 = 3 mg/L 8 h		
# 1102591)		(Brachydanio rerio)	EC50 = 3 mg/L 120 h		
,		· · · · · · · · · · · · · · · · · · ·			

#### Persistence and Degradability

No information available.

#### **Bioaccumulation**

Chemical Name	Log Pow
Third Party Formulation (TP # 1102591)	-0.32
Third Party Formulation (TP # 1102591)	0.05
Third Party Formulation (TP # 1102591)	6.6
Third Party Formulation (TP # 1102591)	6
Third Party Formulation (TP # 1102591)	6
Third Party Formulation (TP # 1102591)	6

#### Other adverse effects

No information available.



# **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Disposal methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.
Contaminated Packaging	Dispose of contents/containers in accordance with local regulations.

#### California Hazardous Waste Codes 331

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Third Party Formulation (TP # 1102591)	Toxic
	Ignitable
Third Party Formulation (TP # 1102591)	Toxic
	Ignitable
Third Party Formulation (TP # 1102591)	Toxic

# **14. TRANSPORT INFORMATION**

	15. REGULATORY INFORMATION
ADN	Not regulated
ADR	Not regulated
<u>RID</u>	Not regulated
IMDG/IMO Hazard Class	Not regulated N/A
<u>IATA</u> Proper Shipping Name Hazard Class	Not regulated NON REGULATED N/A
ICAO	Not regulated
MEX	Not regulated
TDG	Not regulated
DOT Proper Shipping Name Hazard Class	NOT REGULATED NON REGULATED N/A

International Inventories



TSCA DSL Complies All components are listed either on the DSL or NDSL.

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

#### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Third Party Formulation (TP # 1102591) -		10 - 30	1.0
Third Party Formulation (TP # 1102591) -		1 - 5	1.0
SARA 311/312 Hazard Categories			
Acute Health Hazard	Yes		
Chronic Health Hazard	No		
Fire Hazard	No		

No

No

#### CWA (Clean Water Act)

**Reactive Hazard** 

Sudden release of pressure hazard

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Third Party Formulation (TP # 1102591)		Х		

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Third Party Formulation (TP # 1102591) -	Developmental
Third Party Formulation (TP # 1102591) -	Carcinogen
	Carolinogoli

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Third Party Formulation (TP # 1102591)	Х	Х	Х		Х
Third Party Formulation (TP # 1102591)	Х	Х	Х	Х	
Third Party Formulation (TP # 1102591)	Х	Х	Х		Х



#### International Regulations

#### Mexico

#### National occupational exposure limits

Component	Carcinogen Status	atus Exposure Limits	
Third Party Formulation (TP # 1102591)		Mexico: TWA= 1900 mg/m <sup>3</sup>	
(40 - 70)		Mexico: TWA= 1000 ppm	
Third Party Formulation (TP # 1102591)		Mexico: TWA 400 ppm	
(10-30)		Mexico: TWA 980 mg/m <sup>3</sup>	
		Mexico: STEL 500 ppm	
		Mexico: STEL 1225 mg/m <sup>3</sup>	
Third Party Formulation (TP # 1102591)		Mexico: TWA 3.5 mg/m <sup>3</sup>	
(3-7)		Mexico: STEL 7 mg/m <sup>3</sup>	
Third Party Formulation (TP # 1102591)		Mexico: TWA 5 mg/m <sup>3</sup>	
(1-5)		Mexico: STEL 10 mg/m <sup>3</sup>	

Mexico - Occupational Exposure Limits - Carcinogens

#### Canada

# WHMIS Hazard Class

Not determined

16. OTHER INFORMATION					
NFPA	Health Hazards 2	Flammability 1	Instability 0	Physical and Chemical Hazards	
HMIS	Health Hazards 2	Flammability 0	Physical Hazard 0	Personal Protection X	
Prepared By	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501				
Revision Date Revision Note	06-Jul-20 No inform	15 nation available			

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

#### End of Safety Data Sheet

