



Glance Powerized Professional Glass Cleaner

Version Number: 5

Preparation date: 2017-01-30

1. IDENTIFICATION

Product name: Glance Powerized Professional Glass Cleaner
Product Code: 904553
SDS #: MS0800507
Recommended use: • Glass Cleaner
Uses advised against: Uses other than those identified are not recommended

Manufacturer, importer, supplier: US Headquarters Sealed Air 8215 Forest Point Blvd. Charlotte, NC 28273-5509 Phone: 1-888-352-2249 SDS Internet Address: https://sds.sealedair.com	Canadian Headquarters Sealed Air - Canada 3755 Laird Road Mississauga, Ontario L5L 0B3 Phone: 1-800-668-7171
--	--

Emergency telephone number: 1-800-851-7145; 1-651-917-6133 (Int'l)

2. HAZARDS IDENTIFICATION

Classification for the undiluted product

Flammability Extremely flammable aerosol, Category 1



Signal Word: Danger.

Precautionary Statements

EXTREMELY FLAMMABLE AEROSOL. HEATING MAY CAUSE AN EXPLOSION. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not incinerate. Do not pierce or burn, even after use. Protect from sunlight. Store in a well-ventilated place. Do not expose to temperatures exceeding 50 °C (122 °F) which may cause bursting. Dispose of in accordance with all federal, state and local applicable regulations.

Health hazards not otherwise classified (HHNOC) - Not applicable

Physical hazards not otherwise classified (PHNOC) - Not applicable

Classification for the diluted product @ RTU

This product is intended to be used neat.

Precautionary Statements

Glance Powerized Professional Glass Cleaner

1 of 5



None required.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Classified Ingredients

Ingredient(s)	CAS #	Weight %
Butane	106-97-8	3 - < 5%
2-butoxyethanol	111-76-2	1 - < 3%
Isopropyl alcohol	67-63-0	1 - < 3%
Propane	74-98-6	1 - < 3%
Sodium nitrite	7632-00-0	> 0.1 - < 1%

*Exact percentages are being withheld as trade secret information

4. FIRST AID MEASURES

Undiluted Product:

Eyes: Rinse with plenty of water. If irritation occurs and persists, get medical attention.

Skin: Rinse with plenty of water. If irritation occurs and persists, get medical attention.

Inhalation: No specific first aid measures are required.

Ingestion: Rinse mouth with water.

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed: Not applicable.

Diluted Product:

Eyes: Rinse with plenty of water. If irritation occurs and persists, get medical attention.

Skin: Rinse with plenty of water. If irritation occurs and persists, get medical attention.

Inhalation: No specific first aid measures are required.

Ingestion: Rinse mouth with water.

5. FIRE-FIGHTING MEASURES

Specific methods:

Use water spray to keep fire-exposed containers cool.

Suitable extinguishing media:

Extinguish fire using agent suitable for surrounding fire.

Specific hazards:

NFPA 30B Level 1 Aerosol. Aerosol product - Containers may rocket or explode in heat of fire.

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:

Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area).

Environmental precautions and clean-up methods:

Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling: CONTENTS UNDER PRESSURE. Do not puncture or incinerate. Keep away from open flames, hot surfaces and sources of ignition. Use only with adequate ventilation. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage: NFPA 30B Level 1 Aerosol. Protect from freezing. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 degrees C or 120 degrees F. Exposure to heat may cause bursting. Do not pierce or burn, even after use. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

Aerosol Level (if applicable): Level 1

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

Ingredient(s)	CAS #	ACGIH	OSHA
Butane	106-97-8	1000 ppm (STEL)	-
2-butoxyethanol	111-76-2	20 ppm (TWA)	Skin 50 ppm (TWA) 240 mg/m ³ (TWA)
Isopropyl alcohol	67-63-0	400 ppm (STEL) 200 ppm (TWA)	400 ppm (TWA) 980 mg/m ³ (TWA)
Propane	74-98-6	-	1000 ppm (TWA) 1800 mg/m ³ (TWA)
Sodium nitrite	7632-00-0	-	-

Undiluted Product:

Engineering measures to reduce exposure:

No special ventilation requirements. General room ventilation is adequate.

Personal Protective Equipment

Eye protection: No personal protective equipment required under normal use conditions.
Hand protection: No personal protective equipment required under normal use conditions.
Skin and body protection: No personal protective equipment required under normal use conditions.
Respiratory protection: No personal protective equipment required under normal use conditions.
Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

Diluted Product:

This product is intended to be used neat.

Personal Protective Equipment

Eye protection: No personal protective equipment required under normal use conditions.
Hand protection: No personal protective equipment required under normal use conditions.
Skin and body protection: No personal protective equipment required under normal use conditions.
Respiratory protection: No personal protective equipment required under normal use conditions.
Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Aerosol

Evaporation Rate: No information available

Odor threshold: No information available.

Melting point/range: Not determined

Autoignition temperature: No information available

Solubility in other solvents: No information available

Density: 8.3 lbs/gal 0.9948 Kg/L

Bulk density: No information available

Flash point (°F): -156 °F -104.4 °C

Dilution Flash Point:

Elemental Phosphorus: 0.00 % by wt.

pH: 10.93

Dilution pH: 11.43 @ RTU

Corrosion to metals: Not corrosive

Explosion limits: - upper: Not determined **- lower:** Not determined

Color: Clear Colorless

Odor: Solvent

Boiling point/range: Not determined

Decomposition temperature: Not determined

Solubility: Partially Soluble

Relative Density (relative to water): 0.9948

Vapor density: No information available

Vapor pressure: No information available.

Partition coefficient (n-octanol/water): No information available

Viscosity: No information available

VOC: 8.82 % *

VOC % by wt. at use dilution % *

Flammability (Solid or Gas): Not applicable

Sustained combustion: Not applicable

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY

Reactivity: Not Applicable

Stability: The product is stable

Hazardous decomposition products: None reasonably foreseeable.

Materials to avoid: Do not mix with any other product or chemical unless specified in the use directions.

Conditions to avoid: Extremes of temperature and direct sunlight. Keep away from open flames, hot surfaces and sources of ignition.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Skin contact, Inhalation, Eye contact

Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

Skin contact: May be mildly irritating to skin.

Eye contact: May be mildly irritating to eyes.

Ingestion: No information available.

Inhalation: No information available.

Sensitization: No known effects.

Target Organs (SE): None known

Target Organs (RE): None known

Carcinogen Listings: Isopropyl alcohol is only classified as an IARC 1 carcinogen & OSHA due to possible exposure to sulfuric acid mist that can be generated during its manufacture. We do not manufacture isopropyl alcohol; therefore, it is not considered a carcinogen in our products. The Carcinogen 1B classification for nitrates, nitrites, or their salts is derived from the IARC 2A listing. The IARC 2A listing only relates to situations where nitrates, nitrites or their salts react with nitrosamine precursors in the environment to form nitrosamines or are ingested under conditions that result in endogenous nitrosation. This product is not designed to be ingested, and is rinsed off food contact surfaces prior to use. In addition, this product does not contain any nitrosamine precursors. Therefore, this product will not form nitrosamines under normal use conditions or foreseeable emergencies.

Ingredient(s)	CAS #	NTP	IARC	OSHA	CA Prop 65	CA Prop 65 Reproductive
Isopropyl alcohol	67-63-0		-	-		
Sodium nitrite	7632-00-0		2A			

Numerical measures of toxicity

ATE - Oral (mg/kg): >5000

ATE - Dermal (mg/kg): >5000

ATE - Inhalatory, mists (mg/l): >20

ATE - Inhalatory, vapors (mg/l): >50

12. ECOLOGICAL INFORMATION

Ecotoxicity: No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products (undiluted product): Use up contents if possible before disposal. If possible, recycle empty aerosol cans to the nearest steel recycling center. This product, as sold, if discarded or disposed, is a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Waste from residues / unused products (diluted product): This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

RCRA Hazard Class (undiluted product): D001 Ignitable Waste

RCRA Hazard Class (diluted product): Not Regulated

Contaminated Packaging: Pressurized container: Do not pierce or burn, even after use. Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

DOT/TDG/IMDG: Proper shipping descriptions can vary by pack size. Please refer to the Diversey HazMat Library, <http://naextranet.diversey.com/dot/>, for up to date shipping information.

DOT (Ground) Bill of Lading Description: LTD. QTY.

IMDG (Ocean) Bill of Lading Description: UN1950, AEROSOLS, 2.1, LTD. QTY.

15. REGULATORY INFORMATION

International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

RIGHT TO KNOW (RTK)

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Butane	106-97-8	X	X	X	-
2-butoxyethanol	111-76-2	X	X	X	-
Isopropyl alcohol	67-63-0	X	X	X	-
Propane	74-98-6	X	X	X	-
Sodium nitrite	7632-00-0	X	X	X	X
Ammonia	7664-41-7	X	X	X	X
Ethoxylated secondary alcohol	84133-50-6	-	-	-	-

CERCLA/ SARA

Ingredient(s)	CAS #	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
2-butoxyethanol	111-76-2	1 - < 3%			X
Isopropyl alcohol	67-63-0	1 - < 3%			X
Sodium nitrite	7632-00-0	> 0.1 - < 1%	100		X
Ammonia	7664-41-7	< 0.1%	100	100	X

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
2-butoxyethanol	X		

SARA 311/312 Hazard Categories

Immediate:	-
Delayed:	-
Fire:	X
Reactivity:	-
Sudden Release of Pressure:	X

Canadian Regulations

Ingredient(s)	CAS #	NPRI
2-butoxyethanol	111-76-2	X
Isopropyl alcohol	67-63-0	X
Propane	74-98-6	X
Sodium nitrite	7632-00-0	X

16. OTHER INFORMATION

NFPA (National Fire Protection Association)

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Version Number: 5

Preparation date: 2017-01-30

Reason for revision:	Not applicable
Prepared by:	NAPRAC
Additional advice:	<ul style="list-style-type: none"> • Does not contain an added fragrance • This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.