### **TECHNICAL DATA SHEET**

#### Manufacturer

Name of Company

: Changzhou Anyida Power Technology Co. Ltd

Address

: No.60 Tianshan Road, Xinbei Area,

Changzhou, China

Tel. No

: 051983270441

Ref. No.

: MSDS2017CR

Issued

: 01/JAN/2017

Name of Product

: Lithium/ Manganese Dioxide Cell.

**Chemical System** 

: MnO2/Li

Volts

: 3V.

Model no. & Composition

: PLEASE SEE PAGE 7

### Substance Identification

Substance

: Lithium Metal Cell.

**UN Class** 

: Even classified as Lithium Metal Cell, 2017 IATA dangerous Goods Regulations 58<sup>th</sup> Edition Packing Instruction (PI) 970 section I/II UN3091 is complied. The product is handled as Non-Dangerous Goods

by meeting the following requirements.

1) for Cells, the aggregate lithium content is not

more than 1g,

2) each cell is of the type proven to meet the requirement of each test in the UN Manual of Test

and Criteria Part III subsection 38.3.

 they are out of scope for IATA SP A154 and comply with IATA SP A164. Cells must be packed in strong outer packagings that conform to 4.1.1.1,1.1.3.1 and 1.1.10 (except 1.1.10.1)

### **Hazardous and Toxicity Class**

Class Name : Not applicable for regulated class.

Hazard : It may cause heat generation or electrolyte leakage

If battery terminate contact with other metals,
Electrolyte is flammable. In case of electrolyte
Leakage, move the cell from fire immediately.

Toxicity: Vapor generated from burning cells, may make

Eyes, skin and throat irritate.

### **First Aid Measures**

The product contains organic electrolyte, in case of electrolyte leakage from the cell, actions described below are required.

Eye contact : Flush the eyes with plenty of clean water for at least

15 minutes immediately, without rubbing. Take a Medical treatment. If appropriate procedures are not

taken, this may cause an eye irritation.

Skin contact : Wash this contact areas off immediately with plenty

of water and soap. If appropriate procedures are

not taken, this may cause sores on the skin.

Inhalation : Remove to fresh air immediately. Taken a medical

treatment.

### **Fire Fighting Measures**

Extinguishing method : Since vapor, generated from burning cells may

make eyes, nose and throat irritate, be sure to extinguish the fire on the windward side. Wear the

respiratory protection equipment in some cases.

Fire extinguishing agent :Dry chemical, alcohol-resistant form, carbon

dioxide and plenty of water area effective.

### Measures for electrolyte leakage from cell

- Take up with absorbent cloth.
- Move the cell away from the fire.

### **Handling and Storage**

- When packing the cells, do not allow cell terminates to contact each other, or contact with other metals. Be sure to pack cells by providing in the packaging box, or in a separate plastic bag so that the single cells are not mixed together.
- 2. Use strong materials for packaging boxes so that they will not be damaged by vibration, impact, dropping and stacking during their transportation. (1) (2) (3)
- 3. Do not let water penetrate into packaging boxes during their storage and transportation.
- 4. The cells will be stored at room temperature.
- Do not store the cell in places of the high temperature exceeding 35 deg. C or under direct sunlight or in front of a stove. Please also avoid the places of high humidity. Be sure not to expose the cell to condensation, water drop or not to store it under frozen condition.
- 6. Cells are sure to be packed in such a way to prevent short circuits under conditions normally encountered in transport. (1) (2) (3)
- 7. Please avoid storing the cell in the places where it is exposed to the electricity so that no damage will not be caused to the protection circuit of the cell pack.

#### Accidental release measures

Personal precautions: Notify safety personnel of large spills. Caustic potassium hydroxide may be released from leaking or ruptured cells. Avoid eye or skin contact and inhalation of vapours.

Increase ventilation. Clean up personnel should wear appropriate protective gear.

Environmental precautions: Not applicable Methods for cleaning up: Not applicable

### Physical and chemical properties

Form and Colour: Lithium Metal Cell. Contents dark in colour.

Odour: Not applicable

Change in physical state

Melting point/melting range: Not

available Boiling point/boiling range: Not available Flash point: Not applicable

Explosion limits: Not available

Ignition temperature: Not available Vapour pressure: Not available Specific Gravity: Not available

% Volatiles: Not available

Solubility in water: Not applicable Solubility in other solvents: Not applicable pH value: Not applicable

Octanol/water partition coefficient (log POW): Not available

Viscosity: Not available

### Toxicological information

Toxicity information is available on the cell ingredients noted in Substance Identification but, generally not applicable to intact cells. Chronic

Health Effects: Not applicable to intact cell.

### **Ecological information**

None available regarding product. The cells are non-dangerous goods (Non-hazardous & Non-flammable).

### Exposure Control (in case of electrolyte leakage from the battery)

Acceptable concentration

: Not specified in ACGIH (4)

**Facilities** 

: Provide appropriate ventilation system such as

local ventilator in the storage place.

Protective

: Gas mask for organic gases, safety goggle,

safety gloves.

### Stability and Reactivity

Since cells utilize a chemical reaction they are actually considered a chemical product. As such, cell performance will deteriorate over time even if stored for a long period of time without being used. In addition, the various usage conditions such as charge, discharge, ambient temperature etc are not maintained within the specified ranges the life expectancy of the battery may be shortened or the device in which the cell is used may be damaged by electrolyte leakage.

### Disposal Considerations (Precautions for recycling)

- When the cell is worn out, dispose of it under the ordinance of each local government or the low issued by relating government.
- Disposal of the worn-out cell may be subjected to Collection and Recycling Regulation.

### **Transportation Information**

- During the transportation of a large amount of cells by ship, trailer or railway, do
  not leave them in the place of high temperatures and do not allow them to be
  exposed to condensation.
- During the transportation do not allow packages to be fallen down or damaged.
- Lithium metal cells identified by manufacturer as being defective for safety reasons, or that have been damaged, that have the potential of producing a dangerous evolution of heat, fire or short circuit are forbidden for transport (e.g. those being returned to the manufacturer for safety reasons).
- Except when installed in equipment, for air shipment that contain one or more cells, they are necessary to meet the following items
  - 1. Each consignment must be accompanied with a document such as air waybill with an indication that:
- the package contains lithium metal cell.
- the package must be handled with care and that a flammability hazard exists if the package is damaged:
- special procedures should be followed in the event the package is damaged, to

include inspection and repacking necessary; and

- a trlephone number for additional information.
  - 2. Each package must be labeled with a lithium metal cell handing label and a cargo aircraft only label.
    - \*The width 120mm\*length 110mm sized lithium metal cell handling label must be labeled onto the side of a package without bending it.
  - 3. Each package must be capable of withstanding a 1.2m drop test in any orientation.
- damage to cells contained therein:
- shifting of the contents so as to allow cell to cell contact:
- release of contents.
  - 4. Quantity per package shall not exceed 2.5kg.
  - 5. Each package containing more than four cells installed in equipment must be complied with above item 1 and 2.
- each cell is of the type proven to meet the requirement of each test in tge UN Manual of Test and Criteria Par III subsection 38.3. The goods are packaged according to the packaging instruction 970 section I / II on Cargo Aircraft Only. Recommendations on the transpot of dangerous goods Model Regulations, IATA-DGR(58th Edition-P1970) or IMDG Special Provision 188:

### Regulatory information

- IATA DANGEROUS GOODS REGULATIONS 58th Edition 2017.
- IMDG Dangerous Goods Regulations
- ICAO Technical Instructions for the safe transport of dangerous goods by air, 2017 edition.

#### Others

#### References

- UN Recommendations on the Transportation of Dangerous Model Regulations (ST/SG/AC.10/1/Rev.11)
- 2. Federal Register/Vol.65, No. 174/Thursday, September 7,2000/ Notice.
- 3. IATA DANGEROUS GOODS REGULATIONS 58th Edition 2017,
- 4. TLVs and BELs 1999 ACGIH

If transport condition accords with special provision A154& A164 of IATA-DGR or special provision 188 of IMO-IMDG, it is not recognized as Dangerous Goods, This shipment does not contain recalled/defective battery or cell and meeting special provision A154& A164 of DGR.

REMARK: Consignments have to be handled with care. Flammability Hazard exists if the package is damaged, to include inspection and repacking if necessary; Special Procedure should be followed in the event the package is damaged. In case of fire in an adjacent area, use water, CO2 or dry chemical. (Measures for electrolyte leakage from cell: take up with absorbent cloth & move the cell away from the fire)



Version 1.0 SDS Number: 400000005392 Revision Date: 05/23/2017

### **SECTION 1. IDENTIFICATION**

Product name : PURELL® Healthcare HEALTHY SOAP™ 2.0% CHG

Antimicrobial Foam

Manufacturer or supplier's details

Company name of supplier : GOJO Industries, Inc.

Address : One GOJO Plaza, Suite 500

Akron, Ohio 44311

Telephone : 1 (330) 255-6000

Emergency telephone

number

: 1-800-424-9300 CHEMTREC

Recommended use of the chemical and restrictions on use

Recommended use

Pharmaceutical

#### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Skin irritation : Category 2

Serious eye damage : Category 1

Carcinogenicity : Category 2

**GHS** label elements

Hazard pictograms





Signal word : Danger

Hazard statements : H315 Causes skin irritation.

H318 Causes serious eye damage. H351 Suspected of causing cancer.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.



Version 1.0 SDS Number: 40000005392 Revision Date: 05/23/2017

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P332 + P313 If skin irritation occurs: Get medical advice/

attention.

P362 Take off contaminated clothing and wash before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

### **Hazardous components**

Chemical name	CAS-No.	Concentration (%)
Isopropyl Alcohol	67-63-0	>= 1 - < 5
Proprietary Component 1	Not Assigned	>= 1 - < 5
Proprietary Component 2	Not Assigned	>= 1 - < 5
Chlorhexidine Digluconate	18472-51-0	>= 1 - < 5

### **SECTION 4. FIRST AID MEASURES**

: In the case of accident or if you feel unwell, seek medical General advice

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.

Get medical attention if irritation develops and persists.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Seek medical advice.

If swallowed : Do NOT induce vomiting.

> Rinse mouth with water. Obtain medical attention.

Most important symptoms

and effects, both acute and

delayed

: Causes serious eye damage.

Causes skin irritation.

May be harmful if swallowed.



Version 1.0 SDS Number: 400000005392 Revision Date: 05/23/2017

**SECTION 5. FIREFIGHTING MEASURES** 

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

media

: None known.

Hazardous combustion

products

: Carbon oxides

Nitrogen oxides (NOx)

Specific extinguishing

methods

: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Ensure adequate ventilation. Evacuate personnel to safe areas.

Keep people away from and upwind of spill/leak.

Material can create slippery conditions.

Environmental precautions

Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

Clean contaminated floors and objects thoroughly while

observing environmental regulations.

### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : For personal protection see section 8.

Avoid contact with eyes.

Keep container closed when not in use.

Conditions for safe storage : Keep in properly labelled containers.



Version 1.0 SDS Number: 400000005392 Revision Date: 05/23/2017

Keep container tightly closed in a dry and well-ventilated

place.

Store in accordance with the particular national regulations.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Isopropyl Alcohol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1

### **Biological occupational exposure limits**

Components	CAS-No.	Control parameters	Biological specimen	Samplin g time	Permissible concentratio n	Basis
Isopropyl Alcohol	67-63-0	Acetone	Urine	End of shift at end of workwee k	40 mg/l	ACGIH BEI

### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

Hand protection

Remarks : No special protective equipment required.

Eye protection : No special protective equipment required.

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : No special protective equipment required.

Protective measures : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Ensure that eye flushing systems and safety showers are

located close to the working place.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

Avoid contact with eyes.



Version 1.0 SDS Number: 400000005392 Revision Date: 05/23/2017

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : colourless

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/range : No data available

Boiling point/boiling range : 97 °C

Flash point : > 93.3 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 1.06 g/cm3

Solubility(ies)

Water solubility : soluble

Auto-ignition temperature : not determined

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.

Conditions to avoid : Heat.



Version 1.0 SDS Number: 400000005392 Revision Date: 05/23/2017

Incompatible materials : None known.

Hazardous decomposition

products

: Ammonia

Hydrogen chloride gas Nitrogen oxides (NOx)

Carbon oxides

### **SECTION 11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

### **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

Method: Calculation method

**Components:** 

Isopropyl Alcohol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 72.6 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

**Chlorhexidine Digluconate:** 

Acute oral toxicity : LD50 Oral (Rat): 2,000 mg/kg

Acute toxicity estimate: 500 mg/kg

Acute dermal toxicity : Median lethal dose (Rabbit): 2,000 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Components:

**Isopropyl Alcohol:** Species: Rabbit

Result: No skin irritation

**Proprietary Component 1:** 

Assessment: Causes burns.

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Isopropyl Alcohol:



Version 1.0 SDS Number: 400000005392 Revision Date: 05/23/2017

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

**Chlorhexidine Digluconate:** 

Assessment: Risk of serious damage to eyes.

Remarks: Risk of serious damage to eyes., Severe eye irritation

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

**Components:** 

Isopropyl Alcohol: Test Type: Buehler Test

Exposure routes: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: negative

Germ cell mutagenicity

Not classified based on available information.

**Components:** 

**Isopropyl Alcohol:** 

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay)
Test species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Carcinogenicity

Suspected of causing cancer.

Components:

**Isopropyl Alcohol:** 

Species: Rat

Application Route: inhalation (vapour)

Exposure time: 104 weeks

Method: OECD Test Guideline 451

Result: negative

IARC Group 2B: Possibly carcinogenic to humans

**Proprietary Component 2** 

ACGIH No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.



Version 1.0 SDS Number: 400000005392 Revision Date: 05/23/2017

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

### Reproductive toxicity

Not classified based on available information.

#### Components:

Isopropyl Alcohol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

**Application Route: Ingestion** 

Result: negative

Effects on foetal : Test Type: Embryo-foetal development

development Species: Rat

Application Route: Ingestion

Result: negative

### STOT - single exposure

Not classified based on available information.

### Components:

### **Isopropyl Alcohol:**

Assessment: May cause drowsiness or dizziness.

### STOT - repeated exposure

Not classified based on available information.

### Repeated dose toxicity

### Components:

### **Isopropyl Alcohol:**

Species: Rat NOAEL: 5000 ppm

Application Route: inhalation (vapour)

Exposure time: 104 w

Method: OECD Test Guideline 413

### **Proprietary Component 1:**

Repeated dose toxicity - : Causes severe skin burns and eye damage.

Assessment

### **Chlorhexidine Digluconate:**

Repeated dose toxicity - : Causes serious eye damage.

Assessment

### **Aspiration toxicity**

Not classified based on available information.



Version 1.0 SDS Number: 400000005392 Revision Date: 05/23/2017

### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

Components:

**Isopropyl Alcohol:** 

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): > 10,000 mg/l

Exposure time: 24 h

Toxicity to bacteria : EC50 (Pseudomonas putida): > 1,050 mg/l

Exposure time: 16 h

**Proprietary Component 2:** 

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 3.6 mg/l

Exposure time: 96 h
Test Type: semi-static test

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 4.2 mg/l

Exposure time: 24 h

**Chlorhexidine Digluconate:** 

Toxicity to fish : (Fish): 2.08 mg/l

Toxicity to daphnia and other

aquatic invertebrates

: (Daphnia magna (Water flea)): 0.087 mg/l

Toxicity to algae : (Chlorella pyrenoidosa (aglae)): 0.081 mg/l

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Persistence and degradability

**Components:** 

Isopropyl Alcohol:

Biodegradability : Result: rapidly degradable

**Chlorhexidine Digluconate:** 

Biodegradability : Result: Not readily biodegradable.

**Bioaccumulative potential** 

**Components:** 

**Isopropyl Alcohol:** 

Partition coefficient: n-

: log Pow: 0.05

octanol/water

**Chlorhexidine Digluconate:** 



Version 1.0 SDS Number: 400000005392 Revision Date: 05/23/2017

Bioaccumulation : Bioconcentration factor (BCF): 42

**Mobility in soil**No data available

Other adverse effects

No data available

**Product:** 

Regulation 40 CFR Protection of Environment; Part 82 Protection of

Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a

Class I or Class II ODS as defined by the U.S. Clean Air Act

Section 602 (40 CFR 82, Subpt. A, App.A + B).

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

### **SECTION 14. TRANSPORT INFORMATION**

### International Regulation

IATA-DGR

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

**National Regulations** 

49 CFR

Not regulated as a dangerous good

### **SECTION 15. REGULATORY INFORMATION**

### **EPCRA - Emergency Planning and Community Right-to-Know Act**

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Chronic Health Hazard

Acute Health Hazard



Version 1.0 SDS Number: 400000005392 Revision Date: 05/23/2017

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313:

Isopropyl Alcohol 67-63-0 4.9999 %

67-63-0

1 - 5 %

#### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Isopropyl Alcohol 67-63-0 4.9999 %

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

### Massachusetts Right To Know

Isopropyl Alcohol

Pennsylvania Right To Know		
Water (Aqua)	7732-18-5	90 - 100 %
Isopropyl Alcohol	67-63-0	1 - 5 %
Proprietary Component 1	Not Assigned	1 - 5 %
Proprietary Component 2	Not Assigned	1 - 5 %
Proprietary Component 3	Not Assigned	1 - 5 %
Proprietary Component 4	Not Assigned	1 - 5 %

### **New Jersey Right To Know**

Water (Aqua)	7732-18-5	90 - 100 %
Isopropyl Alcohol	67-63-0	1 - 5 %
Proprietary Component 1	Not Assigned	1 - 5 %
Proprietary Component 2	Not Assigned	1 - 5 %
Proprietary Component 3	Not Assigned	1 - 5 %
Proprietary Component 4	Not Assigned	1 - 5 %

California Prop 65 WARNING! This product contains a chemical known to the

State of California to cause cancer.

Proprietary Component 2 Not Assigned

### The components of this product are reported in the following inventories:

CH INV : On the inventory, or in compliance with the inventory



Version 1.0	SDS Number: 40000005392	Revision Date: 05/23/2017
TSCA	: On TSCA Inventory	
DSL	: All components of this product are	on the Canadian DSL.
AICS	: On the inventory, or in compliance	with the inventory
NZIoC	: On the inventory, or in compliance	with the inventory
ENCS	: On the inventory, or in compliance	with the inventory
ISHL	: On the inventory, or in compliance	with the inventory
KECI	: On the inventory, or in compliance	with the inventory
PICCS	: On the inventory, or in compliance	with the inventory
IECSC	: On the inventory, or in compliance	with the inventory


### **Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

### **SECTION 16. OTHER INFORMATION**

### **Further information**

### NFPA:



Special hazard.

### HMIS III:

HEALTH	2*
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

**Revision Date** : 05/23/2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.