Effective Date : 27/04-2015

Trade Name : Alkaline Manganese Button Cell (Mercury Free)-Cell

1 Identification
------------------

Product identifier

• Trade name : A	lkaline Mang	ganese	Button Cell (Mercury Free)-Cell		
. Item No.:					
			2F、L1131F、L1121F、L936F、L926F、L921F、L754F、		
L736F、L726F、L721F、L626F、L621F、L526F、L521F Recommended use of the chemical and restrictions on use :					
			preparation : Electronic products		
• Details of the su		-			
. Manufacturer/S		~			
	CHUNG PAK BATTERY WORKS LIMITED				
CHUNG PAK (	CHUNG PAK (GUANG DONG) BATTERY INDUSTRIAL CO., LTD				
• Full address :					
			AL BUILDING, 2 CHO YUEN STREET, YAU TONG		
BAY, KOWLO	,				
			ROAD CHEN CUN COUNTY SHUNDE DISTRICT		
		ONG	PROVINCE CHINA		
Phone number	•				
852-27171338 Fax : 852 2772 7					
• Email : <u>dylan.ca</u>		com			
• Other US conta			ble		
• Further inform	-				
CHUNG PAK B					
CHUNG PAK (	CHUNG PAK (GUANG DONG) BATTERY INDUSTRIAL CO., LTD				
• Emergency tele					
USA Poison Cer	nter Tel: +1 80	0 222	1222		
+86-757-233123	+86-757-23312338 Dylan				
• Remark :					
-	-		d as article and is out of scope of a SDS as set out in 29 CFR Part		
1910.1200. Thi	is SDS is gene	rated f	for client's reference only.		
	4 ° C° 4 °				
2 Hazard(s) ide			• ,		
Classification of Classificatication of Classification of Classification of Classification of Cla			nixture azard Communication Standard (29 CFR 1910.1200)		
	cording to OS	папа	azard Communication Standard (29 CFR 1910.1200)		
GI GI	HS05 Corrosio	'n			
		/11			
Skin Corr.	1A H	I314	Causes severe skin burns and eye damage.		
Eye Dam.		I318	Causes serious eye damage.		
			causes serious eye auniage.		
	HS07				
	1507				
Acute Tox.	4 H	1302	Harmful if swallowed.		
Acute Tox.		1332	Harmful if inhaled.		
			hazards for human and environment :		
	<b>.</b>		to the calculation procedure of OSHA Hazard Communication		
Standard (29 CF					
Classification s					

The classification is according to the latest edition of OSHA Hazard Communication Standard (29 CFR 1910.1200), and extended by company and literature data.

Effective Date : 27/04-2015

Trade Name : Alkaline Manganese Button Cell (Mercury Free)-Cell

	(Contd. on page 1)
Label elements	
	ng to OSHA Hazard Communication Standard (29 CFR 1910.1200)
• Hazard pictogram	18
GHS05 GHS07	7
• Signal word : Dan	
	ing components of labeling :
manganese dioxide	
potassium hydroxid	
Hazard statement	
H302+H332	Harmful if swallowed or if inhaled.
H314	Causes severe skin burns and eye damage.
Precautionary sta	tements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P260	Do not breathe dusts or mists.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local / regional / national / international regulations.
Hazards not other	rwise classified (HNOC) No further relevant information available

• Hazards not otherwise classified (HNOC) No further relevant information available.

#### **3** Composition / information on ingredients

Chemical characterization: Mixtures

• Description:

Mixture of the substances listed below with nonhazardous additions. For the wording of listed risk phrases refer to section 16.

Composition:		
1313-13-9	manganese dioxide	25.1-29.7%
	• Acute Tox.4, H302; Acute Tox. 4, H332	
7439-89-6	iron	40.2-48%
7440-66-6	zinc	9-10.7%
7732-18-5	water	4.57-5.96%
1310-58-3	potassium hydroxide	3.72-4.88%
	Skin Corr. 1A, h314; CAcute Tox. 4, H302	
7440-50-8	copper	0.03-0.04%
7782-42-5	Graphite	3.43-4.12%
25038-54-8	Polyamide 6	1.61-2.2%
9004-34-6	Cellulose	0.35-0.88%
7440-02-0	nickel	1.48-1.57%
1314-13-2	zinc oxide	0.37-0.62%
9003-04-7	Sodium Polyacrylic Acid	0.1-0.2%
9003-01-4	Polyacrylic Acid	0.02-0.08%
		(Contd. on page 3)

Effective Date : 27/04-2015

#### Trade Name : Alkaline Manganese Button Cell (Mercury Free)-Cell

		(Contd. on page 2)	
21645-51-2	aluminium hydroxide	0.05-0.08%	
7789-23-3	potassium fluoride	0.05-0.1%	
20661-21-6	indium hydroxide	0.05-0.1%	
• Remark : zinc (CAS: 7440-66-6) Note: Zn manganese dioxide (CAS: 1313-13-9) Note: MnO <sub>2</sub>			
	ide (CAS: 1310-58-3)		
Graphite (CAS: 7' Note: Carbon(C)	782-42-5)		
copper(CAS: 744 Note: Cu	0-50-8)		
iron (CAS: 7439-8 Note: Fe	89-6)		
water (CAS: 7732 Note: H <sub>2</sub> O	-		
Cellulose (CAS: 9 Note: Paper	•		
nickel (CAS: 744) Note: Ni	0-02-0)		
zinc oxide (CAS: 1314-13-2) Note: ZnO			
aluminium hydrox Note: Al(OH) <sub>3</sub>	kide(CAS: 21645-51-2)		
potassium fluoride (CAS: 7789-23-3) Note: KF			
indium hydroxide Note: In(OH) <sub>3</sub>	CAS: 20661-21-6)		
<ul> <li>4 First-aid measures</li> <li>Description of first aid measures</li> <li>General description:</li> <li>Immediately remove any clothing soiled by the product</li> </ul>			

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly. Then consult a doctor.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

Effective Date : 27/04-2015

#### Trade Name : Alkaline Manganese Button Cell (Mercury Free)-Cell

(Contd. on page 3)

#### 5 Fire-fighting measures

#### Suitable extinguishing agents:

- CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture: No further relevant information available.
- Special protective equipment and precautions for firefighters
- Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures: Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/surface or ground water.

### • Methods and material for containment and cleaning up: Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

#### 7 Handling and storage

Precautions for safe handling:

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

- Information about protection against explosions and fires: No special measures required.
- . Storage:
- . Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles: No special requirements.
- . Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s): No further relevant information available.

#### 8 Exposure controls / personal protection

Components with limit values that require monitoring at the workplace:				
1313-13-9 m	1313-13-9 manganese dioxide (25.1-29.7%)			
PEL (USA)	Ceiling limit value: 5mg/m <sup>3</sup>			
	as Mn			
REL (USA)	Short-term value: 3mg/m <sup>3</sup>			
	Long-term value: 1mg/m <sup>3</sup>			
	as Mn			
TLV (USA)	Long-term value: 0.02*0.1* mg/m <sup>3</sup>			
	as Mn; * respirable **inhalable fraction			
1310-58-3 ро	1310-58-3 potassium hydroxiede (3.72-4.88%)			
REL (USA)	Ceiling limit value: 2mg/m <sup>3</sup>			
TLV(USA)	Ceiling limit value: 2mg/m <sup>3</sup>			
7440-50-8 co	7440-50-8 copper (0.03-0.04%)			
PEL (USA)	Long-term value: 1*0.1**mg/m <sup>3</sup>			
	as Cu *dusts and mists **fume			
REL (USA)	Long-term value: 1*0.1**mg/m <sup>3</sup>			
	as Cu *dusts and mists **fume			
TLV(USA)	Long-term value: 1*0.2**mg/m <sup>3</sup>			
	*dusts and mists **fume; as Cu			
	(Contd. on page 5)			

Effective Date : 27/04-2015

Trade Name : Alkaline Manganese Button Cell (Mercury Free)-Cell

	(Contd. on page 4)		
7782-42-5 Graphit	7782-42-5 Graphite (3.43-4.12%)		
PEL (USA)	Long-term value: 15mppcf*mg/m <sup>3</sup>		
	*impinge samples counted by light field techn.		
REL (USA)	Long-term value: 2.5mg/m <sup>3</sup>		
	*respirable dust		
TLV(USA)	Long-term value: 1*0.2**mg/m <sup>3</sup>		
	all forms except graphite fibers; *resp. fraction		
9004-34-6 Cellulos	9004-34-6 Cellulose (0.35-0.88%)		
PEL (USA)	Long-term value: 15* 5** mg/m <sup>3</sup>		
	*total dust **respirable fraction		
REL (USA)	Long-term value: 10* 5** mg/m <sup>3</sup>		
	*total dust **respirable fraction		
TLV(USA)	Long-term value: 10mg/m <sup>3</sup>		

- Additional information: The lists that were valid during the creation were used as basis.
- Based on the composition shown in Section 3, the following measures are suggested for occupational safety measure.
- Appropriate engineering controls: Wash clothing and shoes before reuse. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. See Section 7 for information about design of technical facilities.

#### . Personal protective equipment:

#### • Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands :



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material:** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

Effective Date : 27/04-2015

#### Trade Name : Alkaline Manganese Button Cell (Mercury Free)-Cell

	(Contd. on page 5)
9 Physical and chemical properties	
General Information	
Appearance:	
Form:	Solid
Color:	Silvery
• Odor:	Odorless
Odour threshold:	Not available
• pH-value:	Not available
Change in condition	
Melting point/ Melting range:	Not available
Freezing point:	Not available
<b>Boiling point/ Boiling range:</b>	Not available
• Flash point:	Not available
Flammability (solid, gaseous):	Not available
Auto-Ignition temperature:	Not available
Decomposition temperature:	Not available
Explosion limits:	
Lower:	Not available
Upper:	Not available
Vapor pressure:	Not available
• Density:	Not available
Relative density:	Not available
• Vapour density:	Not available
Evaporation rate:	Not available
Solubility in/ Miscibility with	
Water:	Not available
Partition coefficient (n-octanol/water)	Not available
Viscosity:	
Dynamic:	Not available
Kinematic:	Not available
Other information	Voltage 1.5V

#### 10 Stability and reacivity

- Reactivity: Data not available
- Chemical stability: Stable under normal operating and storage conditions.
- Possibility of hazardous reactions: No dangerous reactions known.
- Conditions to avoid: No further relevant information available.
- . Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

• Acute toxicity:

. LD/LC50 values that are relevant for classification:

#### 1310-58-3 potassium hydroxide

Oral | LD50 | 273 mg/kg (rat)

(Contd. on page 7)

Effective Date : 27/04-2015

Trade Name : Alkaline Manganese Button Cell (Mercury Free)-Cell

(Contd. on page 6)

#### 7439-89-6 iron

Oral LD50 30000 mg/kg (rat)

9004-34-6 Cellulose

Oral LD50 > 5000 mg/kg (rat)

#### • Primary irritant effect:

- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye: Strong caustic effect.
- Sensitization: No sensitizing effects known.

#### Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

#### Carcinogenic categories

#### . IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

#### . NTP (National Toxicology Program)

None of the ingredients is listed.

#### . OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### 12 Ecological information

- Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability: No further relevant information available.
- Bioaccumulative potential: No further relevant information available.
- Mobility in soil: No further relevant information available.
- Other adverse effects: No further relevant information available.

#### 13 Disposal considerations

- Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN3028
Batteries, dry, containing potassium hydroxide solid
BATTERIES, DRY, CONTAINING POTASSIUM
HYDROXINDE, SOLID
•

(Contd. on page 8)

Trade Name : Alkaline Manganese Button Cell (Mercury Free)-Cell

	(Contd. on page 7
Transport hazard class (es)	
• DOT	
• Class	8 Corrosive substances
• Label	8
. IMDG,IATA	
E D	
• Class	8 Corrosive substances
• Label	8
Packing group	
.DOT, IMDG, IATA	Not applicable
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
• EMS Number:	F-A, S-B
Segregation groups	Alkalis
• Transport in bulk according to Annex II of	
MARPOL 73/78 and the IBC Code	Not applicable
• UN "Model Regulation"	UN3028, Batteries, dry, containing potassium
<u> </u>	hydroxide solid, 8

#### 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
Sara

• Section 335 (extremely hazardous substances): None of the ingredients is listed.

#### • Section 313 (specific toxic chemical listings):

1313-13-9	manganese dioxide
7440-50-8	copper

TSCA (Toxic Substances Control Act):			
1313-13-9	manganese dioxide		
7439-89-6	iron		
7732-18-5	water		
1310-58-3	potassium hydroxide		
7440-50-8	copper		
7782-42-5	Graphite		
9004-34-6	Cellulose		

(Contd. on page 9)

Effective Date : 27/04-2015

#### Trade Name : Alkaline Manganese Button Cell (Mercury Free)-Cell

(Contd. on page 8)

D II

D

#### Proposition 65

• Chemical known to cause cancer: None of the ingredients is listed.

#### Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

#### . Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

#### . Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### Cancerogenity categories

#### • EPA (Environmental Protection Agency)

1313-13-9 manganese dioxide

7440-66-6 zinc

7440-50-8 copper

#### • TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

#### • NIOSH-Ca (National Institution for Occupational Safety & Health)

None of the ingredients is listed.

#### 16 Other information NFPA ratings (scale 0-4) Health = 3Fire = 0Reactivity = 0• HMIS ratings (scale 0-4) HEALTH 4 Health = 4FIRE 0 Fire = 0Reactivity = 0REACTIVITY 0 Relevant phrases H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H332 Harmful if inhaled.

The contents and format of this SDS are in accordance with 29 CFR 1910.1200 (g)

#### DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in anyway connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Effective Date : 27/04-2015

Trade Name : Alkaline Manganese Button Cell (Mercury Free)-Cell

(Contd. on page 9)

Remark:

\*This sample is likely to be classified as article and is out of scope of a SDS as set out in 29 CFR Part 1910.1200. This SDS is generated for client's reference only.

#### Date of preparation/last revision 2015.04.27/-

#### Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
Acute Tox. 4: Acute toxicity, Hazard Category 4
Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A
Eye Dam . 1: Serious eye damage/eye irritation, Hazard Category 1

End of document