SAFETY DATA SHEET

Date of Issue : March 1, 2017

SDS No. : AI-017 :001 Version



1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

This product is a writing instrument to be recognized as Article.

1.1. Identification of the substance or mixture

Product name : SCA Makers : SCA-UF-R/L-A Product code

SCA-UF-NP-BL-R-A

: SC-UF-R(USA)/L(USA) Mixture name 1.2. Use of the mixture : Ink for writing instrument

1.3. Company identification e-mail address

Name of manufacture

: PILOT Corporation

/supplier Address

: 6-21, Kyobashi 2-chome, Chuo-ku, Tokyo, 104-8304, Japan

Telephone number

: 03-3538-3700 Working hours (from 09.00am to 05.30pm)

Facsimile number

03-3538-3909

E-mail address

international@pilot.co.jp

2. HAZARDS IDENTIFICATION

2.1. GHS Classification of the substance or mixture

Physical hazards

Flammable Liquids Category 2 (SC-UF-R(USA))

Category 3

(SC-UF-L(USA))

Health hazards

Skin corrosion/irritation Category 3 Eye damage/irritation Category 1

Specific target organ toxicity : Category 3 (narcotic effects)

(SC-UF-R(USA)) (single exposure) Category 3 (respiratory irritation)

2.2. GHS label elements

Hazard pictograms



Signal word Danger

Hazard statements

H225 : Highly flammable liquid and vapor (SC-UF-R(USA)) : Flammable liquid and vapor (SC-UF-L(USA)) H226

: Causes mild skin irritation H316 H318 Causes serious eve damage

(SC-UF-R(USA)) H335 : May cause respiratory irritation

H336 May cause drowsiness or dizziness

Precautionary statements

Prevention

P210 : Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P233 : Keep container tightly closed.

P240 : Ground and bond container and receiving equipment.

P241 : Use explosion-proof equipment.

P242 : Use non-sparking tools.

P243 : Take action to prevent static discharges.

P261 : Avoid breathing mist/vapours.

P271 : Use only outdoors or in a well-ventilated area.

P280 : Wear protective gloves/protective clothing/eye protection/face

protection.

Response

P303+P361+P353 : IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water [or shower].

P304+P340 : IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P305+P351+P338 : IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call doctor.

P312 : Call a POISON CENTER/doctor, if you feel unwell.
P332+P313 : If skin irritation occurs: Get medical advice/attention.

P370+P378 : In case of fire: Use foam, dry, chemical powder or carbon dioxide to

extinguish.

Storage

P403+P233 : Store in dry place. Store in a closed container.

P403+P235 : Store in well-ventilated place. Keep cool.

P405 : Store locked up.

Disposal

P501 : Dispose of contents/container in accordance with

local/regional/national/international regulations.

2.3. Other hazards : None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance or mixture :

Ingredients and composition

: Mixture

Ingredients	CAS Number	Weight %	Component
1-Methoxypropan-2-ol	107-98-2	69-79	All colors
1-Propanol	71-23-8	10	SC-UF-R(USA)
3-Methoxy-3-methylbutan-1-ol	56539-66-3	5.0	All colors
Red dye	Non Public	8.0	SC-UF-R(USA)
Blue dye	Non Public	7.0	SC-UF-L(USA)

Product Name: SCA Makers SDS No.: AI-017 Page 3/6

4. FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation : Remove subject to ventilated fresh air. Consult physician if necessary.

Ingestion : Refer for medical attention.

Skin contact : Wash the affected area under tepid running water using a mild soap.

And refer for medical attention if irritation continues.

Eye contact : Gently rinse the affected eyes with clean water for at least 15 minutes.

And refer for medical attention if irritation continues.

First aid facilities : Ensure eyewash and water service are available.

4.2. Most important symptoms and effects, both acute and delayed

Ink contact with skin may cause irritation, swelling or redness.

4.3. Indication of any immediate medical attention and special treatment needed

In case of skin or eye contamination treat as under First Aid Measures.

5. FIRE-FIGHTING MEASURES

5.1. Suitable extinguishing media

: In case of fire, use foam, dry, chemical powder or carbon dioxide.

5.2. Specifc hazards arising from the substance or mixture

: CO₂, CO, NO_x, and SO_x, is produced after combustion.

5.3. Special protective equipment and precautions for fire-fighters

: None

6. ACCIDENTAL RELEASE MEASURES

- 6.1. Personal precautions, protective equipment and emergency procedures
 - : Use proper ventilation. Use eye and skin protection.
- 6.2. Environmental precautions
 - : Do not dispose of waste to the sewer.
- 6.3. Methods and material for containment and cleaning up
 - : Absorb spill with material (cloth or paper), then place in a chemical waste containers.

7. HANDLING AND STORAGE

- 7.1. Precautions for safe handling
 - : Avoid rough handling or dropping.

Wear protective gloves/protective clothing/eye protection/face protection.

- 7.2. Conditions for safe storage, including any incompatibilities
 - : Store in a dry, cool, well-ventilated location, away from possible all source of ignition.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits

Component	Threshold limit values	
	ACGIH	
1-Methoxypropan-2-ol	TWA 100 ppm	
	STEL 150 ppm	
1-Propanol	TWA 100 ppm	

Product Name: SCA Makers SDS No.: AI-017 Page 4/6

8.2. Appropriate engineering controls

: In the case of the handling of the room to install a closed reduction or local exhaust sources. Electrical equipment to be used in handling the location could be explosion-proof structure, equipment is static electricity measures.

8.3. Individual protection measures, such as personal protective equipment.

: Wear protective gloves/protective clothing/eye protection/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

(a) Appearance : Liquid

[Color] Red, Blue

(b) Odor : Organic solvent odor

(c) Odor threshold : No data

(d) pH : Not applicable

(e) Melting point/freezing point :-124.3 degrees Celsius (1-Propanol)

-95 degrees Celsius (1-Methoxypropan-2-ol)

(f) Initial boiling point/boiling range : 97 degrees Celsius (1-Propanol)

121 degrees Celsius (1-Methoxypropan-2-ol)

(g) Flash point : 15 degrees Celsius (1-Propanol)

32 degrees Celsius (1-Methoxypropan-2-ol)

(h) Evaporation rate : No data

(i) Flammability (solid, gas) : Flammable

(j) Upper/lower flammability or : LEL 2.1 vol%, UEL 13.5 vol% (1-Propanol)

explosive limits LEL 2.7 vol%, UEL 11.8vol% (1-Methoxypropan-2-ol)

(k) Vapor pressure : 21 mmHg (at 25 degrees Celsius, 1-Propanol)

893 Pa (at 20 degrees Celsius, 1-Methoxypropan-2-ol)

(l) Vapor density : 2.1 (1-Propanol)

3.11 (1-Methoxypropan-2-ol)

(m) Relative density : 0.94-0.97 (at 20 degrees Celsius)

(n) Solubility : Insoluble in water

(o) Partition coefficient: : log Pow=0.25 (1-Propanol)

n-octanol/water log Pow=-0.49 (1-Methoxypropan-2-ol)

(p) Auto-ignition temperature : No data(q) Decomposition temperature : No data

(r) Viscosity : 3.3-6.3 mPa·s (at 20 degrees Celsius)

9.2. Other information : None

10. STABILITY AND REACTIVITY

10.1. Reactivity
10.2. Chemical stability
10.3. Possibility of hazardous
This material is stable.
This material is stable.

reactions

10.4. Conditions to avoid : Direct sunshine, the high temperature and source of ignition.

10.5. Incompatible materialsStrong oxidizing agents and reducing agents.10.6. Hazardous decompositionHeating can release vapors which can be ignited.

products : Burning produces obnoxious and toxic fumes, carbon oxides.

Product Name: SCA Makers SDS No.: AI-017 Page 5/6

11. TOXICOLOGICAL INFORMATION

There is no data available on the mixture itself.

11.1. Information on toxicological effects

Skin corrosion/irritation : 1-Methoxypropan-2-ol : Category 3

Eye damage/irritation : 1-Propanol : Category 1

Blue dye
Category 1
1-Methoxypropan-2-ol
Category 2B
3-Methoxy-3-methylbutan-1-ol
Category 2B

Red dye : Category 2

Specific target organ : 1-Methoxypropan-2-ol : Category 3 (narcotic effects)

toxicity : 1-Propanol : Category 3

(single exposure) (respirators

(respiratory irritation/ narcotic effects)

12. ECOLOGICAL INFORMATION

There is no data available on the mixture itself.

12.1. Ecotoxicity
12.2. Persistence and degradability
12.3. Bioaccumulative potential
12.4. Mobility in soil
12.5. No data available
12.6. No data available
12.7. No data available

12.5. Other adverse effects : None

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Follow all regulations in your country.

14. TRANSPORT INFORMATION

14.1. UN number : 1993

14.2. UN proper shipping name : Flammable liquids, N.O.S.

(1-Propanol, 1-Methoxy-propan-2-ol)

14.3. Transport hazard class(es) : 3

14.4. Packing group : II (SC-UF-R(USA))

III (SC-UF-L(USA))

14.5. Environmental hazards : Not applicable

14.6. Transport in bulk according to Annex II : Not applicable

of MARPOL 73/78 and the IBC Code

14.7. Special precautions for user : Not applicable

The above mentioned information is for ink.

Finished marker pen itself is not regarded as hazardous goods.

Ink below 10 ml per pen is absorbed in polyester filter reservoir inside of the pen.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

· Follow all regulations in your country.

16. OTHER INFORMATION

International GHS conformity.

The information here is given in good faith, but no warranty, express or implied, is made.

Final determination of suitability of any material is the sole responsibility of the user.

End of SDS