SAFETY DATA SHEET

Revision Number 3

Revision Date 23-March-2015



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Black Toner for OKIFAX4580, OKIFAX5700, OKIFAX5750, OKIFAX5780, OKIFAX5900,

OKIFAX5950, OKIFAX5980, OKIOFFICE84, OKIOFFICE87, OKIPAGE10, OKIPAGE12,

OKIPAGE14, OKIPAGE18, OKIPAGE20, OKIPAGE24, OKIPAGE6, OKIPAGE8

Other means of identification

Issuing Date 23-March-2015

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Dry powder colorant to form an image on sheet of paper or other substrate.

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name Oki Data Americas, Inc. **Supplier Address**

2000 Bishops Gate Blvd.

Mount Laurel

NJ 08054 US

Supplier Phone Number Phone: 1-800-654-3282

Fax: 1-856-222-5247

Supplier Email support@okidata.com

Emergency telephone number Phone: 1-800-654-3282

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

GHS Label elements, including precautionary statements

Emergency Overview

Signal word None

Hazard Statements

None



AppearanceBlackPhysical StateSolid/Powder SolidOdorOdor less

Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

90% of the mixture consists of ingredient(s) of unknown toxicity

Other information

Carbon Black in a free state is classified by the IARC as a Group 2B Carcinogen (possibly carcinogenic to humans). The formulation of the toner has Carbon Black only present in a bounded state and not in a free state so it does not present a carcinogenic risk.

Interactions with Other Chemicals

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Third Party Formulation (TP # 1183785)	Proprietary	5 - 10	*
Third Party Formulation (TP # 1183785)	Proprietary	1 - 5	*
Third Party Formulation (TP # 1183785)	Proprietary	< 0.1	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist,

call a physician.

Skin Contact Wash skin with soap and water. In the case of skin irritation or allergic reactions

see a physician.

Inhalation Remove to fresh air. If symptoms persist, call a physician.

Ingestion Do NOT induce vomiting. Drink plenty of water. If symptoms persist, call a

physician.



Most important symptoms and effects, both acute and delayed

Most Important Symptoms and No information available.

Effects

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

No information available.

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with eyes.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental Precautions

Environmental Precautions Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.



7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed.

Incompatible ProductsNone known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Third Party Formulation (TP # 1183785)	TWA: 3 mg/m ³ inhalable fraction	TWA: 3.5 mg/m ³ (vacated) TWA: 3.5 mg/m ³	IDLH: 1750 mg/m ³ TWA: 3.5 mg/m ³
		(vacated) 1 vv/t. 0.0 mg/m	TWA: 0.1 mg/m ³ Carbon black in
			presence of Polycyclic aromatic hydrocarbons PAH
Third Party Formulation (TP # 1183785)	TWA: 2 mg/m ³	(vacated) TWA: 2 mg/m ³	TWA: 2 mg/m ³
Third Party Formulation (TP # 1183785)	STEL: 40 ppm TWA: 20 ppm	TWA: 100 ppm (vacated) TWA: 50 ppm (vacated) TWA: 215 mg/m³ (vacated) STEL: 100 ppm (vacated) STEL: 425 mg/m³ Ceiling: 200 ppm	IDLH: 700 ppm TWA: 50 ppm TWA: 215 mg/m ³ STEL: 100 ppm STEL: 425 mg/m ³

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992) See section 15 for national exposure control parameters

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face ProtectionNo special protective equipment required.

Skin and Body Protection Wear protective gloves and protective clothing.

Respiratory Protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.



Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical State Solid/Powder, Solid

Appearance Black **Odor** Odorless

Color No information available Odor Threshold No information available

PropertyValuesRemarksMethodpHNo data availableNone known

Melting / freezing point110 °C (230 °F)None knownBoiling point / boiling rangeNo data availableNone knownFlash PointNo data availableNone knownEvaporation RateNo data availableNone knownFlammability (solid, gas)No data availableNone known

Flammability Limit in Air

Upper flammability limit
Lower flammability limit
No data available
Vapor pressure
No data available

None known Vapor density No data available None known **Specific Gravity** 1.15 g/cm³ None known **Water Solubility** Insoluble None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known **Dvnamic viscosity** No data available None known

Explosive properties

Oxidizing Properties

No data available
No data available

Other Information

Softening Point
VOC Content (%)
Particle Size
No data available
No data available
No data available

Particle Size Distribution

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.



Conditions to avoid

None known based on information supplied.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

Inhalation Specific test data for the substance or mixture is not available.

Eye Contact Specific test data for the substance or mixture is not available.

Skin Contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Third Party Formulation (TP # 1183785)	> 15400 mg/kg (Rat)	> 3 g/kg (Rabbit)	-
Third Party Formulation (TP # 1183785)	> 3750 mg/kg (Rat)	> 3600 mg/kg (Rabbit)	-
Third Party Formulation (TP # 1183785)	= 1000 mg/kg (Rat)	-	= 11.8 mg/L (Rat)4 h

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Third Party Formulation (TP # 1183785)	А3	Group 2B		X
Third Party Formulation (TP # 1183785)		Group 2B		Х



ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive ToxicityNo information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Chronic Toxicity Contains a known or suspected carcinogen. In 1996 the IARC reevaluated Carbon Black as

a Group 2B carcinogen (possible human carcinogen). This classification is given to chemicals for which there is inadequate human evidence, but sufficient animal evidence on

which to base an opinion of carcinogenicity. The classification is based upon the

development of lung tumors in rats receiving chronic inhalation exposures to free Carbon Black at levels that induce particle overload of the lung. Studies performed in animal models other than rats did not show any association between Carbon Black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner product containing

Carbon Black demonstrated no association between toner exposure and tumor

development in rats.

The formulation of the toner has Carbon Black only present in a bounded state and not in a

free state.

Target Organ Effects Respiratory system. Eyes. Skin. Gastrointestinal tract (GI). Lymphatic System. Lungs.

Aspiration Hazard No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

Not applicable

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Third Party Formulation (TP # 1183785)				24h EC50: > 5600 mg/L
Third Party Formulation (TP # 1183785)	96h EC50: = 0.72 mg/L (Pseudokirchneriella subcapitata) 96h EC50: 0.15 - 3.2 mg/L (Pseudokirchneriella subcapitata) 72h EC50: 0.46 - 4.3 mg/L (Pseudokirchneriella subcapitata) 72h EC50: = 1.4 mg/L (Pseudokirchneriella subcapitata)	96h LC50: 3.24 - 4.99 mg/L (Pimephales promelas) 96h LC50: 6.75 - 14.5 mg/L (Pimephales promelas) 96h LC50: 58.75 - 95.32 mg/L (Poecilia reticulata) 96h LC50: 19.03 - 33.53 mg/L (Lepomis macrochirus)	EC50 = 5.4 mg/L 5 min	48h EC50: 3.3 - 7.4 mg/L



Persistence and Degradability

No information available.

Bioaccumulation

Chemical Name	Log Pow
Third Party Formulation (TP # 1183785)	2.95

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methodsThis material, as supplied, is not a hazardous waste according to Federal regulations (40)

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

Contaminated Packaging Dispose of contents/containers in accordance with local regulations.

California Hazardous Waste Codes 352

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

DOT NOT REGULATED Proper Shipping Name NON REGULATED

Hazard Class N/A

TDG Not regulated

MEX Not regulated

ICAO Not regulated

IATA Not regulated

Proper Shipping Name NON REGULATED

Hazard Class N/A

IMDG/IMO Not regulated

Hazard Class N/A

RID Not regulated

ADR Not regulated

ADN Not regulated

15. REGULATORY INFORMATION





International Inventories

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Third Party Formulation (TP # 1183785) -		< 0.1	0.1

SARA 311/312 Hazard Categories

Acute Health Hazard No
Chronic Health Hazard Yes
Fire Hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Third Party Formulation (TP # 1183785)	1000 lb			X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Third Party Formulation (TP # 1183785)	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

US State Regulations

California Proposition 65

Not Regulated due to chemicals being bound in a resin matrix.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Third Party Formulation (TP # 1183785)	Χ	X	Χ		Χ
Third Party Formulation (TP # 1183785)	X	X	X		
Third Party Formulation (TP # 1183785)	Х	X	Х	Х	X
,					



International Regulations

Mexico

National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Third Party Formulation (TP # 1183785)		Mexico: TWA 3.5 mg/m ³
(5-10)		Mexico: STEL 7 mg/m ³
Third Party Formulation (TP # 1183785)		Mexico: TWA= 2 mg/m ³
(1-5)		Mexico: STEL= 6 mg/m ³
Third Party Formulation (TP # 1183785)		Mexico: TWA 50 ppm
(<0.1)		Mexico: TWA 215 mg/m ³
		Mexico: STEL 100 ppm
		Mexico: STEL 425 mg/m ³

Mexico - Occupational Exposure Limits - Carcinogens

Canada

WHMIS Hazard Class

Non-controlled by definition of manufactured article

16. UTF	1EK INF	ORMATI	UN
---------	---------	--------	----

NFPA Health Hazards 1 Flammability 0 Instability 0 Physical and Chemical Hazards - HMIS Health Hazards 1* Flammability 0 Physical Hazard 0 Personal Protection

Chronic Hazard Star Legend * = Chronic Health Hazard

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110

1-800-572-6501 23-March-2015

Revision Note No information available

Disclaimer

Revision Date

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

