



SAFETY DATA SHEET

1. Identification

Product identifier HP Color LaserJet CB380A-AC-YC Black Print Cartridge

Other means of identification Not available.

Recommended use This product is a black toner preparation that is used in HP Color LaserJet CP6015 series printers

Recommended restrictions None known.

Company identification Hewlett-Packard Company
3000 Hanover Street
Palo Alto, CA 94304-1185
United States
Telephone 650-857-5020

Hewlett-Packard health effects line
(Toll-free within the US) 1-800-457-4209
(Direct) 1-760-710-0048
HP Customer Care Line
(Toll-free within the US) 1-800-474-6836
(Direct) 1-208-323-2551
Email: hpcustomer.inquiries@hp.com

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.

Signal word None.

Hazard statement Not available.

Precautionary statement

Prevention Not available.

Response Not available.

Storage Not available.

Disposal Not available.

Hazard(s) not otherwise classified (HNOC) Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk.

Supplemental information This product is not classified as hazardous according to OSHA CFR 1910.1200 (HazCom 2012).

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <15 |
| Carbon black | | 1333-86-4 | <6 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Type | Value |
|-----------------------------|------|-----------|
| Black toner (CAS 1333-86-4) | PEL | 3.5 mg/m3 |

US. ACGIH Threshold Limit Values

| Components | Type | Value | Form |
|-----------------------------|------|---------|---------------------|
| Black toner (CAS 1333-86-4) | TWA | 3 mg/m3 | Inhalable fraction. |

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|-----------------------------|------|-----------|
| Black toner (CAS 7631-86-9) | TWA | 6 mg/m3 |
| Black toner (CAS 1333-86-4) | TWA | 0.1 mg/m3 |

Biological limit values No biological exposure limits noted for the ingredient(s).

| | |
|----------------------------|---|
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
|----------------------------|---|

Appropriate engineering controls Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Not available. |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | Not available. |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 212 - 302 °F (100 - 150 °C) 212 - 302 °F (100 - 150 °C) |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4)

2B Possibly carcinogenic to humans.

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|-------------------|----------------|---------------------|
|-------------------|----------------|---------------------|

Amorphous silica (CAS 7631-86-9)

Acute

Oral

| | | |
|------|-------|---------------|
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

Carbon black (CAS 1333-86-4)

Acute

Oral

| | | |
|------|-----|--------------|
| LD50 | Rat | > 8000 mg/kg |
|------|-----|--------------|

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|--------------------|------------------------|
| Black toner | | |
| Aquatic | | |
| Fish | LL50 Rainbow Trout | >= 1000 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Carbon black (CAS 1333-86-4)

US. New Jersey Worker and Community Right-to-Know Act

Carbon black (CAS 1333-86-4)

US. Pennsylvania Worker and Community Right-to-Know Law

Carbon black (CAS 1333-86-4)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

CARBON BLACK (AIRBORNE, UNBOUND PARTICLES OF RESPIRABLE SIZE [\leq 10 MICROMETERS]) (CAS 1333-86-4) Listed: February 21, 2003

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Revision date 14-May-2015

Version # 02

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information Hazard(s) identification: Supplemental information
Regulatory Information: United States

Manufacturer information Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CB390A-AC-YC Black Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a black toner preparation that is used in HP Color LaserJet CM6030 MFP and CM6040 MFP series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. |
| Supplemental information | This product is not classified as hazardous according to OSHA CFR 1910.1200 (HazCom 2012). |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <15 |
| Carbon black | | 1333-86-4 | <6 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Type | Value |
|------------------------------|------|-----------|
| Carbon black (CAS 1333-86-4) | PEL | 3.5 mg/m3 |

US. ACGIH Threshold Limit Values

| Components | Type | Value | Form |
|------------------------------|------|---------|---------------------|
| Carbon black (CAS 1333-86-4) | TWA | 3 mg/m3 | Inhalable fraction. |

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|----------------------------------|------|-----------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m3 |
| Carbon black (CAS 1333-86-4) | TWA | 0.1 mg/m3 |

Biological limit values No biological exposure limits noted for the ingredient(s).

| | |
|----------------------------|---|
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
|----------------------------|---|

Appropriate engineering controls Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Black. |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | Not available. |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 212 - 302 °F (100 - 150 °C) 212 - 302 °F (100 - 150 °C) |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4)

2B Possibly carcinogenic to humans.

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|----------------|---------------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |
| Carbon black (CAS 1333-86-4) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Rat | > 8000 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|--------------------|-----------------------|
| CB390A-AC-YC | | |
| Aquatic | | |
| Fish | LL50 Rainbow Trout | > 1000 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Carbon black (CAS 1333-86-4)

US. New Jersey Worker and Community Right-to-Know Act

Carbon black (CAS 1333-86-4)

US. Pennsylvania Worker and Community Right-to-Know Law

Carbon black (CAS 1333-86-4)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

CARBON BLACK (AIRBORNE, UNBOUND PARTICLES OF RESPIRABLE SIZE [\leq 10 MICROMETERS]) (CAS 1333-86-4) Listed: February 21, 2003

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Revision date 14-May-2015

Version # 02

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information Hazard(s) identification: Supplemental information
Regulatory Information: United States

Manufacturer information Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CC530A-AC-AD-L Black Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a black toner preparation that is used in HP Color LaserJet CP2025 and CM2320 series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. |
| Supplemental information | This product is not classified as hazardous according to OSHA CFR 1910.1200 (HazCom 2012). |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <10 |
| Carbon black | | 1333-86-4 | <6 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Type | Value |
|------------------------------|------|-----------|
| Carbon black (CAS 1333-86-4) | PEL | 3.5 mg/m3 |

US. ACGIH Threshold Limit Values

| Components | Type | Value | Form |
|------------------------------|------|---------|---------------------|
| Carbon black (CAS 1333-86-4) | TWA | 3 mg/m3 | Inhalable fraction. |

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|----------------------------------|------|-----------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m3 |
| Carbon black (CAS 1333-86-4) | TWA | 0.1 mg/m3 |

Biological limit values No biological exposure limits noted for the ingredient(s).

| | |
|----------------------------|---|
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
|----------------------------|---|

Appropriate engineering controls Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Black. |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | >= 392 °F (>= 200 °C) |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 176 - 266 °F (80 - 130 °C) |
| Specific gravity | 1 - 1.2 |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4)

2B Possibly carcinogenic to humans.

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|------------|---------|--------------|
|------------|---------|--------------|

Amorphous silica (CAS 7631-86-9)

Acute

Oral

| | | |
|------|-------|---------------|
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

Carbon black (CAS 1333-86-4)

Acute

Oral

| | | |
|------|-----|--------------|
| LD50 | Rat | > 8000 mg/kg |
|------|-----|--------------|

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|-----------|-----------------------|
| CC530A-AC-AD-L | | |
| Aquatic | | |
| Fish | LL50 Fish | > 1000 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Carbon black (CAS 1333-86-4)

US. New Jersey Worker and Community Right-to-Know Act

Carbon black (CAS 1333-86-4)

US. Pennsylvania Worker and Community Right-to-Know Law

Carbon black (CAS 1333-86-4)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

CARBON BLACK (AIRBORNE, UNBOUND PARTICLES OF RESPIRABLE SIZE [\leq 10 MICROMETERS]) (CAS 1333-86-4) Listed: February 21, 2003

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 13-Mar-2015

Revision date 14-May-2015

Version # 02

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information Hazard(s) identification: Supplemental information
Regulatory Information: United States

Manufacturer information Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CE410A-X-XC-XD-L Black Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a black toner preparation that is used in HP LaserJet Pro 300 color M351/ HF LaserJet Pro 400 color M451/ HP LaserJet Pro 300 color MFP M375/ HP LaserJet Pro 400 color MFP M475 series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. |
| Supplemental information | This product is not classified as hazardous according to OSHA CFR 1910.1200 (HazCom 2012). |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Carbon black | | 1333-86-4 | <10 |
| Wax | Wax | Trade Secret | <10 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <3 |

4. First-aid measures

| | |
|---|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Type | Value |
|------------------------------|------|-----------|
| Carbon black (CAS 1333-86-4) | PEL | 3.5 mg/m3 |

US. ACGIH Threshold Limit Values

| Components | Type | Value | Form |
|------------------------------|------|---------|---------------------|
| Carbon black (CAS 1333-86-4) | TWA | 3 mg/m3 | Inhalable fraction. |

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|----------------------------------|------|-----------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m3 |
| Carbon black (CAS 1333-86-4) | TWA | 0.1 mg/m3 |

| | |
|--------------------------------|--|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion), UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |

Appropriate engineering controls Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Black. |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | > 392 °F (> 200 °C) |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 176 - 266 °F (80 - 130 °C) |

Specific gravity 1 - 1.2 (H2O = 1)

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4)

2B Possibly carcinogenic to humans.

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|------------|---------|--------------|
|------------|---------|--------------|

Amorphous silica (CAS 7631-86-9)

Acute

Oral

LD50 Mouse > 15000 mg/kg

Rat > 22500 mg/kg

Carbon black (CAS 1333-86-4)

Acute

Oral

LD50 Rat > 8000 mg/kg

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|------------------|---------|---------------------------|
| CE410A-X-XC-XD-L | | |
| Aquatic | | |
| Fish | LC50 | Fish > 100 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No
Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Carbon black (CAS 1333-86-4)

US. New Jersey Worker and Community Right-to-Know Act

Carbon black (CAS 1333-86-4)

US. Pennsylvania Worker and Community Right-to-Know Law

Carbon black (CAS 1333-86-4)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

CARBON BLACK (AIRBORNE, UNBOUND PARTICLES Listed: February 21, 2003
OF RESPIRABLE SIZE [\leq 10 MICROMETERS]) (CAS
1333-86-4)

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 02-Dec-2014

Revision date 14-May-2015

Version # 03

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information Hazard(s) identification: Supplemental information
Regulatory Information: United States

Manufacturer information Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CF350A Black Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a black toner preparation that is used in HP Color LaserJet Pro MFP M176/ HP Color LaserJet Pro MFP M177 series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. |
| Supplemental information | This product is not classified as hazardous according to OSHA CFR 1910.1200 (HazCom 2012). |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Carbon black | | 1333-86-4 | <10 |
| Wax | Wax | Trade Secret | <10 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <3 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Type | Value |
|------------------------------|------|-----------|
| Carbon black (CAS 1333-86-4) | PEL | 3.5 mg/m3 |

US. ACGIH Threshold Limit Values

| Components | Type | Value | Form |
|------------------------------|------|---------|---------------------|
| Carbon black (CAS 1333-86-4) | TWA | 3 mg/m3 | Inhalable fraction. |

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|----------------------------------|------|-----------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m3 |
| Carbon black (CAS 1333-86-4) | TWA | 0.1 mg/m3 |

| | |
|--------------------------------|--|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
|--------------------------------|--|

| | |
|----------------------------|---|
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
|----------------------------|---|

Appropriate engineering controls Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Black. |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | > 392 °F (> 200 °C) |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 176 - 266 °F (80 - 130 °C) |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Amorphous silica (CAS 7631-86-9)

3 Not classifiable as to carcinogenicity to humans.

Carbon black (CAS 1333-86-4)

2B Possibly carcinogenic to humans.

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|------------|---------|--------------|
|------------|---------|--------------|

Amorphous silica (CAS 7631-86-9)

Acute

Oral

| | | |
|------|-------|---------------|
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

Carbon black (CAS 1333-86-4)

Acute

Oral

| | | |
|------|-----|--------------|
| LD50 | Rat | > 8000 mg/kg |
|------|-----|--------------|

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|--------------------------------------|----------------|----------------------|
| CF350A | | |
| Aquatic | | |
| Fish | LC50 Fish | > 100 mg/l, 96 Hours |
| Persistence and degradability | Not available. | |
| Bioaccumulative potential | Not available. | |
| Mobility in soil | Not available. | |
| Other adverse effects | Not available. | |

13. Disposal considerations

| | |
|------------------------------|---|
| Disposal instructions | Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle . |
|------------------------------|---|

14. Transport information

| | |
|----------------------------|--|
| Further information | Not a dangerous good under DOT, IATA, ADR, IMDG, or RID. |
|----------------------------|--|

15. Regulatory information

| | |
|-------------------------------|--|
| US federal regulations | US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA. |
|-------------------------------|--|

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

| | |
|--------------------------|--|
| Hazard categories | Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No |
|--------------------------|--|

SARA 302 Extremely hazardous substance

Not listed.

| | |
|--|----|
| SARA 311/312 Hazardous chemical | No |
|--|----|

Other federal regulations

| | |
|---------------------------------------|----------------|
| Safe Drinking Water Act (SDWA) | Not regulated. |
|---------------------------------------|----------------|

US state regulations

US. Massachusetts RTK - Substance List

Amorphous silica (CAS 7631-86-9)
Carbon black (CAS 1333-86-4)

US. New Jersey Worker and Community Right-to-Know Act

Carbon black (CAS 1333-86-4)

US. Pennsylvania Worker and Community Right-to-Know Law

Amorphous silica (CAS 7631-86-9)
Carbon black (CAS 1333-86-4)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65**US - California Proposition 65 - CRT: Listed date/Carcinogenic substance**

CARBON BLACK (AIRBORNE, UNBOUND PARTICLES Listed: February 21, 2003
OF RESPIRABLE SIZE [\leq 10 MICROMETERS]) (CAS
1333-86-4)

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision**Issue date** 16-Apr-2015**Revision date** 14-May-2015**Version #** 02**Disclaimer**

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information

Hazard(s) identification: Supplemental information
Regulatory Information: United States

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CB400A Black Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a black toner preparation that is used in HP Color LaserJet CP4005 series printers |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <15 |
| Carbon black | | 1333-86-4 | <6 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Store at room temperature. Store away from strong oxidizers. Keep tightly closed and dry. |

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Type | Value |
|------------------------------|------|-----------|
| Carbon black (CAS 1333-86-4) | PEL | 3.5 mg/m3 |

US. ACGIH Threshold Limit Values

| Components | Type | Value | Form |
|------------------------------|------|---------|---------------------|
| Carbon black (CAS 1333-86-4) | TWA | 3 mg/m3 | Inhalable fraction. |

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|----------------------------------|------|-----------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m3 |
| Carbon black (CAS 1333-86-4) | TWA | 0.1 mg/m3 |

Biological limit values No biological exposure limits noted for the ingredient(s).

| | |
|---|---|
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Black. |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | > 392 °F (> 200 °C) |
| Viscosity | Not applicable |
| Other information | |
| Softening point | 212 - 302 °F (100 - 150 °C) |
| Specific gravity | 1 - 1.2 |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity LD50/oral/rat >2000 mg/kg; (OECD 401); Not harmful.
Not classified for acute toxicity according to EU Directive 67/548/EEC and 1999/45/EC.

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4)

2B Possibly carcinogenic to humans.

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|------------|---------|--------------|
|------------|---------|--------------|

Amorphous silica (CAS 7631-86-9)

Acute

Oral

| | | |
|------|-------|---------------|
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

Carbon black (CAS 1333-86-4)

Acute

Oral

| | | |
|------|-----|--------------|
| LD50 | Rat | > 8000 mg/kg |
|------|-----|--------------|

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|--------------------|-----------------------|
| CB400A | | |
| Aquatic | | |
| Fish | LL50 Rainbow Trout | > 1000 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Carbon black (CAS 1333-86-4)

US. New Jersey Worker and Community Right-to-Know Act

Carbon black (CAS 1333-86-4)

US. Pennsylvania Worker and Community Right-to-Know Law

Carbon black (CAS 1333-86-4)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

CARBON BLACK (AIRBORNE, UNBOUND PARTICLES Listed: February 21, 2003
OF RESPIRABLE SIZE [\leq 10 MICROMETERS]) (CAS
1333-86-4)

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Version # 01

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information 1. Product and Company Identification: Physical States
Composition / Information on Ingredients
Physical & Chemical Properties: Multiple Properties
Ecological Information: Ecotoxicity
Transport Information: Agency Name, Packaging Type, and Transport Mode Selection

Manufacturer information Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CB540A-AD Black Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a black toner preparation that is used in HP Color LaserJet CP1515, CP1518, CP1215 and CM1312 MFP series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <10 |
| Carbon black | | 1333-86-4 | <6 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|---|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO ₂ , water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Type | Value |
|------------------------------|------|-----------------------|
| Carbon black (CAS 1333-86-4) | PEL | 3.5 mg/m ³ |

US. ACGIH Threshold Limit Values

| Components | Type | Value | Form |
|------------------------------|------|---------------------|---------------------|
| Carbon black (CAS 1333-86-4) | TWA | 3 mg/m ³ | Inhalable fraction. |

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|----------------------------------|------|-----------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |
| Carbon black (CAS 1333-86-4) | TWA | 0.1 mg/m ³ |

| | |
|--------------------------------|--|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion), UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |

Appropriate engineering controls Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Black. |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | Not available. |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 176 - 266 °F (80 - 130 °C) |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects**Acute toxicity**

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4)

2B Possibly carcinogenic to humans.

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|----------------|---------------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |
| Carbon black (CAS 1333-86-4) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Rat | > 8000 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|--------------------|-----------------------|
| CB540A-AD | | |
| Aquatic | | |
| Fish | LL50 Rainbow Trout | > 1000 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No
Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Carbon black (CAS 1333-86-4)

US. New Jersey Worker and Community Right-to-Know Act

Carbon black (CAS 1333-86-4)

US. Pennsylvania Worker and Community Right-to-Know Law

Carbon black (CAS 1333-86-4)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

CARBON BLACK (AIRBORNE, UNBOUND PARTICLES Listed: February 21, 2003
OF RESPIRABLE SIZE [\leq 10 MICROMETERS]) (CAS
1333-86-4)

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Version # 01

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information 1. Product and Company Identification: Physical States
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Ecological Information: Ecotoxicity
Transport Information: Agency Name, Packaging Type, and Transport Mode Selection

Manufacturer information Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CE310A-AD Black Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a black toner preparation that is used in HP Color LaserJet Pro CP1025 and HF LaserJet Pro 100 Color MFP, HP LaserJet Pro 200 Color MFP series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Carbon black | | 1333-86-4 | <10 |
| Wax | Wax | Trade Secret | <10 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <3 |

4. First-aid measures

| | |
|---|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO ₂ , water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Type | Value |
|------------------------------|------|-----------------------|
| Carbon black (CAS 1333-86-4) | PEL | 3.5 mg/m ³ |

US. ACGIH Threshold Limit Values

| Components | Type | Value | Form |
|------------------------------|------|---------------------|---------------------|
| Carbon black (CAS 1333-86-4) | TWA | 3 mg/m ³ | Inhalable fraction. |

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|----------------------------------|------|-----------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |
| Carbon black (CAS 1333-86-4) | TWA | 0.1 mg/m ³ |

| | |
|--------------------------------|--|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion), UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |

Appropriate engineering controls Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Black. |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | Not available. |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 176 - 266 °F (80 - 130 °C) |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

| | |
|---|---|
| Symptoms related to the physical, chemical and toxicological characteristics | Not available. |
| Information on toxicological effects | |
| Acute toxicity | |
| Skin corrosion/irritation | Not available. |
| Serious eye damage/eye irritation | Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended. |
| Respiratory or skin sensitization | |
| Respiratory sensitization | Not available. |
| Skin sensitization | Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended. |
| Germ cell mutagenicity | Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) |
| Carcinogenicity | Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA. |
| IARC Monographs. Overall Evaluation of Carcinogenicity | |
| Amorphous silica (CAS 7631-86-9) | 3 Not classifiable as to carcinogenicity to humans. |
| Carbon black (CAS 1333-86-4) | 2B Possibly carcinogenic to humans. |
| Reproductive toxicity | Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany). |
| Specific target organ toxicity - single exposure | Not available. |
| Specific target organ toxicity - repeated exposure | Not available. |
| Aspiration hazard | Not available. |
| Chronic effects | No information available. |
| Further information | Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures. |

| Components | Species | Test Results |
|----------------------------------|----------------|---------------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

| Components | Species | Test Results |
|------------------------------|---------|--------------|
| Carbon black (CAS 1333-86-4) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Rat | > 8000 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|-----------|----------------------|
| CE310A-AD | | |
| Aquatic | | |
| Fish | LC50 Fish | > 100 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No

Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Amorphous silica (CAS 7631-86-9)

Carbon black (CAS 1333-86-4)

US. New Jersey Worker and Community Right-to-Know Act

Carbon black (CAS 1333-86-4)

US. Pennsylvania Worker and Community Right-to-Know Law

Amorphous silica (CAS 7631-86-9)

Carbon black (CAS 1333-86-4)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

CARBON BLACK (AIRBORNE, UNBOUND PARTICLES OF RESPIRABLE SIZE [≤ 10 MICROMETERS]) (CAS 1333-86-4) Listed: February 21, 2003

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date

16-Apr-2015

Version #

01

Disclaimer

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information

1. Product and Company Identification: Physical States
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Ecological Information: Ecotoxicity

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

Product identifier HP Color LaserJet CE320A-AD Black Print Cartridge

Other means of identification Not available.

Recommended use This product is a black toner preparation that is used in HP LaserJet Pro CM1415,CP1525 series printers.

Recommended restrictions None known.

Company identification Hewlett-Packard Company
3000 Hanover Street
Palo Alto, CA 94304-1185
United States
Telephone 650-857-5020

Hewlett-Packard health effects line
(Toll-free within the US) 1-800-457-4209
(Direct) 1-760-710-0048
HP Customer Care Line
(Toll-free within the US) 1-800-474-6836
(Direct) 1-208-323-2551
Email: hpcustomer.inquiries@hp.com

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.

Signal word None.

Hazard statement Not available.

Precautionary statement

Prevention Not available.

Response Not available.

Storage Not available.

Disposal Not available.

Hazard(s) not otherwise classified (HNOC) Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <10 |
| Carbon black | | 1333-86-4 | <6 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|---|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO ₂ , water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Type | Value |
|------------------------------|------|-----------------------|
| Carbon black (CAS 1333-86-4) | PEL | 3.5 mg/m ³ |

US. ACGIH Threshold Limit Values

| Components | Type | Value | Form |
|------------------------------|------|---------------------|---------------------|
| Carbon black (CAS 1333-86-4) | TWA | 3 mg/m ³ | Inhalable fraction. |

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|----------------------------------|------|-----------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |
| Carbon black (CAS 1333-86-4) | TWA | 0.1 mg/m ³ |

| | |
|--------------------------------|--|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion), UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |

Appropriate engineering controls Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Black. |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | Not available. |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 176 - 266 °F (80 - 130 °C) |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

| | |
|---|---|
| Symptoms related to the physical, chemical and toxicological characteristics | Not available. |
| Information on toxicological effects | |
| Acute toxicity | |
| Skin corrosion/irritation | Not available. |
| Serious eye damage/eye irritation | Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended. |
| Respiratory or skin sensitization | |
| Respiratory sensitization | Not available. |
| Skin sensitization | Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended. |
| Germ cell mutagenicity | Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) |
| Carcinogenicity | Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA. |
| IARC Monographs. Overall Evaluation of Carcinogenicity | |
| Carbon black (CAS 1333-86-4) | 2B Possibly carcinogenic to humans. |
| Reproductive toxicity | Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany). |
| Specific target organ toxicity - single exposure | Not available. |
| Specific target organ toxicity - repeated exposure | Not available. |
| Aspiration hazard | Not available. |
| Chronic effects | No information available. |
| Further information | Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures. |

| Components | Species | Test Results |
|----------------------------------|----------------|---------------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |
| Carbon black (CAS 1333-86-4) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Rat | > 8000 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|-----------|----------------------|
| CE320A-AD | | |
| Aquatic | | |
| Fish | LC50 Fish | > 100 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Carbon black (CAS 1333-86-4)

US. New Jersey Worker and Community Right-to-Know Act

Carbon black (CAS 1333-86-4)

US. Pennsylvania Worker and Community Right-to-Know Law

Carbon black (CAS 1333-86-4)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

CARBON BLACK (AIRBORNE, UNBOUND PARTICLES OF RESPIRABLE SIZE [\leq 10 MICROMETERS]) (CAS 1333-86-4) Listed: February 21, 2003

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Version # 01

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information 1. Product and Company Identification: Physical States
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Ecological Information: Ecotoxicity

Manufacturer information Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CF210A-X-XD Black Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a black toner preparation that is used in HP LaserJet Pro 200 color M251 and HP LaserJet Pro 200 color MFP M276 series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Carbon black | | 1333-86-4 | <10 |
| Wax | Wax | Trade Secret | <10 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <3 |

4. First-aid measures

| | |
|---|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Type | Value |
|------------------------------|------|-----------|
| Carbon black (CAS 1333-86-4) | PEL | 3.5 mg/m3 |

US. ACGIH Threshold Limit Values

| Components | Type | Value | Form |
|------------------------------|------|---------|---------------------|
| Carbon black (CAS 1333-86-4) | TWA | 3 mg/m3 | Inhalable fraction. |

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|----------------------------------|------|-----------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m3 |
| Carbon black (CAS 1333-86-4) | TWA | 0.1 mg/m3 |

| | |
|--------------------------------|--|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion), UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |

Appropriate engineering controls Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Black. |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | > 392 °F (> 200 °C) |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 176 - 266 °F (80 - 130 °C) |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4) 2B Possibly carcinogenic to humans.

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |
| Carbon black (CAS 1333-86-4) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Rat | > 8000 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|-----------|----------------------|
| CF210A-X-XD | | |
| Aquatic | | |
| Fish | LC50 Fish | > 100 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Carbon black (CAS 1333-86-4)

US. New Jersey Worker and Community Right-to-Know Act

Carbon black (CAS 1333-86-4)

US. Pennsylvania Worker and Community Right-to-Know Law

Carbon black (CAS 1333-86-4)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

CARBON BLACK (AIRBORNE, UNBOUND PARTICLES OF RESPIRABLE SIZE [\leq 10 MICROMETERS]) (CAS 1333-86-4) Listed: February 21, 2003

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 19-Nov-2014

Revision date 16-Apr-2015

Version # 03

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Manufacturer information Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet Q5950A-AC Black Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a black toner preparation that is used in HP Color LaserJet 4700 series printers |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <15 |
| Carbon black | | 1333-86-4 | <6 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Store at room temperature. Store away from strong oxidizers. Keep tightly closed and dry. |

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Type | Value |
|------------------------------|------|-----------|
| Carbon black (CAS 1333-86-4) | PEL | 3.5 mg/m3 |

US. ACGIH Threshold Limit Values

| Components | Type | Value | Form |
|------------------------------|------|---------|---------------------|
| Carbon black (CAS 1333-86-4) | TWA | 3 mg/m3 | Inhalable fraction. |

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|----------------------------------|------|-----------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m3 |
| Carbon black (CAS 1333-86-4) | TWA | 0.1 mg/m3 |

Biological limit values No biological exposure limits noted for the ingredient(s).

| | |
|--|---|
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |
| Individual protection measures, such as personal protective equipment | |
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Black. |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | Not available. |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 212 - 302 °F (100 - 150 °C) 212 - 302 °F (100 - 150 °C) |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4)

2B Possibly carcinogenic to humans.

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|------------|---------|--------------|
|------------|---------|--------------|

Amorphous silica (CAS 7631-86-9)

Acute

Oral

| | | |
|------|-------|---------------|
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

Carbon black (CAS 1333-86-4)

Acute

Oral

| | | |
|------|-----|--------------|
| LD50 | Rat | > 8000 mg/kg |
|------|-----|--------------|

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|--------------------|-----------------------|
| Q5950A-AC | | |
| Aquatic | | |
| Fish | LL50 Rainbow Trout | > 1000 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No
Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Carbon black (CAS 1333-86-4)

US. New Jersey Worker and Community Right-to-Know Act

Carbon black (CAS 1333-86-4)

US. Pennsylvania Worker and Community Right-to-Know Law

Carbon black (CAS 1333-86-4)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

CARBON BLACK (AIRBORNE, UNBOUND PARTICLES Listed: February 21, 2003
OF RESPIRABLE SIZE [\leq 10 MICROMETERS]) (CAS
1333-86-4)

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Version # 01

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information 1. Product and Company Identification: Physical States
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Ecological Information: Ecotoxicity
Transport Information: Agency Name, Packaging Type, and Transport Mode Selection

Manufacturer information Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

Product identifier HP Color LaserJet Q6460A-AC Black Print Cartridge

Other means of identification Not available.

Recommended use This product is a black toner preparation that is used in HP Color LaserJet 4730mfp/CM4730mfp series printers.

Recommended restrictions None known.

Company identification Hewlett-Packard Company
3000 Hanover Street
Palo Alto, CA 94304-1185
United States
Telephone 650-857-5020

Hewlett-Packard health effects line
(Toll-free within the US) 1-800-457-4209
(Direct) 1-760-710-0048
HP Customer Care Line
(Toll-free within the US) 1-800-474-6836
(Direct) 1-208-323-2551
Email: hpcustomer.inquiries@hp.com

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.

Signal word None.

Hazard statement Not available.

Precautionary statement

Prevention Not available.

Response Not available.

Storage Not available.

Disposal Not available.

Hazard(s) not otherwise classified (HNOC) Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <15 |
| Carbon black | | 1333-86-4 | <6 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|---|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Store at room temperature. Store away from strong oxidizers. Keep tightly closed and dry. |

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Type | Value |
|------------------------------|------|-----------|
| Carbon black (CAS 1333-86-4) | PEL | 3.5 mg/m3 |

US. ACGIH Threshold Limit Values

| Components | Type | Value | Form |
|------------------------------|------|---------|---------------------|
| Carbon black (CAS 1333-86-4) | TWA | 3 mg/m3 | Inhalable fraction. |

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|----------------------------------|------|-----------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m3 |
| Carbon black (CAS 1333-86-4) | TWA | 0.1 mg/m3 |

| | |
|--|--|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion), UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |
| Individual protection measures, such as personal protective equipment | |
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Black. |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | Not available. |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 212 - 302 °F (100 - 150 °C) 212 - 302 °F (100 - 150 °C) |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4)

2B Possibly carcinogenic to humans.

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|-------------------|----------------|---------------------|
|-------------------|----------------|---------------------|

Amorphous silica (CAS 7631-86-9)

Acute

Oral

LD50 Mouse > 15000 mg/kg

Rat > 22500 mg/kg

Carbon black (CAS 1333-86-4)

Acute

Oral

LD50 Rat > 8000 mg/kg

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|--------------------|-----------------------|
| Q6460A-AC | | |
| Aquatic | | |
| Fish | LL50 Rainbow Trout | > 1000 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No
Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Carbon black (CAS 1333-86-4)

US. New Jersey Worker and Community Right-to-Know Act

Carbon black (CAS 1333-86-4)

US. Pennsylvania Worker and Community Right-to-Know Law

Carbon black (CAS 1333-86-4)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

CARBON BLACK (AIRBORNE, UNBOUND PARTICLES OF RESPIRABLE SIZE [\leq 10 MICROMETERS]) (CAS 1333-86-4) Listed: February 21, 2003

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 15-Apr-2015

Revision date 16-Apr-2015

Version # 02

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Manufacturer information Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet Q6470A-AC Black Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a black toner preparation that is used in HP Color LaserJet CP3505/3600/3800 series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <15 |
| Carbon black | | 1333-86-4 | <6 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|---|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Store at room temperature. Store away from strong oxidizers. Keep tightly closed and dry. |

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Type | Value |
|------------------------------|------|-----------|
| Carbon black (CAS 1333-86-4) | PEL | 3.5 mg/m3 |

US. ACGIH Threshold Limit Values

| Components | Type | Value | Form |
|------------------------------|------|---------|---------------------|
| Carbon black (CAS 1333-86-4) | TWA | 3 mg/m3 | Inhalable fraction. |

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|----------------------------------|------|-----------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m3 |
| Carbon black (CAS 1333-86-4) | TWA | 0.1 mg/m3 |

| | |
|--|--|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion), UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |
| Individual protection measures, such as personal protective equipment | |
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Black. |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | > 392 °F (> 200 °C) |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 212 - 302 °F (100 - 150 °C) |
| Specific gravity | 1 - 1.2 |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity LD50/oral/rat >2000 mg/kg; (OECD 401); Not harmful.
Not classified for acute toxicity according to EU Directive 67/548/EEC and 1999/45/EC.

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4) 2B Possibly carcinogenic to humans.

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|----------------|---------------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |
| Carbon black (CAS 1333-86-4) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Rat | > 8000 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|--------------------|-----------------------|
| Q6470A-AC | | |
| Aquatic | | |
| Fish | LL50 Rainbow Trout | > 1000 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Carbon black (CAS 1333-86-4)

US. New Jersey Worker and Community Right-to-Know Act

Carbon black (CAS 1333-86-4)

US. Pennsylvania Worker and Community Right-to-Know Law

Carbon black (CAS 1333-86-4)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

CARBON BLACK (AIRBORNE, UNBOUND PARTICLES Listed: February 21, 2003
OF RESPIRABLE SIZE [\leq 10 MICROMETERS]) (CAS
1333-86-4)

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Version # 01

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information 1. Product and Company Identification: Physical States
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Ecological Information: Ecotoxicity
Transport Information: Agency Name, Packaging Type, and Transport Mode Selection

Manufacturer information Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CB383A-AC-YC Magenta Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a magenta toner preparation that is used in HP Color LaserJet CP6015, CM603C MFP, and CM6040 MFP series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <15 |
| Pigment | Pigment | Trade Secret | <6 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

| US. NIOSH: Pocket Guide to Chemical Hazards Components | Type | Value |
|--|------|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |

| | |
|---|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Magenta |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | Not available. |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 212 - 302 °F (100 - 150 °C) 212 - 302 °F (100 - 150 °C) |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|--------------------|----------------------|
| CB383A-AC-YC | | |
| Aquatic | | |
| Fish | LL50 Rainbow Trout | > 100 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No
Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Version # 01

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information 1. Product and Company Identification: Physical States
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Ecological Information: Ecotoxicity
Transport Information: Agency Name, Packaging Type, and Transport Mode Selection

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CB402A Yellow Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a yellow toner preparation that is used in HP Color LaserJet CP4005 series printers |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <15 |
| Pigment | Pigment | Trade Secret | <5 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Store at room temperature. Store away from strong oxidizers. Keep tightly closed and dry. |

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|------------|------|-------|
|------------|------|-------|

| | | |
|----------------------------------|-----|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |
|----------------------------------|-----|---------------------|

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

USA OSHA (TWA/PEL): 15 mg/m³ (Total Dust), 5 mg/m³ (Respirable Fraction)

ACGIH (TWA/TLV): mg/m³ (Inhalable Particulate), 3 mg/m³ (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m³)/%SiO₂, ACGIH (TWA/TLV): 10 mg/m³

TRGS 900 (Luftgrenzwert) - 10 mg/m³ (Einatembare partikel), 3 mg/m³ (Alveolengängige fraktion)

UK WEL: 10 mg/m³ (Respirable Dust), 5 mg/m³ (Inhalable Dust)

Appropriate engineering controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Yellow |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | > 392 °F (> 200 °C) |
| Viscosity | Not applicable |
| Other information | |
| Softening point | 212 - 302 °F (100 - 150 °C) |
| Specific gravity | 1 - 1.2 |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity LD50/oral/rat >2000 mg/kg; (OECD 401); Not harmful.
Not classified for acute toxicity according to EU Directive 67/548/EEC and 1999/45/EC.

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|--------------------|-----------------------|
| CB402A | | |
| Aquatic | | |
| Fish | LL50 Rainbow Trout | > 1000 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No
Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Version # 01

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information 1. Product and Company Identification: Physical States
Composition / Information on Ingredients
Physical & Chemical Properties: Multiple Properties
Ecological Information: Ecotoxicity
Transport Information: Agency Name, Packaging Type, and Transport Mode Selection

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CC533A-AC-L Magenta Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a magenta toner preparation that is used in HP Color LaserJet CP2025 and CM232C series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <10 |
| Pigment | Pigment | Trade Secret | <7 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO ₂ , water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

| US. NIOSH: Pocket Guide to Chemical Hazards Components | Type | Value |
|--|------|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |

| | |
|---|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Magenta |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | > 392 °F (> 200 °C) |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 176 - 266 °F (80 - 130 °C) |
| Specific gravity | 1 - 1.2 |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|-----------|-----------------------|
| CC533A-AC-L | | |
| Aquatic | | |
| Fish | LL50 Fish | > 1000 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No
Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 13-Mar-2015

Revision date 16-Apr-2015

Version # 02

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CE253A-AC-YC Magenta Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a magenta toner preparation that is used in HP Color LaserJet CP3525 and CM353C series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <10 |
| Pigment | Pigment | Trade Secret | <7 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|------------|------|-------|
|------------|------|-------|

| | | |
|----------------------------------|-----|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |
|----------------------------------|-----|---------------------|

| | |
|---|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Magenta |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | > 392 °F (> 200 °C) |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 176 - 266 °F (80 - 130 °C) |
| Specific gravity | 1 - 1.2 |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

| | |
|---|---|
| Symptoms related to the physical, chemical and toxicological characteristics | Not available. |
| Information on toxicological effects | |
| Acute toxicity | LD50/oral/rat >2000 mg/kg; (OECD 401); Not harmful. Not classified for acute toxicity according to EU Directive 67/548/EEC and 1999/45/EC. |
| Skin corrosion/irritation | Not available. |
| Serious eye damage/eye irritation | Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended. |
| Respiratory or skin sensitization | |
| Respiratory sensitization | Not available. |
| Skin sensitization | Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended. |
| Germ cell mutagenicity | Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) |
| Carcinogenicity | Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California). |
| Reproductive toxicity | Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany). |
| Specific target organ toxicity - single exposure | Not available. |
| Specific target organ toxicity - repeated exposure | Not available. |
| Aspiration hazard | Not available. |
| Chronic effects | No information available. |
| Further information | Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures. |

| Components | Species | Test Results |
|----------------------------------|----------------|---------------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

| | | | |
|--------------------------------------|----------------|----------------|-----------------------|
| Ecotoxicity | | | |
| Product | | Species | Test Results |
| CE253A-AC-YC (CAS Mixture) | | | |
| Aquatic | | | |
| Fish | LL50 | Fish | > 1000 mg/l, 96 Hours |
| Persistence and degradability | Not available. | | |
| Bioaccumulative potential | Not available. | | |
| Mobility in soil | Not available. | | |
| Other adverse effects | Not available. | | |

13. Disposal considerations

| | |
|------------------------------|---|
| Disposal instructions | Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle . |
|------------------------------|---|

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No
Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 12-Mar-2015

Revision date 16-Apr-2015

Version # 02

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CE263A-AC Magenta Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a magenta toner preparation that is used in HP Color LaserJet CP4525, CP4025 series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <10 |
| Pigment | Pigment | Trade Secret | <7 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

| US. NIOSH: Pocket Guide to Chemical Hazards Components | Type | Value |
|--|------|-------|
|--|------|-------|

| | | |
|----------------------------------|-----|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |
|----------------------------------|-----|---------------------|

| | |
|---|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Magenta |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | Not available. |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 176 - 266 °F (80 - 130 °C) 176 - 266 °F (80 - 130 °C) |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|--------------------|-----------------------|
| CE263A-AC | | |
| Aquatic | | |
| Fish | LL50 Rainbow Trout | > 1000 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No
Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Version # 01

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information 1. Product and Company Identification: Physical States
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Ecological Information: Ecotoxicity

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CE273A-AC Magenta Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a magenta toner preparation that is used in HP Color LaserJet CLJ CP5525/ HP Color LaserJet Enterprise M750 series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <10 |
| Pigment | Pigment | Trade Secret | <7 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

| US. NIOSH: Pocket Guide to Chemical Hazards Components | Type | Value |
|--|------|-------|
|--|------|-------|

| | | |
|----------------------------------|-----|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |
|----------------------------------|-----|---------------------|

| | |
|---|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Magenta |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | > 392 °F (> 200 °C) |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | Negligible |
| Softening point | 176 - 266 °F (80 - 130 °C) |
| VOC (Weight %) | Not applicable |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|-----------|----------------------|
| CE273A-AC | | |
| Aquatic | | |
| Fish | LC50 Fish | > 100 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No
Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Version # 01

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information 1. Product and Company Identification: Alternate Trade Names
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Ecological Information: Ecotoxicity

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CE343A-AC Magenta Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a magenta toner preparation that is used in HP LJ Enterprise 700 Color MFP M775 series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Pigment | Pigment | Trade Secret | <10 |
| Wax | Wax | Trade Secret | <10 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <3 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|------------|------|-------|
|------------|------|-------|

| | | |
|----------------------------------|-----|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |
|----------------------------------|-----|---------------------|

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

USA OSHA (TWA/PEL): 15 mg/m³ (Total Dust), 5 mg/m³ (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m³ (Inhalable Particulate), 3 mg/m³ (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m³)/%SiO₂, ACGIH (TWA/TLV): 10 mg/m³

TRGS 900 (Luftgrenzwert) - 10 mg/m³ (Einatembare partikel), 3 mg/m³ (Alveolengängige fraktion)

UK WEL: 10 mg/m³ (Respirable Dust), 5 mg/m³ (Inhalable Dust)

Appropriate engineering controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Magenta |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | >= 392 °F (>= 200 °C) |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | Negligible |
| Softening point | 176 - 266 °F (80 - 130 °C) 176 - 266 °F (80 - 130 °C) |
| Specific gravity | 1 - 1.2 (H2O = 1) |
| VOC (Weight %) | Not applicable |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |

Hazardous decomposition products Carbon monoxide and carbon dioxide.

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|-----------|----------------------|
| CE343A-AC | | |
| Aquatic | | |
| Fish | LC50 Fish | > 100 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Version # 01

Disclaimer

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information

1. Product and Company Identification: Alternate Trade Names
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CE403A-AC-YC Magenta Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a magenta toner preparation that is used in HP LaserJet Enterprise 500 Color M551 / HP LaserJet Enterprise 500 color MFP M575 / HP LaserJet Pro 500 color MFP M570 series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Pigment | Pigment | Trade Secret | <10 |
| Wax | Wax | Trade Secret | <10 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <3 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|------------|------|-------|
|------------|------|-------|

| | | |
|----------------------------------|-----|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |
|----------------------------------|-----|---------------------|

| | |
|---|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Magenta |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | > 392 °F (> 200 °C) |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 176 - 266 °F (80 - 130 °C) |
| Specific gravity | 1 - 1.2 |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|-----------|----------------------|
| CE403A-AC-YC | | |
| Aquatic | | |
| Fish | LC50 Fish | > 100 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No
Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 18-Sep-2014

Revision date 16-Apr-2015

Version # 02

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CE413A-AC-L Magenta Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a magenta toner preparation that is used in HP LaserJet Pro 300 color M351/ HP LaserJet Pro 400 color M451/ HP LaserJet Pro 300 color MFP M375/ HP LaserJet Pro 400 color MFP M475 series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Pigment | Pigment | Trade Secret | <10 |
| Wax | Wax | Trade Secret | <10 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <3 |

4. First-aid measures

| | |
|---|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO ₂ , water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

| US. NIOSH: Pocket Guide to Chemical Hazards Components | Type | Value |
|--|------|-------|
|--|------|-------|

| | | |
|----------------------------------|-----|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |
|----------------------------------|-----|---------------------|

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

USA OSHA (TWA/PEL): 15 mg/m³ (Total Dust), 5 mg/m³ (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m³ (Inhalable Particulate), 3 mg/m³ (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m³)/%SiO₂, ACGIH (TWA/TLV): 10 mg/m³

TRGS 900 (Luftgrenzwert) - 10 mg/m³ (Einatembare partikel), 3 mg/m³ (Alveolengängige fraktion)

UK WEL: 10 mg/m³ (Respirable Dust), 5 mg/m³ (Inhalable Dust)

Appropriate engineering controls Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

Eye/face protection Not available.

Skin protection

Hand protection Not available.

Other Not available.

Respiratory protection Not available.

Thermal hazards Not available.

9. Physical and chemical properties

Appearance Fine powder

Physical state Solid.

Color Magenta

Odor Slight plastic odor

Odor threshold Not available.

pH Not applicable

Melting point/freezing point Not available.

Initial boiling point and boiling range Not applicable

Flash point Not applicable

Evaporation rate Not applicable

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not flammable

Flammability limit - upper (%) Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not applicable

Solubility(ies)

Solubility (water) Negligible in water. Partially soluble in toluene and xylene.

Partition coefficient (n-octanol/water) Not available.

Auto-ignition temperature Not applicable

Decomposition temperature > 392 °F (> 200 °C)

Viscosity Not applicable

Other information

Percent volatile 0 % estimated

Softening point 176 - 266 °F (80 - 130 °C)

Specific gravity 1 - 1.2

10. Stability and reactivity

Reactivity Not available.

Chemical stability Stable under normal storage conditions.

Possibility of hazardous reactions Will not occur.

Conditions to avoid Imaging Drum: Exposure to light

Incompatible materials Strong oxidizers

Hazardous decomposition products Carbon monoxide and carbon dioxide.

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|-----------|----------------------|
| CE413A-AC-L | | |
| Aquatic | | |
| Fish | LC50 Fish | > 100 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 19-Nov-2014

Revision date 16-Apr-2015

Version # 02

Disclaimer

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information

1. Product and Company Identification: Alternate Trade Names
Physical & Chemical Properties: Multiple Properties

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CE743A Magenta Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a magenta toner preparation that is used in HP Color LaserJet CLJ CP5225 series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <10 |
| Pigment | Pigment | Trade Secret | <7 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO ₂ , water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|----------------------------------|------|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |

| | |
|---|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Magenta |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | Not available. |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | Negligible |
| Softening point | 176 - 266 °F (80 - 130 °C) 176 - 266 °F (80 - 130 °C) |
| VOC (Weight %) | Not applicable |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------------|-----------|-----------------------|
| CE743A (CAS Mixture) | | |
| Aquatic | | |
| Fish | LL50 Fish | > 1000 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No
Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Version # 01

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information 1. Product and Company Identification: Physical States
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Ecological Information: Ecotoxicity

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CF033A-AC Magenta Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a magenta toner preparation that is used in HP Color LaserJet CM4540 MFP series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <10 |
| Pigment | Pigment | Trade Secret | <7 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO ₂ , water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

| US. NIOSH: Pocket Guide to Chemical Hazards Components | Type | Value |
|--|------|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |

| | |
|---|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Magenta |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | Not available. |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 176 - 266 °F (80 - 130 °C) 176 - 266 °F (80 - 130 °C) |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|-----------|----------------------|
| CF033A-AC | | |
| Aquatic | | |
| Fish | LC50 Fish | > 100 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No
Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Version # 01

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information 1. Product and Company Identification: Physical States
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Ecological Information: Ecotoxicity

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CF313A-AC Magenta Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a magenta toner preparation that is used in HP Color LaserJet Enterprise M855 series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Pigment | Pigment | Trade Secret | <10 |
| Wax | Wax | Trade Secret | <10 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <3 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|------------|------|-------|
|------------|------|-------|

| | | |
|----------------------------------|-----|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |
|----------------------------------|-----|---------------------|

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

USA OSHA (TWA/PEL): 15 mg/m³ (Total Dust), 5 mg/m³ (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m³ (Inhalable Particulate), 3 mg/m³ (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m³)/%SiO₂, ACGIH (TWA/TLV): 10 mg/m³

TRGS 900 (Luftgrenzwert) - 10 mg/m³ (Einatembare partikel), 3 mg/m³ (Alveolengängige fraktion)

UK WEL: 10 mg/m³ (Respirable Dust), 5 mg/m³ (Inhalable Dust)

Appropriate engineering controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Magenta |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | > 392 °F (> 200 °C) |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 176 - 266 °F (80 - 130 °C) |
| Specific gravity | 1 - 1.2 |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

IARC Monographs. Overall Evaluation of Carcinogenicity

Amorphous silica (CAS 7631-86-9)

3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|-----------|----------------------|
| CF313A-AC | | |
| Aquatic | | |
| Fish | LC50 Fish | > 100 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Amorphous silica (CAS 7631-86-9)

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Amorphous silica (CAS 7631-86-9)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Version # 01

Disclaimer

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information

1. Product and Company Identification: Alternate Trade Names
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Ecological Information: Ecotoxicity

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet Q5953A-AC Magenta Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a magenta toner preparation that is used in HP Color LaserJet 4700 series printers |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <15 |
| Pigment | Pigment | Trade Secret | <6 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Store at room temperature. Store away from strong oxidizers. Keep tightly closed and dry. |

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|------------|------|-------|
|------------|------|-------|

| | | |
|----------------------------------|-----|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |
|----------------------------------|-----|---------------------|

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

USA OSHA (TWA/PEL): 15 mg/m³ (Total Dust), 5 mg/m³ (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m³ (Inhalable Particulate), 3 mg/m³ (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m³)/%SiO₂, ACGIH (TWA/TLV): 10 mg/m³

TRGS 900 (Luftgrenzwert) - 10 mg/m³ (Einatembare partikel), 3 mg/m³ (Alveolengängige fraktion)

UK WEL: 10 mg/m³ (Respirable Dust), 5 mg/m³ (Inhalable Dust)

Appropriate engineering controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Magenta |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | Not available. |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 212 - 302 °F (100 - 150 °C) 212 - 302 °F (100 - 150 °C) |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|--------------------|-----------------------|
| Q5953A-AC | | |
| Aquatic | | |
| Fish | LL50 Rainbow Trout | > 1000 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

**SARA 311/312
Hazardous chemical** No

Other federal regulations

**Safe Drinking Water Act
(SDWA)** Not regulated.

US state regulations This product contains no chemical substances subject to rules or orders under California Proposition 65.

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Version # 01

Disclaimer

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information

1. Product and Company Identification: Physical States
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Ecological Information: Ecotoxicity
Transport Information: Agency Name, Packaging Type, and Transport Mode Selection

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet Q6463A-AC Magenta Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a magenta toner preparation that is used in HP Color LaserJet 4730mfp/CM4730mfp series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <15 |
| Pigment | Pigment | Trade Secret | <6 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Store at room temperature. Store away from strong oxidizers. Keep tightly closed and dry. |

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|------------|------|-------|
|------------|------|-------|

| | | |
|----------------------------------|-----|---------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m3 |
|----------------------------------|-----|---------|

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10 mg/m3

TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)

UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)

Appropriate engineering controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Magenta |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | Not available. |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 212 - 302 °F (100 - 150 °C) 212 - 302 °F (100 - 150 °C) |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|--------------------|-----------------------|
| Q6463A-AC | | |
| Aquatic | | |
| Fish | LL50 Rainbow Trout | > 1000 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No
Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 15-Apr-2015

Revision date 16-Apr-2015

Version # 02

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet Q6473A-AC Magenta Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a magenta toner preparation that is used in HP Color LaserJet 3600 series printers |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <15 |
| Pigment | Pigment | Trade Secret | <6 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO ₂ , water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Store at room temperature. Store away from strong oxidizers. Keep tightly closed and dry. |

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|----------------------------------|------|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |

| | |
|---|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Magenta |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | > 392 °F (> 200 °C) |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 212 - 302 °F (100 - 150 °C) |
| Specific gravity | 1 - 1.2 |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

| | |
|---|---|
| Symptoms related to the physical, chemical and toxicological characteristics | Not available. |
| Information on toxicological effects | |
| Acute toxicity | LD50/oral/rat >2000 mg/kg; (OECD 401); Not harmful. Not classified for acute toxicity according to EU Directive 67/548/EEC and 1999/45/EC. |
| Skin corrosion/irritation | Not available. |
| Serious eye damage/eye irritation | Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended. |
| Respiratory or skin sensitization | |
| Respiratory sensitization | Not available. |
| Skin sensitization | Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended. |
| Germ cell mutagenicity | Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) |
| Carcinogenicity | Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California). |
| Reproductive toxicity | Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany). |
| Specific target organ toxicity - single exposure | Not available. |
| Specific target organ toxicity - repeated exposure | Not available. |
| Aspiration hazard | Not available. |
| Chronic effects | No information available. |
| Further information | Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures. |

| Components | Species | Test Results |
|----------------------------------|----------------|---------------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

| | | | |
|--------------------------------------|----------------|----------------|-----------------------|
| Ecotoxicity | | | |
| Product | | Species | Test Results |
| Q6473A-AC | | | |
| Aquatic | | | |
| Fish | LL50 | Rainbow Trout | > 1000 mg/l, 96 Hours |
| Persistence and degradability | Not available. | | |
| Bioaccumulative potential | Not available. | | |
| Mobility in soil | Not available. | | |
| Other adverse effects | Not available. | | |

13. Disposal considerations

| | |
|------------------------------|---|
| Disposal instructions | Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle . |
|------------------------------|---|

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No
Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 22-Apr-2015

Version # 01

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information 1. Product and Company Identification: Alternate Trade Names

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Material name HP Color LaserJet Q7563A Magenta Print Cartridge
Version # 01
Issue date 09-May-2013
Product Code Q7563A
Company identification Hewlett-Packard Company
3000 Hanover Street
Palo Alto, CA 94304-1185
United States
Telephone 650-857-1501

Hewlett-Packard health effects line
(Toll-free within the US) 1-800-457-4209
(Direct) 1-503-494-7199
HP Customer Care Line
(Toll-free within the US) 1-800-474-6836
(Direct) 1-208-323-2551
Email: hpcustomer.inquiries@hp.com

2. Hazards Identification

Potential health effects

Eyes May cause transient slight irritation
Skin Unlikely to cause skin irritation.
Inhalation Minimal respiratory tract irritation may occur with exposure to large amounts of toner dust.
Ingestion Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.

3. Composition / Information on Ingredients

| Non-hazardous components | CAS # | Percent |
|----------------------------|--------------|---------|
| Styrene acrylate copolymer | Trade Secret | <85 |
| Wax | Trade Secret | <15 |
| Pigment | Trade Secret | <6 |
| Amorphous silica | 7631-86-9 | <2 |

4. First Aid Measures

First aid procedures

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.
Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.
Ingestion Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician.

General advice No additional information

5. Fire Fighting Measures

Flammable properties Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.

Extinguishing media**Suitable extinguishing media** CO₂, water, or dry chemical**Unsuitable extinguishing media** None known.**Fire fighting equipment/instructions**

If fire occurs in the printer, treat as an electrical fire.

Specific methods

None established.

Hazardous combustion products

Carbon monoxide and carbon dioxide.

6. Accidental Release Measures**Personal precautions**

Minimize dust generation and accumulation.

Environmental precautions

Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.

Other information

Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations.

7. Handling and Storage**Handling**

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

Storage

Keep out of the reach of children. Store at room temperature. Store away from strong oxidizers. Keep tightly closed and dry.

8. Exposure Controls / Personal Protection**Occupational exposure limits****US. NIOSH: Pocket Guide to Chemical Hazards Components****Type****Value**

Amorphous silica (CAS 7631-86-9)

TWA

6 mg/m³**Exposure guidelines**USA OSHA (TWA/PEL): 15 mg/m³ (Total Dust), 5 mg/m³ (Respirable Fraction)ACGIH (TWA/TLV): 10 mg/m³ (Inhalable Particulate), 3 mg/m³ (Respirable Particulate)Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m³)/%SiO₂, ACGIH (TWA/TLV): 10 mg/m³**Engineering controls**

Use in a well ventilated area.

Personal protective equipment**General**

No personal respiratory protective equipment required under normal conditions of use.

9. Physical & Chemical Properties**Appearance**

Fine powder

Physical state

Solid.

Form

solid

Color

Magenta

Odor

Slight plastic odor

Odor threshold

Not available.

pH

Not applicable

Vapor pressure

Not applicable

Vapor density

Not applicable

Boiling point

Not applicable

Melting point/Freezing point

Not available.

Solubility (water)

Negligible in water. Partially soluble in toluene and xylene.

| | |
|---|-----------------------------|
| Specific gravity | Not available. |
| Relative density | Not available. |
| Flash point | Not applicable |
| Flammability limits in air, upper, % by volume | Not available. |
| Flammability limits in air, lower, % by volume | Not flammable |
| Auto-ignition temperature | Not applicable |
| Evaporation rate | Not applicable |
| Viscosity | Not applicable |
| Percent volatile | 0 % estimated |
| Softening point | 212 - 302 °F (100 - 150 °C) |
| VOC | Not available |
| Other information | No information available |
| Other data | |
| Oxidizing properties | No information available. |

10. Chemical Stability & Reactivity Information

| | |
|---|---|
| Chemical stability | Stable under normal storage conditions. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |
| Possibility of hazardous reactions | Will not occur. |

11. Toxicological Information

Toxicological data

| Components | Species | Test Results |
|--|---|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |
| Sensitization | Not classified as a sensitizer according to EU Directive 67/548/EEC and as amended, and OSHA HCS (US). | |
| Chronic effects | No information available. | |
| Carcinogenicity | Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California). | |
| Serious eye damage/eye irritation | Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended. | |
| Mutagenicity | Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) | |
| Reproductive effects | Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany). | |
| Further information | Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures. | |

12. Ecological Information

Ecotoxicological data

| Product | Species | Test Results |
|----------------|---------|-----------------------|
| Q7563A | | |
| Aquatic | | |
| Fish | LL50 | Rainbow Trout |
| | | > 1000 mg/l, 96 Hours |

Ecotoxicity LL50: > 1000 mg/l, Rainbow Trout, 96.00 Hours

Persistence and degradability Not available.

13. Disposal Considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport Information

15. Regulatory Information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

Not listed.

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Not regulated.

DEA Exempt Chemical Mixtures Code Number

Not regulated.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance No

SARA 311/312 Hazardous chemical No

Other information No information available.

Other regulations All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

State regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. Pennsylvania RTK - Hazardous Substances

Not regulated.

US. Rhode Island RTK

Not regulated.

16. Other Information

HMIS® ratings Health: 1
Flammability: 1
Physical hazard: 0

NFPA ratings Health: 1
Flammability: 1
Instability: 0

Disclaimer

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Other information

This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).

Issue date

09-May-2013

This data sheet contains changes from the previous version in section(s):

Product and Company Identification: Physical States
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
9. Physical & Chemical Properties: Color
11. Toxicological Information: Further information
Ecological Information: Ecotoxicity

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet Q7583A-AC Magenta Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a magenta toner preparation that is used in HP Color LaserJet CP3505/3800 series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <15 |
| Pigment | Pigment | Trade Secret | <6 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO ₂ , water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Store at room temperature. Store away from strong oxidizers. Keep tightly closed and dry. |

8. Exposure controls/personal protection

Occupational exposure limits

| US. NIOSH: Pocket Guide to Chemical Hazards Components | Type | Value |
|--|------|-------|
|--|------|-------|

| | | |
|----------------------------------|-----|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |
|----------------------------------|-----|---------------------|

| | |
|---|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Magenta |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | >= 392 °F (>= 200 °C) |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 212 - 302 °F (100 - 150 °C) 212 - 302 °F (100 - 150 °C) |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|--------------------|-----------------------|
| Q7583A-AC | | |
| Aquatic | | |
| Fish | LL50 Rainbow Trout | > 1000 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No

Fire Hazard - No

Pressure Hazard - No

Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No

Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Version # 01

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information 1. Product and Company Identification: Physical States
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Ecological Information: Ecotoxicity
Transport Information: Agency Name, Packaging Type, and Transport Mode Selection

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CB381A-AC-YC Cyan Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a cyan toner preparation that is used in HP Color LaserJet CP6015, CM6030 MFP, and CM6040 MFP series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <15 |
| Copper compound | Copper compound | Trade Secret | <5 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|------------|------|-------|
|------------|------|-------|

| | | |
|----------------------------|-----|---------------------|
| Cyan Toner (CAS 7631-86-9) | TWA | 6 mg/m ³ |
|----------------------------|-----|---------------------|

| | |
|---|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Cyan |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | Not available. |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 212 - 302 °F (100 - 150 °C) 212 - 302 °F (100 - 150 °C) |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|--------------------|----------------------|
| Cyan Toner | | |
| Aquatic | | |
| Fish | LL50 Rainbow Trout | > 100 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No
Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Version # 01

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information 1. Product and Company Identification: Alternate Trade Names
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Ecological Information: Ecotoxicity
Transport Information: Agency Name, Packaging Type, and Transport Mode Selection

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

Product identifier HP Color LaserJet CB401A Cyan Print Cartridge

Other means of identification Not available.

Recommended use This product is a cyan toner preparation that is used in HP Color LaserJet CP4005 series printers

Recommended restrictions None known.

Company identification Hewlett-Packard Company
3000 Hanover Street
Palo Alto, CA 94304-1185
United States
Telephone 650-857-5020

Hewlett-Packard health effects line
(Toll-free within the US) 1-800-457-4209
(Direct) 1-760-710-0048
HP Customer Care Line
(Toll-free within the US) 1-800-474-6836
(Direct) 1-208-323-2551
Email: hpcustomer.inquiries@hp.com

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.

Signal word None.

Hazard statement Not available.

Precautionary statement

Prevention Not available.

Response Not available.

Storage Not available.

Disposal Not available.

Hazard(s) not otherwise classified (HNOC) This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <15 |
| Pigment | Pigment | Trade Secret | <5 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Store at room temperature. Store away from strong oxidizers. Keep tightly closed and dry. |

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|----------------------------------|------|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |

| | |
|---|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Cyan |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | > 392 °F (> 200 °C) |
| Viscosity | Not applicable |
| Other information | |
| Softening point | 212 - 302 °F (100 - 150 °C) |
| Specific gravity | 1 - 1.2 |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

| | |
|---|---|
| Symptoms related to the physical, chemical and toxicological characteristics | Not available. |
| Information on toxicological effects | |
| Acute toxicity | LD50/oral/rat >2000 mg/kg; (OECD 401); Not harmful. Not classified for acute toxicity according to EU Directive 67/548/EEC and 1999/45/EC. |
| Skin corrosion/irritation | Not available. |
| Serious eye damage/eye irritation | Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended. |
| Respiratory or skin sensitization | |
| Respiratory sensitization | Not available. |
| Skin sensitization | Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended. |
| Germ cell mutagenicity | Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) |
| Carcinogenicity | Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California). |
| Reproductive toxicity | Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany). |
| Specific target organ toxicity - single exposure | Not available. |
| Specific target organ toxicity - repeated exposure | Not available. |
| Aspiration hazard | Not available. |
| Chronic effects | No information available. |
| Further information | Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures. |

| Components | Species | Test Results |
|----------------------------------|----------------|---------------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

| Ecotoxicity | | | |
|--------------------------------------|----------------|---------------|-----------------------|
| Product | Species | | Test Results |
| CB401A | | | |
| Aquatic | | | |
| Fish | LL50 | Rainbow Trout | > 1000 mg/l, 96 Hours |
| Persistence and degradability | Not available. | | |
| Bioaccumulative potential | Not available. | | |
| Mobility in soil | Not available. | | |
| Other adverse effects | Not available. | | |

13. Disposal considerations

| | |
|------------------------------|---|
| Disposal instructions | Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle . |
|------------------------------|---|

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No

Fire Hazard - No

Pressure Hazard - No

Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No

Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Version # 01

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information 1. Product and Company Identification: Physical States
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Ecological Information: Ecotoxicity
Transport Information: Agency Name, Packaging Type, and Transport Mode Selection

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CC531A-AC-L Cyan Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a cyan toner preparation that is used in HP Color LaserJet CP2025 and CM232C series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <10 |
| Pigment | Pigment | Trade Secret | <6 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO ₂ , water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|----------------------------------|------|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |

| | |
|---|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Cyan |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | > 392 °F (> 200 °C) |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 176 - 266 °F (80 - 130 °C) |
| Specific gravity | 1 - 1.2 |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|-----------|-----------------------|
| CC531A-AC-L | | |
| Aquatic | | |
| Fish | LL50 Fish | > 1000 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No
Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 13-Mar-2015

Revision date 16-Apr-2015

Version # 02

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CE251A-AC-YC Cyan Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a cyan toner preparation that is used in HP Color LaserJet CP3525 and CM353C series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <10 |
| Pigment | Pigment | Trade Secret | <6 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO ₂ , water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|----------------------------------|------|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |

| | |
|---|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Cyan |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | > 392 °F (> 200 °C) |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 176 - 266 °F (80 - 130 °C) |
| Specific gravity | 1 - 1.2 |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

| | |
|---|---|
| Symptoms related to the physical, chemical and toxicological characteristics | Not available. |
| Information on toxicological effects | |
| Acute toxicity | LD50/oral/rat >2000 mg/kg; (OECD 401); Not harmful. Not classified for acute toxicity according to EU Directive 67/548/EEC and 1999/45/EC. |
| Skin corrosion/irritation | Not available. |
| Serious eye damage/eye irritation | Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended. |
| Respiratory or skin sensitization | |
| Respiratory sensitization | Not available. |
| Skin sensitization | Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended. |
| Germ cell mutagenicity | Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) |
| Carcinogenicity | Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California). |
| Reproductive toxicity | Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany). |
| Specific target organ toxicity - single exposure | Not available. |
| Specific target organ toxicity - repeated exposure | Not available. |
| Aspiration hazard | Not available. |
| Chronic effects | No information available. |
| Further information | Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures. |

| Components | Species | Test Results |
|----------------------------------|----------------|---------------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

| | | | |
|--------------------------------------|----------------|------|-----------------------|
| Ecotoxicity | | | |
| Product | Species | | Test Results |
| CE251A-AC-YC (CAS Mixture) | | | |
| Aquatic | | | |
| Fish | LL50 | Fish | > 1000 mg/l, 96 Hours |
| Persistence and degradability | Not available. | | |
| Bioaccumulative potential | Not available. | | |
| Mobility in soil | Not available. | | |
| Other adverse effects | Not available. | | |

13. Disposal considerations

| | |
|------------------------------|---|
| Disposal instructions | Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle . |
|------------------------------|---|

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No
Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 11-Mar-2015

Revision date 16-Apr-2015

Version # 02

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CE261A-AC Cyan Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a cyan toner preparation that is used in HP Color LaserJet CP4525, CP4025 series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <10 |
| Pigment | Pigment | Trade Secret | <6 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

| US. NIOSH: Pocket Guide to Chemical Hazards Components | Type | Value |
|--|------|-------|
|--|------|-------|

| | | |
|----------------------------------|-----|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |
|----------------------------------|-----|---------------------|

| | |
|---|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Cyan |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | Not available. |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 176 - 266 °F (80 - 130 °C) 176 - 266 °F (80 - 130 °C) |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|--------------------|-----------------------|
| CE261A-AC | | |
| Aquatic | | |
| Fish | LL50 Rainbow Trout | > 1000 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No
Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Version # 01

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information 1. Product and Company Identification: Physical States
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Ecological Information: Ecotoxicity

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CE271A-AC Cyan Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a cyan toner preparation that is used in HP Color LaserJet CP5525/ HP Color LaserJet Enterprise M750 series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <10 |
| Pigment | Pigment | Trade Secret | <6 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|------------|------|-------|
|------------|------|-------|

| | | |
|----------------------------------|-----|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |
|----------------------------------|-----|---------------------|

| | |
|---|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Cyan |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | > 392 °F (> 200 °C) |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | Negligible |
| Softening point | 176 - 266 °F (80 - 130 °C) |
| VOC (Weight %) | Not applicable |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|-----------|----------------------|
| CE271A-AC | | |
| Aquatic | | |
| Fish | LC50 Fish | > 100 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No
Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Version # 01

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information 1. Product and Company Identification: Alternate Trade Names
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Ecological Information: Ecotoxicity

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CE341A-AC Cyan Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a cyan toner preparation that is used in HP LJ Enterprise 700 Color MFP M775 series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <90 |
| Pigment | Pigment | Trade Secret | <10 |
| Wax | Wax | Trade Secret | <10 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <3 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO ₂ , water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|------------|------|-------|
|------------|------|-------|

| | | |
|----------------------------------|-----|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |
|----------------------------------|-----|---------------------|

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

USA OSHA (TWA/PEL): 15 mg/m³ (Total Dust), 5 mg/m³ (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m³ (Inhalable Particulate), 3 mg/m³ (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m³)/%SiO₂, ACGIH (TWA/TLV): 10 mg/m³

TRGS 900 (Luftgrenzwert) - 10 mg/m³ (Einatembare partikel), 3 mg/m³ (Alveolengängige fraktion)

UK WEL: 10 mg/m³ (Respirable Dust), 5 mg/m³ (Inhalable Dust)

Appropriate engineering controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Cyan |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | >= 392 °F (>= 200 °C) |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | Negligible |
| Softening point | 176 - 266 °F (80 - 130 °C) 176 - 266 °F (80 - 130 °C) |
| Specific gravity | 1 - 1.2 (H2O = 1) |
| VOC (Weight %) | Not applicable |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |

Hazardous decomposition products Carbon monoxide and carbon dioxide.

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|-----------|----------------------|
| CE341A-AC | | |
| Aquatic | | |
| Fish | LC50 Fish | > 100 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Version # 01

Disclaimer

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information

1. Product and Company Identification: Alternate Trade Names
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CE401A-AC-YC Cyan Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a cyan toner preparation that is used in HP LaserJet Enterprise 500 Color M551 / HP LaserJet Enterprise 500 color MFP M575 / HP LaserJet Pro 500 color MFP M570 series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <90 |
| Pigment | Pigment | Trade Secret | <10 |
| Wax | Wax | Trade Secret | <10 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <3 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO ₂ , water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|------------|------|-------|
|------------|------|-------|

| | | |
|----------------------------------|-----|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |
|----------------------------------|-----|---------------------|

| | |
|---|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Cyan |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | > 392 °F (> 200 °C) |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 176 - 266 °F (80 - 130 °C) |
| Specific gravity | 1 - 1.2 |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|-----------|----------------------|
| CE401A-AC-YC | | |
| Aquatic | | |
| Fish | LC50 Fish | > 100 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No
Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 19-Nov-2014

Revision date 16-Apr-2015

Version # 03

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

Product identifier HP Color LaserJet CE411A-AC-L Cyan Print Cartridge

Other means of identification Not available.

Recommended use This product is a cyan toner preparation that is used in HP LaserJet Pro 300 Color M351/HF LaserJet Pro 400 Color M451/HP LaserJet Pro 300 Color MFP M375/HP LaserJet Pro 400 Color MFP M475 series printers.

Recommended restrictions None known.

Company identification Hewlett-Packard Company
3000 Hanover Street
Palo Alto, CA 94304-1185
United States
Telephone 650-857-5020

Hewlett-Packard health effects line
(Toll-free within the US) 1-800-457-4209
(Direct) 1-760-710-0048
HP Customer Care Line
(Toll-free within the US) 1-800-474-6836
(Direct) 1-208-323-2551
Email: hpcustomer.inquiries@hp.com

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.

Signal word None.

Hazard statement Not available.

Precautionary statement

Prevention Not available.

Response Not available.

Storage Not available.

Disposal Not available.

Hazard(s) not otherwise classified (HNOC) This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Pigment | Pigment | Trade Secret | <10 |
| Wax | Wax | Trade Secret | <10 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <3 |

4. First-aid measures

| | |
|---|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO ₂ , water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

| US. NIOSH: Pocket Guide to Chemical Hazards Components | Type | Value |
|---|-------------|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |

| | |
|--------------------------------|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |

Appropriate engineering controls Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

Eye/face protection Not available.

Skin protection

Hand protection Not available.

Other Not available.

Respiratory protection Not available.

Thermal hazards Not available.

9. Physical and chemical properties

Appearance Fine powder

Physical state Solid.

Color Cyan

Odor Slight plastic odor

Odor threshold Not available.

pH Not applicable

Melting point/freezing point Not available.

Initial boiling point and boiling range Not applicable

Flash point Not applicable

Evaporation rate Not applicable

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not flammable

Flammability limit - upper (%) Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not applicable

Solubility(ies)

Solubility (water) Negligible in water. Partially soluble in toluene and xylene.

Partition coefficient (n-octanol/water) Not available.

Auto-ignition temperature Not applicable

Decomposition temperature > 392 °F (> 200 °C)

Viscosity Not applicable

Other information

Percent volatile 0 % estimated

Softening point 176 - 266 °F (80 - 130 °C)

Specific gravity 1 - 1.2

10. Stability and reactivity

Reactivity Not available.

Chemical stability Stable under normal storage conditions.

Possibility of hazardous reactions Will not occur.

Conditions to avoid Imaging Drum: Exposure to light

Incompatible materials Strong oxidizers

Hazardous decomposition products Carbon monoxide and carbon dioxide.

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|-----------|----------------------|
| CE411A-AC-L | | |
| Aquatic | | |
| Fish | LC50 Fish | > 100 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 02-Dec-2014

Revision date 16-Apr-2015

Version # 02

Disclaimer

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CE741A Cyan Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a cyan toner preparation that is used in HP Color LaserJet CP5225 series printers |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <10 |
| Pigment | Pigment | Trade Secret | <6 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO ₂ , water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|------------|------|-------|
|------------|------|-------|

| | | |
|----------------------------------|-----|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |
|----------------------------------|-----|---------------------|

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

USA OSHA (TWA/PEL): 15 mg/m³ (Total Dust), 5 mg/m³ (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m³ (Inhalable Particulate), 3 mg/m³ (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m³)/%SiO₂, ACGIH (TWA/TLV): 10 mg/m³

TRGS 900 (Luftgrenzwert) - 10 mg/m³ (Einatembare partikel), 3 mg/m³ (Alveolengängige fraktion)

UK WEL: 10 mg/m³ (Respirable Dust), 5 mg/m³ (Inhalable Dust)

Appropriate engineering controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Cyan |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | Not available. |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | Negligible |
| Softening point | 176 - 266 °F (80 - 130 °C) 176 - 266 °F (80 - 130 °C) |
| VOC (Weight %) | Not applicable |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------------|-----------|-----------------------|
| CE741A (CAS Mixture) | | |
| Aquatic | | |
| Fish | LL50 Fish | > 1000 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No
Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Version # 01

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information 1. Product and Company Identification: Physical States
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Ecological Information: Ecotoxicity

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CF031A-AC Cyan Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a cyan toner preparation that is used in HP Color LaserJet CM4540 MFP series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <10 |
| Pigment | Pigment | Trade Secret | <6 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

| US. NIOSH: Pocket Guide to Chemical Hazards Components | Type | Value |
|--|------|-------|
|--|------|-------|

| | | |
|----------------------------------|-----|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |
|----------------------------------|-----|---------------------|

| | |
|---|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Cyan |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | Not available. |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 176 - 266 °F (80 - 130 °C) 176 - 266 °F (80 - 130 °C) |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|-----------|----------------------|
| CF031A-AC | | |
| Aquatic | | |
| Fish | LC50 Fish | > 100 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No
Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Version # 01

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information 1. Product and Company Identification: Physical States
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Ecological Information: Ecotoxicity

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CF311A-AC Cyan Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a cyan toner preparation that is used in HP Color LaserJet Enterprise M855 series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <90 |
| Pigment | Pigment | Trade Secret | <10 |
| Wax | Wax | Trade Secret | <10 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <3 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO ₂ , water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

| US. NIOSH: Pocket Guide to Chemical Hazards Components | Type | Value |
|--|------|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |

| | |
|---|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Cyan |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | > 392 °F (> 200 °C) |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 176 - 266 °F (80 - 130 °C) |
| Specific gravity | 1 - 1.2 |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

IARC Monographs. Overall Evaluation of Carcinogenicity

Amorphous silica (CAS 7631-86-9)

3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|-----------|----------------------|
| CF311A-AC | | |
| Aquatic | | |
| Fish | LC50 Fish | > 100 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Amorphous silica (CAS 7631-86-9)

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Amorphous silica (CAS 7631-86-9)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Version # 01

Disclaimer

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information

1. Product and Company Identification: Alternate Trade Names
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Ecological Information: Ecotoxicity

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

Product identifier HP Color LaserJet Q5951A-AC Cyan Print Cartridge

Other means of identification Not available.

Recommended use This product is a cyan toner preparation that is used in HP Color LaserJet 4700 series printers.

Recommended restrictions None known.

Company identification Hewlett-Packard Company
3000 Hanover Street
Palo Alto, CA 94304-1185
United States
Telephone 650-857-5020

Hewlett-Packard health effects line
(Toll-free within the US) 1-800-457-4209
(Direct) 1-760-710-0048
HP Customer Care Line
(Toll-free within the US) 1-800-474-6836
(Direct) 1-208-323-2551
Email: hpcustomer.inquiries@hp.com

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.

Signal word None.

Hazard statement Not available.

Precautionary statement

- Prevention** Not available.
- Response** Not available.
- Storage** Not available.
- Disposal** Not available.

Hazard(s) not otherwise classified (HNOC) This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <15 |
| Copper compound | Copper compound | Trade Secret | <5 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Store at room temperature. Store away from strong oxidizers. Keep tightly closed and dry. |

8. Exposure controls/personal protection

Occupational exposure limits

| US. NIOSH: Pocket Guide to Chemical Hazards Components | Type | Value |
|--|------|-------|
|--|------|-------|

| | | |
|----------------------------------|-----|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |
|----------------------------------|-----|---------------------|

| | |
|---|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Cyan |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | Not available. |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 212 - 302 °F (100 - 150 °C) 212 - 302 °F (100 - 150 °C) |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|--------------------|-----------------------|
| Q5951A-AC | | |
| Aquatic | | |
| Fish | LL50 Rainbow Trout | > 1000 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No
Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Version # 01

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information 1. Product and Company Identification: Physical States
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Ecological Information: Ecotoxicity
Transport Information: Agency Name, Packaging Type, and Transport Mode Selection

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet Q6461A-AC Cyan Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a cyan toner preparation that is used in HP Color LaserJet 4730mfp/CM4730mfp series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <15 |
| Copper compound | Copper compound | Trade Secret | <5 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO ₂ , water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Store at room temperature. Store away from strong oxidizers. Keep tightly closed and dry. |

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|------------|------|-------|
|------------|------|-------|

| | | |
|----------------------------------|-----|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |
|----------------------------------|-----|---------------------|

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

USA OSHA (TWA/PEL): 15 mg/m³ (Total Dust), 5 mg/m³ (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m³ (Inhalable Particulate), 3 mg/m³ (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m³)/%SiO₂, ACGIH (TWA/TLV): 10 mg/m³

TRGS 900 (Luftgrenzwert) - 10 mg/m³ (Einatembare partikel), 3 mg/m³ (Alveolengängige fraktion)

UK WEL: 10 mg/m³ (Respirable Dust), 5 mg/m³ (Inhalable Dust)

Appropriate engineering controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Cyan |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | Not available. |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 212 - 302 °F (100 - 150 °C) 212 - 302 °F (100 - 150 °C) |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|--------------------|-----------------------|
| Q6461A-AC | | |
| Aquatic | | |
| Fish | LL50 Rainbow Trout | > 1000 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No

Fire Hazard - No

Pressure Hazard - No

Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No

Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 15-Apr-2015

Revision date 16-Apr-2015

Version # 02

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

Product identifier HP Color LaserJet Q6471A-AC Cyan Print Cartridge

Other means of identification Not available.

Recommended use This product is a cyan toner preparation that is used in HP Color LaserJet 3600 series printers.

Recommended restrictions None known.

Company identification Hewlett-Packard Company
3000 Hanover Street
Palo Alto, CA 94304-1185
United States
Telephone 650-857-5020

Hewlett-Packard health effects line
(Toll-free within the US) 1-800-457-4209
(Direct) 1-760-710-0048
HP Customer Care Line
(Toll-free within the US) 1-800-474-6836
(Direct) 1-208-323-2551
Email: hpcustomer.inquiries@hp.com

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.

Signal word None.

Hazard statement Not available.

Precautionary statement

Prevention Not available.

Response Not available.

Storage Not available.

Disposal Not available.

Hazard(s) not otherwise classified (HNOC) This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <15 |
| Copper compound | Copper compound | Trade Secret | <5 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Store at room temperature. Store away from strong oxidizers. Keep tightly closed and dry. |

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|------------|------|-------|
|------------|------|-------|

| | | |
|----------------------------------|-----|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |
|----------------------------------|-----|---------------------|

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

USA OSHA (TWA/PEL): 15 mg/m³ (Total Dust), 5 mg/m³ (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m³ (Inhalable Particulate), 3 mg/m³ (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m³)/%SiO₂, ACGIH (TWA/TLV): 10 mg/m³

TRGS 900 (Luftgrenzwert) - 10 mg/m³ (Einatembare partikel), 3 mg/m³ (Alveolengängige fraktion)

UK WEL: 10 mg/m³ (Respirable Dust), 5 mg/m³ (Inhalable Dust)

Appropriate engineering controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Cyan |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | > 392 °F (> 200 °C) |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 212 - 302 °F (100 - 150 °C) |
| Specific gravity | 1 - 1.2 |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

| | |
|---|---|
| Symptoms related to the physical, chemical and toxicological characteristics | Not available. |
| Information on toxicological effects | |
| Acute toxicity | LD50/oral/rat >2000 mg/kg; (OECD 401); Not harmful. Not classified for acute toxicity according to EU Directive 67/548/EEC and 1999/45/EC. |
| Skin corrosion/irritation | Not available. |
| Serious eye damage/eye irritation | Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended. |
| Respiratory or skin sensitization | |
| Respiratory sensitization | Not available. |
| Skin sensitization | Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended. |
| Germ cell mutagenicity | Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) |
| Carcinogenicity | Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California). |
| Reproductive toxicity | Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany). |
| Specific target organ toxicity - single exposure | Not available. |
| Specific target organ toxicity - repeated exposure | Not available. |
| Aspiration hazard | Not available. |
| Chronic effects | No information available. |
| Further information | Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures. |

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

| Ecotoxicity | | | |
|--------------------------------------|----------------|---------------|-----------------------|
| Product | Species | | Test Results |
| Q6471A-AC | | | |
| Aquatic | | | |
| Fish | LL50 | Rainbow Trout | > 1000 mg/l, 96 Hours |
| Persistence and degradability | Not available. | | |
| Bioaccumulative potential | Not available. | | |
| Mobility in soil | Not available. | | |
| Other adverse effects | Not available. | | |

13. Disposal considerations

| | |
|------------------------------|---|
| Disposal instructions | Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle . |
|------------------------------|---|

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No
Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 22-Apr-2015

Version # 01

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information 1. Product and Company Identification: Alternate Trade Names

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Material name HP Color LaserJet Q7561A Cyan Print Cartridge

Use of the preparation This product is a cyan toner preparation that is used in HP Color LaserJet 2700/3000 series printers.

Version # 06

Revision date 03-07-2009

Company identification Hewlett-Packard Company
3000 Hanover Street
Palo Alto, CA 94304-1185
United States
Telephone 650-857-1501

Hewlett-Packard health effects line
(Toll-free within the US) 1-800-457-4209
(Direct) 1-503-494-7199
HP Customer Care Line
(Toll-free within the US) 1-800-474-6836
(Direct) 1-208-323-2551
Email: hpcustomerinquiries@hp.com

Date prepared Mar 07, 2009

MSDS number 351764

2. Hazards Identification

Acute health effects

Skin contact Unlikely to cause skin irritation.

Eye contact May cause transient slight irritation

Inhalation Minimal respiratory tract irritation may occur with exposure to large amounts of toner dust.

Ingestion Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.

Potential health effects

Routes of exposure Potential routes of exposure under normal use conditions are skin and eye contact; and inhalation

Ingestion is not expected to be a primary route of exposure for this product under normal use conditions.

Chronic health effects Prolonged inhalation of excessive amounts of any dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

Carcinogenicity None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH.

Other information This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended.

This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC) 1907/2006.

3. Composition / Information on Ingredients

| Component/substance | CAS number | % by weight |
|----------------------------|--------------|-------------|
| Styrene acrylate copolymer | Trade Secret | < 85 |
| Wax | Trade Secret | < 15 |
| Copper compound | Trade Secret | < 5 |
| Amorphous silica | 7631-86-9 | < 2 |



MATERIAL SAFETY DATA SHEET

4. First Aid Measures

First aid procedures

| | |
|---------------------|--|
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |

5. Fire Fighting Measures

| | |
|--|---|
| Flash point and method | Not applicable |
| Hazardous combustion products | Carbon monoxide and carbon dioxide. |
| Flammable properties | Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air. |
| Extinguishing media | |
| Suitable extinguishing media | CO ₂ , water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Unusual fire and explosion hazard | Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air. |
| Protection of firefighters | |
| Protective equipment and precautions for firefighters | If fire occurs in the printer, treat as an electrical fire. |
| Special firefighting procedures | None established. |

6. Accidental Release Measures

| | |
|----------------------------------|---|
| Personal precautions | Minimize dust generation and accumulation. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |
| Other information | Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations. |

7. Handling and Storage

| | |
|-----------------|--|
| Handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Storage | Keep out of the reach of children. Store at room temperature. Store away from strong oxidizers. Keep tightly closed and dry. |

8. Exposure Controls / Personal Protection

| | |
|--------------------------------------|---|
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ |
| Personal protective equipment | |
| General | No personal respiratory protective equipment required under normal conditions of use. |



MATERIAL SAFETY DATA SHEET

9. Physical & Chemical Properties

| | |
|--|---|
| Appearance | Fine powder |
| Color | Cyan |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| Physical state | Not available. |
| Form | solid |
| pH | Not applicable |
| Melting point | Not available. |
| Freezing point | Not available. |
| Boiling point | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability | Not available. |
| Flammability limits in air, upper, % by volume | Not available. |
| Flammability limits in air, lower, % by volume | Not flammable |
| Vapor pressure | Not applicable |
| Vapor density | Not applicable |
| Specific gravity | 1 - 1.2 (H ₂ O = 1) |
| Relative density | Not available. |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | Not available. |
| Softening point | 212 - 302 °F (100 - 150 °C) |
| Viscosity | Not applicable |

10. Chemical Stability & Reactivity Information

| | |
|------------------------------------|---|
| Chemical stability | Stable under normal storage conditions. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |
| Possibility of hazardous reactions | Will not occur. |

11. Toxicological Information

| | |
|---------------------|---|
| Oral toxicity | LD ₅₀ /oral/rat >2000 mg/kg; (OECD 401); Not harmful.. Not classified for acute oral toxicity according to EU Directive 67/548/EEC and 1999/45/EC. |
| Inhalation toxicity | No information available. |
| | Not classified for acute inhalation toxicity according to EU Directive 67/548/EEC and 1999/45/EC. |
| Eye irritation | Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended. |



MATERIAL SAFETY DATA SHEET

| | |
|------------------------------|---|
| Sensitization | Not classified as a sensitizer according to EU Directive 67/548/EEC and as amended, and OSHA HCS (US). |
| Chronic toxicity | No information available. |
| Carcinogenicity | Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California). |
| Mutagenicity | Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) |
| Reproductive toxicity | Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany). |

12. Ecological Information

| | |
|--------------------------------------|--|
| Ecotoxicity | 96.00 Hours, LL50 > 1000 mg/l, rainbow trout |
| Persistence and degradability | Not available. |

13. Disposal Considerations

| | |
|------------------------------|---|
| Disposal instructions | Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle . |
|------------------------------|---|

14. Transport Information

Not available.

| | |
|----------------|---|
| General | Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID. |
|----------------|---|

15. Regulatory Information

| | |
|-------------------------------|--|
| US federal regulations | US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA. |
|-------------------------------|--|

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

| | |
|--------------------------|--|
| Hazard categories | Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No |
|--------------------------|--|

| | |
|--|----|
| Section 302 extremely hazardous substance | No |
|--|----|

| | |
|---------------------------------------|----|
| Section 311 hazardous chemical | No |
|---------------------------------------|----|

| | |
|----------------------------------|--|
| International regulations | All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China. |
|----------------------------------|--|

16. Other Information

| | |
|----------------------|--|
| HMIS® ratings | Health: 1 Flammability: 1 Physical hazard: 0 |
| NFPA ratings | Health: 1 Flammability: 1 Instability: 0 |
| Issue date | Mar 7 2009 8:49AM |
| Revision | 6 |



MATERIAL SAFETY DATA SHEET

Replaces sheet dated

Mar 6 2009 6:51PM

Disclaimer

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet Q7581A-AC Cyan Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a cyan toner preparation that is used in HP Color LaserJet CP3505/3800 series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <15 |
| Copper compound | Copper compound | Trade Secret | <5 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO ₂ , water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Store at room temperature. Store away from strong oxidizers. Keep tightly closed and dry. |

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|------------|------|-------|
|------------|------|-------|

| | | |
|----------------------------------|-----|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |
|----------------------------------|-----|---------------------|

| | |
|---|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Cyan |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | >= 392 °F (>= 200 °C) |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 212 - 302 °F (100 - 150 °C) 212 - 302 °F (100 - 150 °C) |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|--------------------|-----------------------|
| Q7581A-AC | | |
| Aquatic | | |
| Fish | LL50 Rainbow Trout | > 1000 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No

Fire Hazard - No

Pressure Hazard - No

Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No

Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Version # 01

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information 1. Product and Company Identification: Physical States
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Ecological Information: Ecotoxicity
Transport Information: Agency Name, Packaging Type, and Transport Mode Selection

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CB382A-AC-YC Yellow Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a yellow toner preparation that is used in HP Color LaserJet CP6015, CP6030 MFP, and CM6040 MFP series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <15 |
| Pigment | Pigment | Trade Secret | <5 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO ₂ , water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|------------------------------|------|---------------------|
| Yellow Toner (CAS 7631-86-9) | TWA | 6 mg/m ³ |

| | |
|---|--|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Yellow |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | Not available. |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 212 - 302 °F (100 - 150 °C) 212 - 302 °F (100 - 150 °C) |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|--------------------|----------------------|
| Yellow Toner | | |
| Aquatic | | |
| Fish | LL50 Rainbow Trout | > 100 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No

Fire Hazard - No

Pressure Hazard - No

Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No

Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Version # 01

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information

- Product and Company Identification: Alternate Trade Names
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Ecological Information: Ecotoxicity
Transport Information: Agency Name, Packaging Type, and Transport Mode Selection

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CB403A Magenta Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a magenta toner preparation that is used in HP Color LaserJet CP4005 series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <15 |
| Pigment | Pigment | Trade Secret | <6 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Store at room temperature. Store away from strong oxidizers. Keep tightly closed and dry. |

8. Exposure controls/personal protection

Occupational exposure limits

| US. NIOSH: Pocket Guide to Chemical Hazards Components | Type | Value |
|--|------|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |

| | |
|---|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Magenta |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | Not available. |
| Viscosity | Not applicable |
| Other information | |
| Softening point | 212 - 302 °F (100 - 150 °C) 212 - 302 °F (100 - 150 °C) |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|--------------------|-----------------------|
| CB403A | | |
| Aquatic | | |
| Fish | LL50 Rainbow Trout | > 1000 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No
Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Version # 01

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information 1. Product and Company Identification: Physical States
Composition / Information on Ingredients
Physical & Chemical Properties: Multiple Properties
Ecological Information: Ecotoxicity
Transport Information: Agency Name, Packaging Type, and Transport Mode Selection

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CC532A-AC-L Yellow Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a yellow toner preparation that is used in HP Color LaserJet CP2025 and CM232C series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <10 |
| Pigment | Pigment | Trade Secret | <5 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO ₂ , water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|----------------------------------|------|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |

| | |
|---|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Yellow |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | > 392 °F (> 200 °C) |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 176 - 266 °F (80 - 130 °C) |
| Specific gravity | 1 - 1.2 |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|-----------|-----------------------|
| CC532A-AC-L | | |
| Aquatic | | |
| Fish | LL50 Fish | > 1000 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No
Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 13-Mar-2015

Revision date 16-Apr-2015

Version # 02

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CE252A-AC-YC Yellow Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a yellow toner preparation that is used in HP Color LaserJet CP3525 and CM353C series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <10 |
| Pigment | Pigment | Trade Secret | <5 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO ₂ , water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

| US. NIOSH: Pocket Guide to Chemical Hazards Components | Type | Value |
|--|------|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |

| | |
|---|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Yellow |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | > 392 °F (> 200 °C) |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 176 - 266 °F (80 - 130 °C) |
| Specific gravity | 1 - 1.2 |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

| | |
|---|---|
| Symptoms related to the physical, chemical and toxicological characteristics | Not available. |
| Information on toxicological effects | |
| Acute toxicity | LD50/oral/rat >2000 mg/kg; (OECD 401); Not harmful. Not classified for acute toxicity according to EU Directive 67/548/EEC and 1999/45/EC. |
| Skin corrosion/irritation | Not available. |
| Serious eye damage/eye irritation | Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended. |
| Respiratory or skin sensitization | |
| Respiratory sensitization | Not available. |
| Skin sensitization | Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended. |
| Germ cell mutagenicity | Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) |
| Carcinogenicity | Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California). |
| Reproductive toxicity | Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany). |
| Specific target organ toxicity - single exposure | Not available. |
| Specific target organ toxicity - repeated exposure | Not available. |
| Aspiration hazard | Not available. |
| Chronic effects | No information available. |
| Further information | Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures. |

| Components | Species | Test Results |
|----------------------------------|----------------|---------------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

| | | | |
|--------------------------------------|----------------|------|-----------------------|
| Ecotoxicity | | | |
| Product | Species | | Test Results |
| CE252A-AC-YC (CAS Mixture) | | | |
| Aquatic | | | |
| Fish | LL50 | Fish | > 1000 mg/l, 96 Hours |
| Persistence and degradability | Not available. | | |
| Bioaccumulative potential | Not available. | | |
| Mobility in soil | Not available. | | |
| Other adverse effects | Not available. | | |

13. Disposal considerations

| | |
|------------------------------|---|
| Disposal instructions | Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle . |
|------------------------------|---|

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No
Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 11-Mar-2015

Revision date 16-Apr-2015

Version # 02

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CE262A-AC Yellow Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a yellow toner preparation that is used in HP Color LaserJet CP4525, CP4025 series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <10 |
| Pigment | Pigment | Trade Secret | <5 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO ₂ , water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|----------------------------------|------|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |

| | |
|---|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Yellow |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | Not available. |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 176 - 266 °F (80 - 130 °C) 176 - 266 °F (80 - 130 °C) |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|--------------------|-----------------------|
| CE262A-AC | | |
| Aquatic | | |
| Fish | LL50 Rainbow Trout | > 1000 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No
Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Version # 01

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information 1. Product and Company Identification: Physical States
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Ecological Information: Ecotoxicity

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CE272A-AC Yellow Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a yellow toner preparation that is used in HP Color LaserJet CLJ CP5525/ HP Color LaserJet Enterprise M750 series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <10 |
| Pigment | Pigment | Trade Secret | <5 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO ₂ , water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|----------------------------------|------|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |

| | |
|---|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Yellow |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | > 392 °F (> 200 °C) |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | Negligible |
| Softening point | 176 - 266 °F (80 - 130 °C) |
| VOC (Weight %) | Not applicable |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|-----------|----------------------|
| CE272A-AC | | |
| Aquatic | | |
| Fish | LC50 Fish | > 100 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No
Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Version # 01

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information 1. Product and Company Identification: Alternate Trade Names
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Ecological Information: Ecotoxicity

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CE342A-AC Yellow Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a yellow toner preparation that is used in HP LJ Enterprise 700 Color MFP M775 series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <90 |
| Wax | Wax | Trade Secret | <10 |
| Pigment | Pigment | Trade Secret | <5 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <3 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|------------|------|-------|
|------------|------|-------|

| | | |
|----------------------------------|-----|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |
|----------------------------------|-----|---------------------|

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

USA OSHA (TWA/PEL): 15 mg/m³ (Total Dust), 5 mg/m³ (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m³ (Inhalable Particulate), 3 mg/m³ (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m³)/%SiO₂, ACGIH (TWA/TLV): 10 mg/m³

TRGS 900 (Luftgrenzwert) - 10 mg/m³ (Einatembare partikel), 3 mg/m³ (Alveolengängige fraktion)

UK WEL: 10 mg/m³ (Respirable Dust), 5 mg/m³ (Inhalable Dust)

Appropriate engineering controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Yellow |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | >= 392 °F (>= 200 °C) |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | Negligible |
| Softening point | 176 - 266 °F (80 - 130 °C) 176 - 266 °F (80 - 130 °C) |
| Specific gravity | 1 - 1.2 (H2O = 1) |
| VOC (Weight %) | Not applicable |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |

Hazardous decomposition products Carbon monoxide and carbon dioxide.

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|-----------|----------------------|
| CE342A-AC | | |
| Aquatic | | |
| Fish | LC50 Fish | > 100 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Version # 01

Disclaimer

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information

1. Product and Company Identification: Alternate Trade Names
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CE402A-AC-YC Yellow Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a yellow toner preparation that is used in HP LaserJet Enterprise 500 Color M551 / HP LaserJet Enterprise 500 color MFP M575 / HP LaserJet Pro 500 color MFP M570 series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <90 |
| Wax | Wax | Trade Secret | <10 |
| Pigment | Pigment | Trade Secret | <5 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <3 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

| US. NIOSH: Pocket Guide to Chemical Hazards Components | Type | Value |
|--|------|---------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m3 |

| | |
|---|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10 mg/m3 TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion) UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Yellow |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | > 392 °F (> 200 °C) |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 176 - 266 °F (80 - 130 °C) |
| Specific gravity | 1 - 1.2 |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|-----------|----------------------|
| CE402A-AC-YC | | |
| Aquatic | | |
| Fish | LC50 Fish | > 100 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No
Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 18-Sep-2014

Revision date 16-Apr-2015

Version # 02

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CE412A-AC-L Yellow Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a yellow toner preparation that is used in HP LaserJet Pro 300 Color M351/HP LaserJet Pro 400 Color M451/HP LaserJet Pro 300 Color MFP M375/HP LaserJet Pro 400 Color MFP M475 series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <10 |
| Pigment | Pigment | Trade Secret | <5 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <3 |

4. First-aid measures

| | |
|---|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO ₂ , water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

| US. NIOSH: Pocket Guide to Chemical Hazards Components | Type | Value |
|--|------|-------|
|--|------|-------|

| | | |
|----------------------------------|-----|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |
|----------------------------------|-----|---------------------|

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

USA OSHA (TWA/PEL): 15 mg/m³ (Total Dust), 5 mg/m³ (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m³ (Inhalable Particulate), 3 mg/m³ (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m³)/%SiO₂, ACGIH (TWA/TLV): 10 mg/m³

TRGS 900 (Luftgrenzwert) - 10 mg/m³ (Einatembare partikel), 3 mg/m³ (Alveolengängige fraktion)

UK WEL: 10 mg/m³ (Respirable Dust), 5 mg/m³ (Inhalable Dust)

Appropriate engineering controls Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

Eye/face protection Not available.
Skin protection
Hand protection Not available.
Other Not available.
Respiratory protection Not available.
Thermal hazards Not available.

9. Physical and chemical properties

Appearance Fine powder
Physical state Solid.
Color Yellow
Odor Slight plastic odor
Odor threshold Not available.
pH Not applicable
Melting point/freezing point Not available.
Initial boiling point and boiling range Not applicable
Flash point Not applicable
Evaporation rate Not applicable
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits
Flammability limit - lower (%) Not flammable
Flammability limit - upper (%) Not available.
Explosive limit - lower (%) Not available.
Explosive limit - upper (%) Not available.
Vapor pressure Not applicable
Solubility(ies)
Solubility (water) Negligible in water. Partially soluble in toluene and xylene.
Partition coefficient (n-octanol/water) Not available.
Auto-ignition temperature Not applicable
Decomposition temperature > 392 °F (> 200 °C)
Viscosity Not applicable
Other information
Percent volatile 0 % estimated
Softening point 176 - 266 °F (80 - 130 °C)
Specific gravity 1 - 1.2

10. Stability and reactivity

Reactivity Not available.
Chemical stability Stable under normal storage conditions.
Possibility of hazardous reactions Will not occur.
Conditions to avoid Imaging Drum: Exposure to light
Incompatible materials Strong oxidizers

Hazardous decomposition products Carbon monoxide and carbon dioxide.

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|-----------|----------------------|
| CE412A-AC-L | | |
| Aquatic | | |
| Fish | LC50 Fish | > 100 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 02-Dec-2014

Revision date 16-Apr-2015

Version # 02

Disclaimer

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CE742A Yellow Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a yellow toner preparation that is used in HP Color LaserJet CLJ CP 5225 series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <10 |
| Pigment | Pigment | Trade Secret | <5 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|------------|------|-------|
|------------|------|-------|

| | | |
|----------------------------------|-----|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |
|----------------------------------|-----|---------------------|

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

USA OSHA (TWA/PEL): 15 mg/m³ (Total Dust), 5 mg/m³ (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m³ (Inhalable Particulate), 3 mg/m³ (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m³)/%SiO₂, ACGIH (TWA/TLV): 10 mg/m³

TRGS 900 (Luftgrenzwert) - 10 mg/m³ (Einatembare partikel), 3 mg/m³ (Alveolengängige fraktion)

UK WEL: 10 mg/m³ (Respirable Dust), 5 mg/m³ (Inhalable Dust)

Appropriate engineering controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Yellow |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | Not available. |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | Negligible |
| Softening point | 176 - 266 °F (80 - 130 °C) 176 - 266 °F (80 - 130 °C) |
| VOC (Weight %) | Not applicable |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------------|-----------|-----------------------|
| CE742A (CAS Mixture) | | |
| Aquatic | | |
| Fish | LL50 Fish | > 1000 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No
Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Version # 01

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information 1. Product and Company Identification: Physical States
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Ecological Information: Ecotoxicity

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CF032A-AC Yellow Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a yellow toner preparation that is used in HP Color LaserJet CM4540 MFP series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <10 |
| Pigment | Pigment | Trade Secret | <5 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

| US. NIOSH: Pocket Guide to Chemical Hazards Components | Type | Value |
|--|------|-------|
|--|------|-------|

| | | |
|----------------------------------|-----|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |
|----------------------------------|-----|---------------------|

| | |
|---|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Yellow |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | Not available. |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 176 - 266 °F (80 - 130 °C) 176 - 266 °F (80 - 130 °C) |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|-----------|----------------------|
| CF032A-AC | | |
| Aquatic | | |
| Fish | LC50 Fish | > 100 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No

Fire Hazard - No

Pressure Hazard - No

Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No
Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 22-Apr-2015

Version # 01

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information 1. Product and Company Identification: Physical States
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Ecological Information: Ecotoxicity

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet CF312A-AC Yellow Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a yellow toner preparation that is used in HP Color LaserJet Enterprise M855 series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <90 |
| Wax | Wax | Trade Secret | <10 |
| Pigment | Pigment | Trade Secret | <5 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <3 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature. |

8. Exposure controls/personal protection

Occupational exposure limits

| US. NIOSH: Pocket Guide to Chemical Hazards Components | Type | Value |
|--|------|-------|
|--|------|-------|

| | | |
|----------------------------------|-----|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |
|----------------------------------|-----|---------------------|

| | |
|---|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Yellow |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | > 392 °F (> 200 °C) |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 176 - 266 °F (80 - 130 °C) |
| Specific gravity | 1 - 1.2 |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

IARC Monographs. Overall Evaluation of Carcinogenicity

Amorphous silica (CAS 7631-86-9)

3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|-----------|----------------------|
| CF312A-AC | | |
| Aquatic | | |
| Fish | LC50 Fish | > 100 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Amorphous silica (CAS 7631-86-9)

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Amorphous silica (CAS 7631-86-9)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Version # 01

Disclaimer

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information

1. Product and Company Identification: Alternate Trade Names
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Ecological Information: Ecotoxicity

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet Q5952A-AC Yellow Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a yellow toner preparation that is used in HP Color LaserJet 4700 series printers |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <15 |
| Pigment | Pigment | Trade Secret | <5 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO ₂ , water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Store at room temperature. Store away from strong oxidizers. Keep tightly closed and dry. |

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|------------|------|-------|
|------------|------|-------|

| | | |
|----------------------------------|-----|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |
|----------------------------------|-----|---------------------|

| | |
|---|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Yellow |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | Not available. |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 212 - 302 °F (100 - 150 °C) 212 - 302 °F (100 - 150 °C) |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|--------------------|-----------------------|
| Q5952A-AC | | |
| Aquatic | | |
| Fish | LL50 Rainbow Trout | > 1000 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No

Fire Hazard - No

Pressure Hazard - No

Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No

Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Version # 01

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information 1. Product and Company Identification: Physical States
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Ecological Information: Ecotoxicity
Transport Information: Agency Name, Packaging Type, and Transport Mode Selection

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet Q6462A-AC Yellow Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a yellow toner preparation that is used in HP Color LaserJet 4730mfp/CM4730mfp series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <15 |
| Pigment | Pigment | Trade Secret | <5 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO ₂ , water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Store at room temperature. Store away from strong oxidizers. Keep tightly closed and dry. |

8. Exposure controls/personal protection

Occupational exposure limits

| US. NIOSH: Pocket Guide to Chemical Hazards Components | Type | Value |
|--|------|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |

| | |
|---|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Yellow |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | Not available. |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 212 - 302 °F (100 - 150 °C) 212 - 302 °F (100 - 150 °C) |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|--------------------|-----------------------|
| Q6462A-AC | | |
| Aquatic | | |
| Fish | LL50 Rainbow Trout | > 1000 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No
Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 15-Apr-2015

Revision date 16-Apr-2015

Version # 02

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet Q6472A-AC Yellow Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a yellow toner preparation that is used in HP Color LaserJet 3600 series printers |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <15 |
| Pigment | Pigment | Trade Secret | <5 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO ₂ , water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Store at room temperature. Store away from strong oxidizers. Keep tightly closed and dry. |

8. Exposure controls/personal protection

Occupational exposure limits

| US. NIOSH: Pocket Guide to Chemical Hazards Components | Type | Value |
|--|------|-------|
|--|------|-------|

| | | |
|----------------------------------|-----|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |
|----------------------------------|-----|---------------------|

| | |
|---|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Fraction) ACGIH (TWA/TLV): 10 mg/m ³ (Inhalable Particulate), 3 mg/m ³ (Respirable Particulate) Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m ³)/%SiO ₂ , ACGIH (TWA/TLV): 10 mg/m ³ TRGS 900 (Luftgrenzwert) - 10 mg/m ³ (Einatembare partikel), 3 mg/m ³ (Alveolengängige fraktion) UK WEL: 10 mg/m ³ (Respirable Dust), 5 mg/m ³ (Inhalable Dust) |
| Appropriate engineering controls | Use in a well ventilated area. |

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Yellow |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | > 392 °F (> 200 °C) |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 212 - 302 °F (100 - 150 °C) |
| Specific gravity | 1 - 1.2 |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

| | |
|---|---|
| Symptoms related to the physical, chemical and toxicological characteristics | Not available. |
| Information on toxicological effects | |
| Acute toxicity | LD50/oral/rat >2000 mg/kg; (OECD 401); Not harmful. Not classified for acute toxicity according to EU Directive 67/548/EEC and 1999/45/EC. |
| Skin corrosion/irritation | Not available. |
| Serious eye damage/eye irritation | Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended. |
| Respiratory or skin sensitization | |
| Respiratory sensitization | Not available. |
| Skin sensitization | Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended. |
| Germ cell mutagenicity | Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) |
| Carcinogenicity | Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California). |
| Reproductive toxicity | Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany). |
| Specific target organ toxicity - single exposure | Not available. |
| Specific target organ toxicity - repeated exposure | Not available. |
| Aspiration hazard | Not available. |
| Chronic effects | No information available. |
| Further information | Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures. |

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

| | | | |
|--------------------------------------|----------------|----------------|-----------------------|
| Ecotoxicity | | | |
| Product | | Species | Test Results |
| Q6472A-AC | | | |
| Aquatic | | | |
| Fish | LL50 | Rainbow Trout | > 1000 mg/l, 96 Hours |
| Persistence and degradability | Not available. | | |
| Bioaccumulative potential | Not available. | | |
| Mobility in soil | Not available. | | |
| Other adverse effects | Not available. | | |

13. Disposal considerations

| | |
|------------------------------|---|
| Disposal instructions | Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle . |
|------------------------------|---|

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No
Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 22-Apr-2015

Version # 01

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information 1. Product and Company Identification: Alternate Trade Names

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



SAFETY DATA SHEET

1. Identification

| | |
|--------------------------------------|---|
| Product identifier | HP Color LaserJet Q7582A-AC Yellow Print Cartridge |
| Other means of identification | Not available. |
| Recommended use | This product is a yellow toner preparation that is used in HP Color LaserJet CP3505/3800 series printers. |
| Recommended restrictions | None known. |
| Company identification | Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| | |
|--|---|
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax | Wax | Trade Secret | <15 |
| Pigment | Pigment | Trade Secret | <5 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

4. First-aid measures

| | |
|-------------------|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
|-------------------|--|

| | |
|---|--|
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Conditions for safe storage, including any incompatibilities | Keep out of the reach of children. Store at room temperature. Store away from strong oxidizers. Keep tightly closed and dry. |

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|------------|------|-------|
|------------|------|-------|

| | | |
|----------------------------------|-----|---------------------|
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m ³ |
|----------------------------------|-----|---------------------|

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

USA OSHA (TWA/PEL): 15 mg/m³ (Total Dust), 5 mg/m³ (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m³ (Inhalable Particulate), 3 mg/m³ (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m³)/%SiO₂, ACGIH (TWA/TLV): 10 mg/m³

TRGS 900 (Luftgrenzwert) - 10 mg/m³ (Einatembare partikel), 3 mg/m³ (Alveolengängige fraktion)

UK WEL: 10 mg/m³ (Respirable Dust), 5 mg/m³ (Inhalable Dust)

Appropriate engineering controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|----------------|
| Eye/face protection | Not available. |
| Skin protection | |
| Hand protection | Not available. |
| Other | Not available. |
| Respiratory protection | Not available. |
| Thermal hazards | Not available. |

9. Physical and chemical properties

| | |
|---|---|
| Appearance | Fine powder |
| Physical state | Solid. |
| Color | Yellow |
| Odor | Slight plastic odor |
| Odor threshold | Not available. |
| pH | Not applicable |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not applicable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not flammable |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | >= 392 °F (>= 200 °C) |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 212 - 302 °F (100 - 150 °C) 212 - 302 °F (100 - 150 °C) |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | Not available. |
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not available.

Serious eye damage/eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).

Specific target organ toxicity - single exposure Not available.

Specific target organ toxicity - repeated exposure Not available.

Aspiration hazard Not available.

Chronic effects No information available.

Further information Complete toxicity data are not available for this specific formulation
Refer to Section 2 for potential health effects and Section 4 for first aid measures.

| Components | Species | Test Results |
|----------------------------------|---------|---------------|
| Amorphous silica (CAS 7631-86-9) | | |
| Acute | | |
| <i>Oral</i> | | |
| LD50 | Mouse | > 15000 mg/kg |
| | Rat | > 22500 mg/kg |

12. Ecological information

Ecotoxicity

| Product | Species | Test Results |
|----------------|--------------------|-----------------------|
| Q7582A-AC | | |
| Aquatic | | |
| Fish | LL50 Rainbow Trout | > 1000 mg/l, 96 Hours |

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No

Fire Hazard - No

Pressure Hazard - No

Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No

Hazardous chemical

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date 16-Apr-2015

Version # 01

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information 1. Product and Company Identification: Physical States
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Ecological Information: Ecotoxicity
Transport Information: Agency Name, Packaging Type, and Transport Mode Selection

Manufacturer information

Hewlett-Packard Company
11311 Chinden Boulevard
Boise, ID 83714 USA
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |