

THIS PRODUCT REGISTRATION DOES NOT REQUIRE AN MSDS, OR ANY ADDITIONAL DOCUMENT, AS IT IS AN ELECTRONIC PRODUCT (CIRCUIT BOARD ONLY) AND NO ADDITIONAL CHEMICALS ARE PRESENT.

### Issuing Date No data available

SAFETY DATA SHEET

Revision Date 30-Oct-2014

**Revision Number** 2



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier				
Product Name	Black Toner for B2200, B2400, B4400, B4500, B4550, B4600			
Other means of identification				
Synonyms	None			
Recommended use of the chemical	and restrictions on use			
Recommended Use	Ink and toners			
Uses advised against	No information available			
Details of the supplier of the safety	data sheet			
Supplier Name	Oki Data Americas, Inc.			
Supplier Address	2000 Bishops Gate Blvd. Mount Laurel NJ 08054 US			
Supplier Phone Number	Phone:800-654-3282 Fax:856-222-5247 Contact Phone856-222-7017			
Supplier Email	robert.alleger@okidata.com			
Emergency telephone number				

# 2. HAZARDS IDENTIFICATION

## **Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity

Category 2

GHS Label elements, including precautionary statements



	Emergency Overview		
Signal word Warning			
Hazard Statements Suspected of causing cancer			
Appearance Black	Physical state Powder(s) So	lid	Odor Mild
<b>Precautionary Statements - Prevention</b> Obtain special instructions before use Do not handle until all safety precautions have b Use personal protective equipment as required	een read and understood		
Precautionary Statements - Response IF exposed or concerned: Get medical advice/att	tention		
Precautionary Statements - Storage Store locked up			
Precautionary Statements - Disposal Dispose of contents/container to an approved wa	aste disposal plant		
Hazards not otherwise classified (HNOC)			
Not applicable			
<u>Unknown Toxicity</u> 82% of the mixture consists of ingredient(s) of ur	nknown toxicity		
Other information			
No information available			
Interactions with Other Chemicals No information available.			
3. COMPOSIT	ION/INFORMATION O	N INGREDIENTS	
Chemical Name	CAS No	Weight-%	Trade Secret
Third Party Formulation (TP # 1186418)	Proprietary	10 - 30	*
Third Party Formulation (TP # 1186418)	Proprietary	1 - 5	*
Third Party Formulation (TP # 1186418)	Proprietary	1 - 5	*

# 4. FIRST AID MEASURES

## First aid measures

Eye contact	Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.	
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician.	
Inhalation	Remove to fresh air. If symptoms persist, call a physician.	
Ingestion	Do NOT induce vomiting. Drink plenty of water. If symptoms persist, call a physician.	
Most important symptoms and e	effects, both acute and delayed	
Most Important Symptoms and Effects	No information available.	
Indication of any immediate me	dical attention and special treatment needed	
Notes to Physician	Treat symptomatically.	
5. FIRE-FIGHTING MEASURES		
Suitable Extinguishing Media Use extinguishing measures that are a	appropriate to local circumstances and the surrounding environment.	
Unsuitable extinguishing media CAUTION: Use of water spray when	fighting fire may be inefficient.	
Specific hazards arising from the closed of the second state of th	hemical	
Hazardous Combustion Products Carbon oxides.		
Explosion Data Sensitivity to Mechanical Impact	No.	
Sensitivity to Static Discharge	No.	
Protective equipment and precaution As in any fire, wear self-contained bre	ons for firefighters athing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full	

protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with eyes.		
Other Information	Refer to protective measures listed in Sections 7 and 8.		
Environmental precautions			
Environmental precautions	Refer to protective measures listed in Sections 7 and 8.		
Methods and material for contain	ment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Pick up and transfer to properly labeled containers.		
	7. HANDLING AND STORAGE		
Precautions for safe handling			
Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes.		
Conditions for safe storage, inclu	uding any incompatibilities		
Storage	Keep container tightly closed.		
Incompatible Products	None known based on information supplied.		

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Third Party Formulation (TP # 1186418)	TWA: 2 mg/m <sup>3</sup>	(vacated) TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>
Third Party Formulation (TP # 1186418)	TWA: 3 mg/m <sup>3</sup> inhalable fraction	TWA: 3.5 mg/m³ (vacated) TWA: 3.5 mg/m³	IDLH: 1750 mg/m <sup>3</sup> TWA: 3.5 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup> Carbon black in presence of Polycyclic aromatic hydrocarbons PAH
Third Party Formulation (TP # 1186418)	10 mg/m <sup>3</sup>	20 mppcf TWA; ((80)/(% SiO2) mg/m <sup>3</sup> )	IDLH: 3000 mg/m <sup>3</sup> TWA: 6 mg/m <sup>3</sup>

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

## Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters



## Appropriate engineering controls

Engineering Measures	Showers Eyewash stations Ventilation systems	
Individual protection measures, suc	ch as personal protective equipment	
Eye/face protection	No special protective equipment required.	
Skin and body protection	Wear protective gloves and protective clothing.	
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.	
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.	

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### **Physical and Chemical Properties**

Physical state Appearance Color	Powder(s), Solid Black No information available	Odor Odor Threshold	Mild No information available
Property	Values	Remarks Method	
рН	No data available	None known	
Melting / freezing point	No data available	None known	
Boiling point / boiling range	No data available	None known	
Flash Point	No data available	None known	
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Specific Gravity	No data available	None known	
Water Solubility	Insoluble	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octanol/wat	erNo data available	None known	
Autoignition temperature	No data available	None known	
Decomposition temperature	No data available	None known	
Kinematic viscosity	No data available	None known	
Dynamic viscosity	No data available	None known	
Explosive properties	No data available		
Oxidizing properties	No data available		
Other Information			
Softening Point	No data available		
VOC Content (%)	No data available		
Particle Size	No data available		
Particle Size Distribution			



# **10. STABILITY AND REACTIVITY**

#### **Reactivity**

No data available.

<u>Chemical stability</u> Stable under recommended storage conditions. <u>Possibility of Hazardous Reactions</u> None under normal processing. <u>Hazardous Polymerization</u> Hazardous polymerization does not occur.

#### <u>Conditions to avoid</u> None known based on information supplied. Incompatible materials None known based on information supplied. <u>Hazardous Decomposition Products</u> Carbon oxides.

## **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information.
Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Specific test data for the substance or mixture is not available.
Ingestion	Specific test data for the substance or mixture is not available.

### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Third Party Formulation (TP # 1186418)	> 3750 mg/kg (Rat)	> 3600 mg/kg (Rabbit)	-
Third Party Formulation (TP # 1186418)	> 15400 mg/kg (Rat)	> 3 g/kg (Rabbit)	-
Third Party Formulation (TP # 1186418)	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 2.2 mg/L (Rat)1 h

## Information on toxicological effects

Symptoms

No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure



#### Sensitization

No information available.

No information available.

### **Mutagenic Effects**

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Cal	CIII	oge	ILV
		- 3-	 ,

Chemical Name	ACGIH	IARC	NTP	OSHA
Third Party Formulation (TP # 1186418)	A3	Group 2B		Х
Third Party Formulation (TP # 1186418)		Group 3		

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Chronic Toxicity	No known effect based on information supplied. Contains a known or suspected carcinogen. Carbon black has been classified by the International Agency for Research on Cancer (IARC) as possibly carcinogenic to humans (Group 2B) by inhalation.
Target Organ Effects	Respiratory system. Eyes. Skin. Gastrointestinal tract (GI). Lymphatic System. Lungs.
Aspiration Hazard	No information available.

### Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document Not applicable

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Third Party Formulation (TP # 1186418)				24h EC50: > 5600 mg/L
Third Party Formulation (TP # 1186418)	72h EC50: = 440 mg/L (Pseudokirchneriella subcapitata)	96h LC50: = 5000 mg/L (Brachydanio rerio)		48h EC50: = 7600 mg/L

### Persistence and Degradability

No information available.

#### **Bioaccumulation**

No information available

### Other adverse effects

No information available.

## **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Disposal methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.
Contaminated Packaging	Dispose of contents/containers in accordance with local regulations.

#### California Hazardous Waste Codes 331

This product contains one or more substances that are listed with the State of California as a hazardous waste.

## **14. TRANSPORT INFORMATION**

<u>DOT</u> Proper Shipping Name Hazard Class	NOT REGULATED NON REGULATED N/A
TDG	Not regulated
MEX	Not regulated
ICAO	Not regulated



IATA Proper Shipping Name Hazard Class	Not regulated NON REGULATED N/A
IMDG/IMO Hazard Class	Not regulated N/A
RID	Not regulated
ADR	Not regulated
ADN	Not regulated

## **15. REGULATORY INFORMATION**

#### International Inventories

TSCA	Complies
DSL	All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### US Federal Regulations

## SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### US State Regulations

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65			
Third Party Formulation (TP # 1186418) -	Carcinogen			
U.C. State Dight to Know Degulations				

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Third Party Formulation (TP # 1186418)	Х	Х	Х		



Third Party Formulation (TP # 1186418)	Х	Х	Х	Х
Third Party Formulation (TP # 1186418)		Х	Х	

## International Regulations

## Mexico

#### National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Third Party Formulation (TP # 1186418)		Mexico: TWA= 2 mg/m <sup>3</sup>
(10-30)		Mexico: STEL= 6 mg/m <sup>3</sup>
Third Party Formulation (TP # 1186418)		Mexico: TWA 3.5 mg/m <sup>3</sup>
(1-5)		Mexico: STEL 7 mg/m <sup>3</sup>

Mexico - Occupational Exposure Limits - Carcinogens

#### Canada WHMIS Hazard Class Non-controlled



## **16. OTHER INFORMATION**

NFPA HMIS	Health Hazards 1 Health Hazards 1*	Flammability 0 Flammability 0	Instability 0 Physical Hazard 0	Physical and Chemical Hazards Personal Protection X
Chronic Hazard Star	Legend * = Chronic H	ealth Hazard		^
Prepared By				
Revision Date Revision Note	30-Oct-20 No inform	14 ation available		

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## End of Safety Data Sheet

