Issuing Date No data available Revision Date 29-Mar-2016 Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product Identifier

Product Name Epoxidized Soybean Oil (ESO)

Recommended use of the chemical and restrictions on use

Recommended Use Shredder Lubrication

Details of the supplier of the safety data sheet

Supplier Name DONGGUAN LINGCHUANG TECHNICAL ECO-MATERIALS CO., LTD.

Supplier Address ERP INDUSTRY DISTRICT, CHANG AN TOWN,

DONGGUAN, GUANGDONG

 Supplier Phone Number
 +86-769-82281018

 Supplier Fax
 +86-769-8537 0913

SECTION 2: Hazards identification

Emergency Overview:

Oily liquid Pale yellow Weak odor. Combustible liquid.

Human Health Inhalation: No adverse effect.

Ingestion: No adverse effect. Large amount ingestion may cause nausea.

Skin: No adverse effect

Eye: May cause eye irritation, tearing and redness.

Environmental Chronic effects/carcinogenicity: Not applicable.

Hazards This material should pose no significant hazard to the environment.

SECTION 3: Composition/information on ingredients

Chemical Name Soybean oil CAS No 8013-07-08

SECTION 4: First aid measures

Eye contact If contact with the eye(s) occur, wash with running water holding eyelid(s)

open. Take care not to rinse contaminated water into the non-affected eye. In all cases of eye contamination it is a sensible precaution to seek medical advice.

Skin contact Wash affected area thoroughly with copious amounts of running water. If

symptoms develop seek medical attention.

Inhalation Unlikely to cause adverse effects.

Ingestion Do NOT induce vomiting. If a large amount has been swallowed, or if symptoms

develop, seek medical attention.

Page 1/4

SAFETY DATA SHEET

Issuing Date No data available Revision Date 29-Mar-2016 Revision Number 1

SECTION 5: Firefighting measures

Protective equipment and precautions for firefighters

Fire-fighters should wear full protective clothing and self contained breathing apparatus (SCBA) operated in positive pressure mode.

Extinguishing Media Specific Hazards

Water, foam, carbon dioxide and dry chemicals.

. Hazardous Combustible liquid.

Oxides of carbon.

Combustion Products

Other Information Flash point: 280°C (soybean oil) Explosive limits: Not applicable.

Auto ignition temperature: Not applicable.

SECTION 6: Accidental release measures

Spills & Disposal Remove all sources of ignition. Increase ventilation. Wear appropriate

breathing apparatus and full protective clothing to minimize skin and eye exposure. Do not dilute material but contain. Place inert, non-combustible absorbent material onto the spillage. Collect the material using clean non-sparking tools and place into a suitable labeled container for subsequent disposal. If large quantities of this material enter the waterways contact the Environmental Protection Authority, or your local Waste Management Authority.

SECTION 7: Handling and storage

Handling Repeated or prolonged contact with this material should be avoided in order to

lessen the possibility of skin disorders. It is essential that all who come into contact with this material maintain high standards of personal hygiene ie. washing hands prior to eating, drinking or going to the toilet. Build-up

of mists in the working atmosphere must be prevented.

Misuse of empty containers can be hazardous. Do not cut, weld, heat or drill containers. Residue may ignite with explosive violence if heated sufficiently. Do not pressurize or expose to open flame or heat. Keep container closed and

bung in place.

Storage Store in a cool, dry, well ventilated area, away from sources of ignition and

out of direct sunlight. Keep containers closed when not in use. Store in

suitable, labeled containers.

SECTION 8: Exposure controls/personal protection

Exposure Limits No exposure standards are available for this product.

Respiratory ProtectionNo respiratory protection should be needed.

Eye Protection Generally not required. If there is a potential for exposure to vapors which

could cause injury to the eye, wear chemical goggles.

Hand Protection Not required. **Body Protection** Not required.

Eng. Controls Provide general and/or local exhaust ventilation.

Revision Number 1 Revision Date 29-Mar-2016

SECTION 9: Physical and chemical properties

Appearance Oily liquid Pale yellow Weak odor Solubility in Water Floats on water. 0.01% (20°C)

Boiling Point (0.5Kpa) 150°C <=0.8 pH Value **Vapor Pressure**

Issuing Date No data available

Not applicable **Vapor Density** 0.982~1.002

(Air=1)

Flash Point 280°C (soybean oil)

Volatility < 0.15 lodine value <=3.0 **Epoxy value** >=6.0

SECTION 10: Stability and reactivity

Stable under normal conditions. Stability

Hazardous Polymerization Will not occur.

Materials to Avoid None known, avoid contact with reactive chemicals.

Hazardous Decomposition Unknown.

Products

SECTION 11: Toxicological information

No. Inhalation: Ingestion: No. Skin: No. Eve: No. Effects of long-term No.

(chronic) exposure

No data available for this substance. Sensitivity

SECTION 12: Ecological information

Prevent this material from entering waterways, drains, sewers. **Environ. Protection**

SECTION 13: Disposal considerations

Waste Disposal If the material as supplied becomes a waste, incinerate or landfill in

accordance with local, state, and federal laws and regulations. Contact your

local or state environmental agency for specific rules.

Page 3/4

Revision Date 29-Mar-2016 Revision Number 1

SECTION 14: Transport information

Issuing Date No data available

U.N. Number None Allocated
DG Class None Allocated
Hazchem Code None Allocated
Packing Group None Allocated
DOT Not Regulated
IATA/ICAO - Description Not Regulated

IMDG UN NoNot RegulatedIMDG Hazard ClassNot RegulatedIMDG Pack. GroupNot RegulatedIMDG MarineNot Regulated

Pollutant (MP)

SECTION 15: Regulatory information

Product is not considered to be a hazardous chemical under the Hazard

Communication Standard.

TSCA Inventory Status Soybean oil is listed in TSCA Inventory.

DSL (Canada)Soybean oil is listed in DSL.TCCL (Korea)Soybean oil is listed in TCCL.PICCS (Philippines)Soybean oil is listed in PICCS.

SECTION 16: Other information

Prepared By DONGGUAN LINGCHUANG TECHNICAL ECO-MATERIALS CO., LTD.

ERP INDUSTRY DISTRICT, CHANG AN TOWN,

DONGGUAN, GUANGDONG

+86-769-82281018 +86-769-8537 0913

Revision Date 2016/3/29

End of Safety Data Sheet

Page 4/4