

Material Safety Data Sheet (ANSI form)

Section1 : Chemical Product and Company Identification

Product Name : Print Cartridge GC 41K (405761)
General Use : The Image Formation of Printing Machine
MSDS Number : 405761
Company Name : Ricoh Americas Corporation
Department : GI Development Center GJ Design & Development Division
Address : 5 Dedrick Place, West Caldwell, NJ 07006
Telephone : 1-973-882-2000 or 1-973-882-5218 (For product information) or
Number : 1-800-336-6737 (For emergencies)
Telefax Number : 1-973-882-3959
E-mail : environmentinfo@ricoh-usa.com

Section2 : Composition, Information on Ingredients

Ingredients CAS No./Common Name	Chemical Formula	Contents (%)	ACGIH (TLV)			OSHA (PEL)	
			TWA	STEL	C	TWA	C
1333-86-4 Carbon Black	C	<10	3.0mg/m3	N.A	N.A	3.5mg/m3	N.A
56-81-5 Glycerin	C3H8O3	10-20	(as mist) 10mg/m3	N.A	N.A	(as mist) Total dust 15mg/m3	N.A
Confidential Glycol 1	Confidential	<10	N.A	N.A	N.A	N.A	N.A
Confidential Glycol 2	Confidential	<10	N.A	N.A	N.A	N.A	N.A
7732-18-5 Water	H2O	40-60	N.A	N.A	N.A	N.A	N.A

This product does not contain any of the following substances as ingredients.
Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated diphenyleters (PBDE), SVHC (substances of very high concern: published by ECHA).
And if it contains any impurities, it does not exceed any of the thresholds of RoHS.

Hazardous Ingredients Information			
Chemical Name : Carbon Black			
CAS Number	: 1333-86-4	EEC Number	: 215-609-9
OSHA Z-Tables (USA)	: 3.5mg/m3	ACGIH-TLV	: 3.0mg/m3
NTP (USA)	: Not listed	IARC Monographs	: Group 2B
Symbol (EU)	: Not listed	R-Phrase (EU)	: Not listed
DFG-MAK (GER)	: III 3B	OELs-TWA (Australia)	: 3.0mg/m3
California Proposition 65 (USA)	: Listed		

Section3 : Hazards Identification

☆☆☆☆☆ Emergency Overview ☆☆☆☆☆				
HMIS	Health : 1	Flammabilit : 1	Reactivity : 0	PPE:See section 8
		y		
NFPA	Health : 1	Flammabilit : 1	Reactivity : 0	
		y		

The Most Important Hazards

Adverse Human Health Effects :

There are no significant hazards expected with intended use.

Potential Health Effects

Primary Entry Routes :

Inhalation ; Yes

Skin ; Yes

Ingestion ; Yes

Environmental Effects :

There are no significant hazards expected with intended use.

Physical and Chemical Hazards :

There are no significant hazards expected with intended use.

Specific Hazards :

There are no significant hazards expected with intended use.

Main Symptoms :

Acute Inhalation Toxicity

Under normal use conditions, there is no possibility to inhale the particle of ink.

Acute Oral Toxicity

Low acute toxicity in animal experiment.

Acute Eye Irritation

May be non-irritant.

Acute Skin Irritation

May be non-irritant.

Sensitization

From test no apparent significant hazards are expected.

Chronic Effect

Under normal use conditions, there is no possibility to inhale the particle of ink.

Carcinogenicity

Carbon black contained in this product is classified to Group 2B of IARC as the result of inhalation test in use of rat.

This is due to the fact that rat alone showed lung tumor in the animal experiment under very high concentration.

During a normal use of this product, design of the cartridge proves it impossible to have powder carbon black released to the air.

Intake from the mouth and skin does not show carcinogenicity.

Medical Conditions Aggravated by Exposure

Not applicable

Classification of the Chemical Product

This mixture is not classified as dangerous.

Section4 : First Aid Measures

Inhalation :
Remove from exposure into fresh air if symptoms are experienced. Seek medical advice.
Skin Contact :
Wash thoroughly with soapy water.
Eye Contact :
Flush with a large amount of water until particles are removed. Seek medical advice.
Ingestion :
Make him drink strong salt water, let him vomit. Seek medical advice.
Immediate Medical Attention :
Immediate medical attention is not required.

Section5 : Fire Fighting Measures

Flash Point (degrees centigrade) : Not applicable
Burning Rate (mm/sec) : Not available
Autoignition Temperature (degrees centigrade) : Not applicable
Flammable Limits(%) : LEL Not applicable UEL Not applicable
Extinguishing Media to Avoid :
Not applicable.
Specific Hazards :
Not applicable
Fire-Fighting Instructions / Specific Method :
No special fire protecting method is required. Sprinkling or fire extinguishers can be used.
Protection of Firefighters :
Wear gloves, glasses, a mask if necessary.

Section6 : Accidental Release Measures

Personal Precautions :
Take off dirty clothes and wash them or have them dry-cleaned before wearing again.
Environment Precautions :
Do not exposure to sewers and watercourses.
Methods for Cleaning Up :
If spilled, wipe up with paper or cloth.

Section7 : Handling and Storage

Handling :
Technical Measures/Precautions
Not applicable
Safe Handling Advice
Keep away from heat, flame or spark. Do not dismantle cartridge.
Storage :
Technical Measures
Not applicable
Storage Conditions
Keep out of reach of children.
For the sake of quality, store in dry and well-ventilated area it should not exceed 35 degrees centigrade for a long time and avoid direct sunlight.
Packaging material
Not applicable
Specific Use(s) :
Image formation in printing machines.

Section8 : Exposure Controls/Personal Protection

Technical measures :
Use adequate ventilation. None required with intended use.

Control Parameters

Exposure Limit Value (I)
USA OSHA PEL: Not applicable
(TWA)
ACGIH TLV (TWA) : Not applicable
DFG MAK : Not applicable

Personal Protection

Respiratory Protections (Specify Type)
None required in normal use.

Eye Protection
Put on goggles if necessary.

Protective Gloves
Use vinyl or rubber gloves if necessary.

Protective Clothing or Equipment
Wear chemical-resistant apron or other impervious clothing if necessary.

Hygiene Measures
Wash hands after handling.

Section9 : Physical and Chemical Properties

Appearance

Physical state : Liquid
Form : Liquid
Colour : Black

Odor : No odor

pH : 8-10 Measuring Temp (degrees centigrade) : 25

Boiling Point (degrees centigrade) : Not available

Vapor Pressure (Pa) : Not available Measuring Temp (degrees centigrade) : -

Vapor Density (AIR=1) : Not available

Density (g/cm3) : Approx.1.1 Measuring Temp (degrees centigrade) : 23

Formula Weight : Not applicable

Melting Point (degrees centigrade) : Not applicable

Decomposition temperature (degrees centigrade) : Not applicable

Viscosity (Pa·s) : Approx.0.008 Measuring Temp (degrees centigrade) : 25

Volatile (%) : 40-60

Evaporation Rate (Butyl Acetate = 1) : Not available

Water Solubility (g/L) : Soluble

Section10 : Stability and Reactivity

Stability :
Stable

Hazardous Reaction :
There is no significant hazardous reaction expected with intended use.

Condition to Avoid :
Not applicable in normal use.

Materials to Avoid :
Not applicable in normal use.

Hazardous Polymerization :
None

Hazardous Decomposition or Byproducts :
Decomposition products will not occur.

Section11 : Toxicological Information

Acute Toxicity
Acute Oral Toxicity (LD50) :
5000 or over [mg/kg] (Rat)
Acute Dermal Toxicity :
Not available
Acute Inhalation Toxicity :
Not available
Local effects
Acute Skin Irritation(PII) :
1.0 or below (Rabbit) (Slight irritation)
Acute Eye Irritation :
Not available (Ingredients are not classified as dangerous according to Directive 67/548/EEC.)
Sensitization
Acute Allergenic Effects :
Non-skinsensitive (Mouse) (None skin sensitization.)
Specific Effects
Carcinogenicity :
Carbon black contained in this product is classified to Group 2B of IARC as the result of inhalation test in use of rat.
This is due to the fact that rat alone showed lung tumor in the animal experiment under very high concentration.
During a normal use of this product, design of the cartridge proves it impossible to have powder carbon black released to the air.
Intake from the mouth and skin does not show carcinogenicity.
Mutagenicity : Negative (Ames test)
Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health.
Teratogenic : Not available

Section12 : Ecological Information

Mobility : No data are available on the adverse effect one environment.
Persistence/Degradability : Not available
Bioaccumulation : Not available
Ecotoxicity
Acute Toxicity for Fish (LC50) : Not available
Acute Toxicity for Daphnia (EC50) : Not available
Algae Inhibition Test (IC50) : Not available



Section13 : Disposal Consideration

General information:
Dispose of waste and residues in accordance with local authority requirements.
Disposal methods:

Precautions

Section14 : Transport Information

International Regulations
Land Transport
RID/ADR : Not applicable
DOT 49 CFR : Not applicable
ADNR : Not applicable
Sea Transport
IMDG Code : Not applicable
Air Transport
ICAO-TI/IATA-DGR : Not applicable
UN Number : Not applicable
Class : Not applicable
Specific Precautionary Transport Measures and Conditions
Avoid direct sunlight in quality.; Do not keep this over 35 degrees centigrade.

Section15 : Regulatory Information

Regulations
US Information
Information on the label : Not required
TSCA (Toxic Substances Control Act) :
This product complies with all applicable rules and regulations under TSCA.
SARA (Superfund Amendments and Reauthorization Act) Title III
313 Reportable Ingredients : Not regulated
California Proposition 65 : Not regulated
Canada Information
WHMIS Controlled product : Not a controlled product
EU Information
Information on the label (1999/45/EC and 67/548/EEC)
Symbol & Indication : Not required
R-Phrase : Not required
S-Phrase : Not required
Special Precautions under 1999/45/EC Annex V : Not required
76/769/EEC
This product complies with applicable rules and regulations under 76/769/EEC

Section16 : Other Information

Explanation of Hazardous Materials Identification System [HMIS]& National Fire Protection Association [NFPA] Hazard Rating Systems:

Both the HMIS and NFPA systems use number from "0" to "4" to show the degree of hazard in an uncontrolled situation:

0=Minimum Hazard 1=Slight Hazard 2=Moderate Hazard 3=Serious Hazard 4=Severe Hazard

Colors may also be used in both systems:

Blue=Health Hazard Red=Fire Hazard Yellow=Reactivity Hazard White=Indicate a special hazard

HMIS will specify any Personal Protective Equipment required [PPE],

NFPA will specify OX(oxidizer), Acid(acid), ALK(Alkali), COR(Corrosive), W(use no water), xx(Radioactive).

Literature References :

ANSI Z400.1-1993

ISO 11014-1

Commission Directive 91/155/EEC

IARC (1996) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.65, Printing Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon, pp149-261

H.Muhle, B.Bellman, O.Creutzenberg, C.Dasenbrock, H.Emst, R.Kilpper, J.C.MacKenzie, P.Morrow, U.Mohr, S.Takenaka and R.Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats" Fundamental and Applied Toxicology 17,pp280-299

IARC (2008) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.93"

NIOSH CURRENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for Occupational Exposure to Titanium Dioxide DRAFT"

ACGIH-TLV : Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices

OSHA Z-Tables : US Department of Labor, 29CFR Part 1910 , Tables Z-1, Z-2, and Z-3

NTP (USA) : US Department of Health and Human Services National Toxicology Program Annual Report on Carcinogens
 DFG-MAK (GER) : DFG List of MAK and BAT Value

Symbol (EC) : EU Directive 67/548/EEC

91/155/ EEC : EU Directive 91/155/ EEC

1999/45/EC Annex V : EU Directive 1999/45/EC

76/769/EEC : EU Directive 76/769/EEC

EC 304/2003 : Regulation (EC) No 304/2003 of the European Parliament and of the Council of 28 January 2003 concerning the export and import of dangerous chemicals

WHMIS Controlled product : Canada Workplace Hazardous Information System

OELs-TWA (Australia) : Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC: 3008 (1995)]

Abbreviations :

OSHA PEL : PEL (Permissible Exposure Limit) under Occupational Safety and Health Act

ACGIH-TLV : TLV (Threshold Limit Values) under American Conference of Governmental Industrial Hygienists

REACH : EC)No.1907/2006:Council Regulation concerning the Registration, Evaluation, Authorization and Restriction of Chemicals

SVHC : Substances of Very High Concern

ECHA : The European Chemicals Agency

DFG-MAK : MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft

RoHS : Restriction of the use of certain Hazardous Substances in Electrical and Electronic Equipment

TWA : Time Weighted Average

IARC : International Agency for Research on Cancer

NTP : National Toxicology Program

WHMIS : Workplace Hazardous Information System

NOHSC : National Occupational Health and Safety Commission Act 1985

Disclaimer(S) :

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Ricoh Americas Corporation.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Ricoh Americas Corporation assumes no legal responsibility for use or reliance upon this information.