

# Safety Data Sheet

Material Name: CRAYOLA® CRAYONS™

SDS ID: CRAY-024

## Section 1 - PRODUCT AND COMPANY IDENTIFICATION

### Material Name

CRAYOLA® CRAYONS™

### Product Code

CRAYOLA CRAYONS; CRAYOLA WASHABLE CRAYONS; CRAYOLA ULTRA CLEAN CRAYONS; CRAYOLA LARGE CRAYONS; CRAYOLA WASHABLE LARGE CRAYONS; CRAYOLA JUMBO CRAYONS; CRAYOLA WASHABLE JUMBO CRAYONS; CRAYOLA TWISTABLE CRAYONS; CRAYOLA TWISTABLE SLICK STIX; CRAYOLA TWISTABLE MINI CRAYONS; CRAYOLA TWISTABLE EXTREME CRAYONS; ARTISTA II ANTIROLL CRAYONS; ARTISTA II CRAYONS; CRAYOLA BEGINNINGS; CRAYOLA COLORING BOOK CRAYONS; CRAYOLA CRAYON CLASSPACKS; CRAYOLA CONSTRUCTION PAPER CRAYONS; CRAYOLA DRYERASE CRAYONS; CRAYOLA EGG SHAPED CRAYONS; CRAYOLA FABRIC CRAYONS; CRAYOLA FLUORESCENT CRAYONS; CRAYOLA GEL F/X CRAYONS; CRAYOLA GLITTER CRAYONS; CRAYOLA METALLIC F/X CRAYONS; CRAYOLA MULTICULTURAL CRAYONS; MY FIRST CRAYOLA WASHABLE EASY GRIP CRAYONS; MY FIRST WASHABLE CRAYONS; CRAYOLA NEON CRAYONS; CRAYOLA POSTER CRAYONS; CRAYOLA BATH CRAYONS; STAONAL MARKING CRAYONS (PERMANENT AND WATERPROOF); CRAYOLA TRIANGLE CRAYONS; CRAYOLA WINDOW CRAYONS; CRAYOLA ART BUDDY BACKPACK; CRAYOLA COLOR ME A SONG; CRAYOLA CRAYON MAKER; CRAYOLA CRAYON MAKER REFILLS; CRAYOLA CREATIVITY TUB; CRAYOLA DRYERASE BOARDS; CRAYOLA DRY ERASE TRAVEL PACK; CRAYOLA DRYERASE ACTIVITY CENTER; CRAYOLA DRYERASE CLINGS AND STENCIL ASSORTMENTS; CRAYOLA INSPIRATION ART CASE; CRAYOLA MELT AND MOLD FACTORY; MY FIRST CRAYOLA ACTIVITES; CRAYOLA ULTIMATE ART SUPPLIES; CRAYOLA ULTIMATE CRAYON CASE; CRAYOLA ART WITH EDGE; CRAYOLA COLORS OF THE WORLD CRAYONS; CRAYOLA IMAGINATION ART SET; CRAYOLA SKETCH AND COLOR ART SET; CRAYOLA EASEL ART CASE; PRODUCT CODE(S): 03-4016; 03-9000; 03-9008; 04-0015; 04-0024; 04-0035; 04-0040; 04-0048; 04-0050; 04-0061; 04-0072; 04-0081; 04-0082; 04-0089; 04-0114; 04-0115; 04-0116; 04-0135; 04-0138; 04-0140; 04-0142; 04-0144; 04-0147; 04-0148; 04-0149; 04-0260; 04-0265; 04-0266; 04-0267; 04-0268; 04-0294; 04-0295; 04-0296; 04-0297; 04-0318; 04-0320; 04-0321; 04-0328; 04-0366; 04-0371; 04-0378; 04-0381; 04-0382; 04-0384; 04-0387; 04-0388; 04-0389; 04-0393; 04-0394; 04-0395; 04-0404; 04-0405; 04-0408; 04-0412; 04-0413; 04-0428; 04-0430; 04-0441; 04-0442 04-0443; 04-0456; 04-0459; 04-0461; 04-0462; 04-0463; 04-0470; 04-0478; 04-0485; 04-0486; 04-0493; 04-0509; 04-0516; 04-0517; 04-0520; 04-0526; 04-0528; 04-0529; 04-0530; 04-0536; 04-0547; 04-0548; 04-0549; 04-0555; 04-0557; 04-0563; 04-0564; 04-0565; 04-0574; 04-0576; 04-0576; 04-0577; 04-0581; 04-0582; 04-0583; 04-0584; 04-0586; 04-0594; 04-0595; 04-0597; 04-0598; 04-0599; 04-0600; 04-0601; 04-0603; 04-0605; 04-0607; 04-0608; 04-0609; 04-0610; 04-0; 04-0613; 04-0619; 04-0633; 04-0634; 04-0635; 04-0636; 04-0637; 04-0639; 04-0640; 04-0642; 04-0670; 04-0654; 04-0671 04-0674; 04-0676; 04-0678; 04-0679; 04-0680; 04-0681; 04-0686; 04-0687; 04-0688; 04-0690; 04-0694; 04-0832; 04-0833; 04-0910; 04-0912; 04-0923; 04-0926; 04-0927; 04-0942; 04-0983; 04-1020; 04-1040; 04-1042; 04-1050; 04-1051; 04-1053; 04-1054; 04-1089; 04-1090; 04-1096; 04-1158; 04-1610; 04-1611; 04-1612; 04-1613; 04-1615; 04-1621; 04-1622; 04-1623; 04-1624; 04-1662; 04-1900; 04-1901; 04-1905; 04-1907; 04-1927; 04-1950; 04-1951; 04-1952; 04-1953; 04-1954; 04-1955; 04-1971; 04-1972; 04-2014; 04-2016; 04-2357; 04-2470; 04-2477; 04-2522; 04-2529; 04-2532; 04-2536; 04-2537; 04-2539; 04-2540; 04-2542; 04-2543; 04-2544; 04-2547; 04-2554; 04-2555; 04-2580; 04-2581; 04-0599; 04-2705; 04-2780; 04-3300; 04-3301; 04-3302; 04-3303; 04-3304; 04-3305; 04-3306; 04-3307; 04-3315; 04-4102; 04-4103; 04-4104; 04-4105; 04-4106; 04-4107; 04-4501; 04-4605; 04-4812; 04-4830; 04-4845; 04-5165; 04-5189; 04-5192; 04-5195; 04-5220; 04-5340; 04-5350; 04-5354; 04-5355; 04-5356; 04-5357; 04-5358; 04-5673; 04-5674; 04-5675; 04-5676; 04-5677; 04-5678; 04-5680; 04-5685; 04-5697; 04-5710; 04-5718; 04-5719; 04-5727; 04-5770; 04-5777; 04-5800; 04-5801; 04-5802; 04-5860; 04-6001; 04-6006; 04-6007; 04-6010; 04-6011; 04-6012; 04-6014; 04-6016; 04-6300; 04-6807; 04-6808; 04-6810; 04-6814; 04-6816; 04-6828; 04-6829; 04-6844; 04-6848; 04-6849; 04-6855; 04-6874; 04-6887; 04-6897; 04-6898; 04-6900; 04-6932; 04-6933; 04-7502; 04-8205; 04-8210; 04-8213; 04-8218; 04-8219; 04-8726; 04-9023; 52-008T; 52-008W; 52-0108; 52-0109; 52-010G; 52-010L; 52-012L; 52-014G; 52-014L; 52-016T; 52-0180; 52-027G; 52-033B; 52-033G; 52-033L; 52-034G; 52-034L; 52-038G; 52-038L; 52-051G; 52-051L; 52-064D; 52-080W; 52-088G; 52-088L; 52-097G; 52-0000; 52-0002; 52-0004; 52-0008; 52-5009; 52-0012; 52-0015; 52-0016 52-0022; 52-0024; 52-0029; 52-0030; 52-0031; 52-0033; 52-0038; 52-0048; 52-0051; 52-0059; 52-0060; 52-0064; 52-0080; 52-0083; 52-0090; 52-0092; 52-0096; 52-0100; 52-0108; 52-0111; 52-0241; 52-0244; 52-0312; 52-0320;

# Safety Data Sheet

Material Name: CRAYOLA® CRAYONS™

SDS ID: CRAY-024

52-0322; 52-0332; 52-0333; 52-0336; 52-0386; 52-0387; 52-0388; 52-0389; 52-0390; 52-0393; 52-0743; 52-0774; 52-0836; 52-0952; 52-0953; 52-1024; 52-1164; 52-1165; 52-1170; 52-1167; 52-1171; 52-1172; 52-1173; 52-1174; 52-1175; 52-1176; 52-1177; 52-1180; 52-1182; 52-1204; 52-1219; 52-1220; 52-1221; 52-1222; 52-1223; 52-1225; 52-1226; 52-1227; 52-1228; 52-1230; 52-1231; 52-1232; 52-1234; 52-1235; 52-1236; 52-1237; 52-1238; 52-1239; 52-1240; 52-1241; 52-1242; 52-1243; 52-1244 52-1245; 52-1247; 52-1248; 52-1249; 52-1250; 52-1251; 52-1252; 52-1253; 52-1254; 52-1255; 52-1256; 52-1259; 52-1260; 52-1261; 52-1262; 52-1263; 52-1265; 52-1266; 52-1267; 52-1268; 52-1269; 52-1309; 52-1310; 52-1327; 52-1328; 52-1330; 52-1331; 52-1332; 52-1333; 52-1334; 52-1335; 52-1336; 52-1337; 52-1338; 52-1339; 52-1340; 52-1341; 52-1342; 52-1343; 52-1344; 52-1415; 52-1416; 52-1501; 52-1502; 52-1503; 52-1504; 52-1617; 52-1691; 52-1800; 52-1801; 52-1820; 52-1821; 52-1822; 52-1823; 52-1824; 52-1825; 52-1826; 52-1827; 52-1828; 52-1829; 52-1830; 52-1831; 52-1908; 52-1912; 52-2108; 52-2150; 52-2151; 52-2152; 52-2153; 52-2154; 52-2155; 52-2156; 52-2457; 52-2158; 52-2159; 52-2216; 52-2222; 52-3008; 52-3010; 52-3012; 52-3013; 52-3016; 52-3024; 52-3032; 52-3064; 52-3088; 52-3089; 52-3100; 52-3124; 52-3151; 52-3152; 52-3280; 52-3281; 52-3283; 52-3285; 52-3286; 52-3287; 52-3348; 52-3349; 52-3400; 52-3401; 52-3402; 52-3403; 52-3407; 52-3408; 52-3409; 52-3410; 52-3411; 52-3412; 52-3413; 52-3414; 52-3415; 52-3418; 52-3420; 52-3424; 52-3425; 52-3426; 52-3427; 52-3428; 52-3429; 52-3430; 52-3431; 52-3432; 52-3433; 52-3434; 52-3435; 52-3449; 52-3450; 52-3451; 52-3452; 52-3453; 52-3454; 52-3456; 52-3458; 52-3715; 52-3716; 52-3724; 52-3776; 52-3860; 52-3878; 52-3902; 52-3911; 52-3912; 52-3913; 52-3914; 52-3915; 52-3917; 52-3918; 52-3919; 52-3980; 52-3926; 52-3929; 52-3947; 52-4008; 52-4016; 52-4030; 52-4031; 52-4032; 52-4200; 52-4201; 52-4202; 52-4203; 52-4204; 52-4205; 52-4206; 52-4207; 52-4208; 52-4209; 52-4210; 52-4211; 52-4300; 52-4301; 52-4302; 52-4303; 52-4304; 52-4305; 52-4307; 52-4306; 52-4308; 52-4309; 52-4310; 52-4311; 52-4312; 52-4313; 52-4314; 52-4315; 52-4316; 52-4317; 52-4318; 52-4319; 52-4320; 52-4321; 53-4322; 52-4323; 52-4324; 52-4325; 52-4326; 52-4327; 52-4328; 52-4329; 52-4230; 52-4331; 52-4332; 52-4333; 52-4334; 52-4335; 52-4336; 52-4337; 52-4338; 52-4339; 52-4340; 52-4341; 52-4342; 52-4343; 52-4344; 52-4345; 52-4346; 52-4347; 53-4348; 52-4349; 52-4350; 52-4351; 52-4352; 52-4353; 52-4354; 52-4355; 52-4356; 52-4357; 52-4358; 52-4359; 52-4360; 52-4361; 52-4362; 52-4363; 52-4364; 54-4365; 52-4366; 52-4367; 52-4368; 52-4369; 52-4370; 52-4371; 52-4372; 52-4373; 52-4374; 52-4375; 52-4376; 52-4377; 52-4378; 52-4392; 52-4393; 52-4408; 52-4409; 52-4411; 52-4412; 52-4419; 52-4423; 52-4424; 52-4425; 52-4426; 52-4427; 52-4428; 52-4448; 52-4419; 52-4510; 52-4511; 52-4512; 52-4513; 52-4514; 52-4515; 52-4516; 52-4517; 52-4606; 52-4607; 52-4617; 52-5004; 52-5009; 52-5010; 52-5445; 52-5816; 52-5817; 52-5818; 52-5819; 52-5820; 52-6412; 52-6436; 52-6437; 52-6444; 52-6448; 52-6465; 52-6474; 52-6724; 52-6800; 52-6801; 52-6802; 52-6803; 52-6804; 52-6805; 52-6806; 52-6904; 52-6908; 52-6916; 52-6920; 52-6924; 52-6948; 52-6964; 52-7016; 52-7408; 52-7516; 52-7721; 52-8002; 52-8008; 52-8015; 52-8016; 52-8019; 52-8038; 52-8039; 52-8059; 52-8098; 52-8360; 52-8374; 52-8389; 52-8530; 52-8616; 52-8617; 52-8800; 52-8814; 52-8815; 52-8816; 52-8817; 52-8818; 52-8819; 52-8821; 52-8908; 52-9163; 52-9164; 52-9165; 52-9504; 52-9505; 52-9507; 52-9509; 52-9510; 52-9512; 52-9610; 52-9612; 52-9614; 52-9615; 52-9621; 52-9624; 52-9626; 52-9706; 52-9712; 52-9715; 52-9724; 52-9738; 52-9765; 52-9824; 52-9916; 52-9930; 52-MEGA; 58-8331; 74-5120; 74-5121; 74-5130; 74-6076; 74-6077; 74-7054; 74-7060; 74-7061; 74-7062; 74-7063; 74-7064; 74-7065; 74-7066; 74-7067; 74-7068; 74-7069; 74-7097; 74-7098; 74-7099; 74-7086; 74-7071; 74-7072; 74-7073; 74-7074; 74-7076; 74-7077; 74-7078; 74-7128; 74-7211; 74-7320; 80-8209; 80-8214; 80-8252; 80-8256; 80-8275; 80-6868; 80-6878; 80-6879; 81-0080; 81-1305; 81-1306; 81-1308; 81-1309; 81-1310; 81-1311; 81-1316; 81-1318; 81-1328; 81-1330; 81-1331; 81-1332; 81-1336; 81-1339; 81-1341; 81-1342; 81-1345; 81-1346; 81-1347; 81-1348; 81-1357; 81-1358; 81-1364; 81-1374; 81-1384; 81-1384; 81-1399; 81-1403; 81-1404; 81-1412; 81-1421; 81-1422; 81-1427; 81-1428; 81-1450; 81-1451; 81-1455; 81-1459; 81-1460; 81-1461; 81-1470; 81-1471; 81-6887; 81-6892; 81-6905; 81-8103; 81-8104; 81-8114; 81-8115; 81-8116; 81-1371; 81-8127; 81-8128; 81-8129; 81-2011; 81-2784; 81-8327; 82-0433; 82-0532; 82-0533; 82-0565; 82-5264; 82-5296; 82-0689; 95-0280; 95-0281; 95-0282; 95-0283; 95-0284; 95-0292; 95-0293; 95-0294; 95-0295; 95-1045; 95-1046; 95-1047; 95-1048; 95-1052; 95-1053; 95-1054; 95-1059; 95-1060; 95-8043; 95-8044; 98-2000; 98-3100; 98-3210; 98-3220; 98-3230; 98-3240; 98-3400; 98-5194; 98-5200; 98-5201; 98-5202; 98-5203; 98-5205; 98-5208; 98-5212; 98-5216; 98-8573; 98-8601; 98-8605; 98-8609; 98-8625; 98-8634; 98-8635; 98-8636; 98-8638; 98-8647; 98-8658; 98-8661; 98-8662; 98-8663; 98-8667; 98-9510; 98-9511; 99-0060; 99-0061; 99-0062; 42705

## Product Description

Finished product.

## Product Use

Arts and Crafts

## Restrictions on Use

None known.

# Safety Data Sheet

Material Name: CRAYOLA® CRAYONS™

SDS ID: CRAY-024

## Details of the supplier of the safety data sheet

CRAYOLA LLC  
1100 Church Lane  
Easton, PA 18044  
Phone: 1-800-272-9652  
Emergency Phone #: Health Emergency - Call local POISON CONTROL  
E-mail: support@crayola.com

## Section 2 - HAZARDS IDENTIFICATION

### Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

None needed according to classification criteria.

### GHS Label Elements

#### Symbol(s)

#### Signal Word

None needed according to classification criteria

#### Hazard Statement(s)

None needed according to classification criteria.

#### Precautionary Statement(s)

#### Prevention

None needed according to classification criteria.

#### Response

None needed according to classification criteria.

#### Storage

None needed according to classification criteria.

#### Disposal

Dispose in accordance with all applicable federal, state/regional and local laws and regulations.

## Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
Not available	Product has been certified as nontoxic by the Art & Creative Materials Institute, Inc. and conforms to ASM D 4236 standard practice for labeling art materials for acute and chronic adverse health hazards.	100

### Component Related Regulatory Information

The chemical identity and/or percentage of composition is being withheld as a trade secret.

## Section 4 - FIRST AID MEASURES

### Inhalation

It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

### Skin

It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

### Eyes

# Safety Data Sheet

**Material Name: CRAYOLA® CRAYONS™**

**SDS ID: CRAY-024**

It is unlikely that emergency treatment will be required. Flush eyes with plenty of water for at least 15 minutes. If eye irritation persists, get medical advice/attention.

## **Ingestion**

Call a poison control center or doctor immediately for treatment advice.

## **Most Important Symptoms/Effects**

### **Acute**

No information on significant adverse effects.

### **Delayed**

No information on significant adverse effects.

## **Indication of any immediate medical attention and special treatment needed**

Treat symptomatically and supportively.

## **Section 5 - FIRE FIGHTING MEASURES**

### **Extinguishing Media**

#### **Suitable Extinguishing Media**

carbon dioxide, regular dry chemical, regular foam, Water

#### **Unsuitable Extinguishing Media**

None known.

### **Hazardous Combustion Products**

Oxides of carbon

### **Advice for firefighters**

Slight fire hazard.

### **Fire Fighting Measures**

Move container from fire area if it can be done without risk. Use extinguishing agents appropriate for surrounding fire. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas.

### **Special Protective Equipment and Precautions for Firefighters**

Wear protective clothing and equipment suitable for the surrounding fire.

## **Section 6 - ACCIDENTAL RELEASE MEASURES**

### **Personal Precautions, Protective Equipment and Emergency Procedures**

Wear personal protective clothing and equipment, see Section 8.

### **Methods and Materials for Containment and Cleaning Up**

Stop leak if possible without personal risk. Collect spilled material in appropriate container for disposal.

## **Section 7 - HANDLING AND STORAGE**

### **Precautions for Safe Handling**

Wash thoroughly after handling. Minimize dust generation and accumulation.

### **Conditions for Safe Storage, Including any Incompatibilities**

None needed according to classification criteria.

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

### **Incompatible Materials**

oxidizing materials

## **Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION**

### **Component Exposure Limits**

# Safety Data Sheet

Material Name: CRAYOLA® CRAYONS™

SDS ID: CRAY-024

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

## ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

## Engineering Controls

Based on available information, additional ventilation is not required.

## Individual Protection Measures, such as Personal Protective Equipment

### Eye/face protection

Eye protection not required under normal conditions.

### Skin Protection

Protective clothing is not required under normal conditions.

### Respiratory Protection

No respirator is required under normal conditions of use. Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

### Glove Recommendations

Protective gloves are not required under normal conditions.

## Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	various colors	<b>Physical State</b>	solid
<b>Odor</b>	distinct odor	<b>Color</b>	various colors
<b>Odor Threshold</b>	Not available	<b>pH</b>	Not available
<b>Melting Point</b>	43.3 °C (110 °F)	<b>Boiling Point</b>	Not available
<b>Boiling Point Range</b>	Not available	<b>Freezing point</b>	Not available
<b>Evaporation Rate</b>	Not available	<b>Flammability (solid, gas)</b>	Not available
<b>Autoignition Temperature</b>	Not available	<b>Flash Point</b>	Not available
<b>Lower Explosive Limit</b>	Not available	<b>Decomposition temperature</b>	Not available
<b>Upper Explosive Limit</b>	Not available	<b>Vapor Pressure</b>	Not available
<b>Vapor Density (air=1)</b>	Not available	<b>Specific Gravity (water=1)</b>	Not available
<b>Water Solubility</b>	(Insoluble )	<b>Partition coefficient: n-octanol/water</b>	Not available
<b>Viscosity</b>	Not available	<b>Kinematic viscosity</b>	Not available
<b>Solubility (Other)</b>	Not available	<b>Density</b>	Not available
<b>Physical Form</b>	solid	<b>Molecular Weight</b>	Not available

# Safety Data Sheet

Material Name: CRAYOLA® CRAYONS™

SDS ID: CRAY-024

available

## Section 10 - STABILITY AND REACTIVITY

### Reactivity

No reactivity hazard is expected.

### Chemical Stability

Stable at normal temperatures and pressure.

### Possibility of Hazardous Reactions

Will not polymerize.

### Conditions to Avoid

None reported.

### Incompatible Materials

oxidizing materials

### Hazardous decomposition products

May release oxides of carbon. Provide adult supervision in a well ventilated area for techniques involving melted crayons. Ironing should be done by an adult in a well ventilated area. Overheating wax crayons during melting or ironing may release irritating fumes.

### Thermal decomposition products

Oxides of carbon

## Section 11 - TOXICOLOGICAL INFORMATION

### Information on Likely Routes of Exposure

#### Inhalation

No information on significant adverse effects.

#### Skin Contact

No information on significant adverse effects.

#### Eye Contact

No information on significant adverse effects.

#### Ingestion

No information on significant adverse effects.

### Acute and Chronic Toxicity

#### Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and no selected endpoints have been identified.

### Product Toxicity Data

#### Acute Toxicity Estimate

No data available.

#### Immediate Effects

None.

#### Delayed Effects

None.

#### Irritation/Corrosivity Data

None

#### Respiratory Sensitization

# Safety Data Sheet

**Material Name: CRAYOLA® CRAYONS™**

**SDS ID: CRAY-024**

No information available for the product.

## **Dermal Sensitization**

No information available for the product.

## **Component Carcinogenicity**

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA.

## **Germ Cell Mutagenicity**

No information available for the product.

## **Tumorigenic Data**

No data available

## **Reproductive Toxicity**

No information available for the product.

## **Specific Target Organ Toxicity - Single Exposure**

No target organs identified.

## **Specific Target Organ Toxicity - Repeated Exposure**

No target organs identified.

## **Aspiration hazard**

No data available.

## **Medical Conditions Aggravated by Exposure**

No data available.

## **Section 12 - ECOLOGICAL INFORMATION**

### **Ecotoxicity**

No information available for the product.

### **Component Analysis - Aquatic Toxicity**

No LOLI ecotoxicity data are available for this product's components.

### **Persistence and Degradability**

No information available for the product.

### **Bioaccumulative Potential**

No information available for the product.

### **Mobility**

No information available for the product.

## **Section 13 - DISPOSAL CONSIDERATIONS**

### **Disposal Methods**

Dispose in accordance with all applicable federal, state/regional and local laws and regulations. Recycle if possible.

### **Component Waste Numbers**

The U.S. EPA has not published waste numbers for this product's components.

## **Section 14 - TRANSPORT INFORMATION**

### **US DOT Information:**

UN/NA #: Not regulated

### **IATA Information:**

UN#: Not regulated

# Safety Data Sheet

**Material Name: CRAYOLA® CRAYONS™**

**SDS ID: CRAY-024**

**ICAO Information:**

UN#: Not regulated

**IMDG Information:**

UN#: Not regulated

**TDG Information:**

UN#: Not regulated

**International Bulk Chemical Code**

This material does not contain any chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

## Section 15 - REGULATORY INFORMATION

### U.S. Federal Regulations

None of this product's components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

### SARA Section 311/312 (40 CFR 370 Subparts B and C) reporting categories

No hazard categories applicable.

### U.S. State Regulations

None of this product's components are listed on the state lists from CA, MA, MN, NJ or PA.

### California Safe Drinking Water and Toxic Enforcement Act (Proposition 65)

Not listed under California Proposition 65.

### Component Analysis - Inventory

#### U.S. Inventory (TSCA)

All of the components of this product are listed on the TSCA Inventory. All components of this product are listed on the DSL.

## Section 16 - OTHER INFORMATION

### NFPA Ratings

Health: 0 Fire: 0 Instability: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

### Preparation Date

12/12/2019

### Revision date

Updated: 8/11/2020

### Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania\*; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation



# Safety Data Sheet

**Material Name: CRAYOLA® CRAYONS™**

**SDS ID: CRAY-024**

Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL) , KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; KR REACH CCA - Korea Registration and Evaluation of Chemical Substances Chemical Control Act; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIsts™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; Ne-Non-specific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL - Non-Domestic Substance List (Canada); NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; Sc - Semi-quantitative; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TH-TECI - Thailand - FDA Existing Chemicals Inventory (TECI); TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada).

## Other Information

### Disclaimer:

Supplier gives no warranty whatsoever, including the warranties of merchantability or of fitness for a particular purpose. Any product purchased is sold on the assumption the purchaser shall determine the quality and suitability of the product. Supplier expressly disclaims any and all liability for incidental, consequential or any other damages arising out of the use or misuse of this product. No information provided shall be deemed to be a recommendation to use any product in conflict with any existing patent rights.