# SAFETY DATA SHEET

Issuing Date 23-March-2015

Revision Date 23-March-2015

**Revision Number** 3



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name	Yellow Toner for C9600 PRO900 PRO905	C9650	C9800	CX3641	ES3640	MPS9650	PRO510
Other means of identification							
Synonyms	None						
Recommended use of the chemical	and restrictions on use						
Recommended Use	Dry powder colorant to for	rm an ima	age on sh	neet of pap	er or othe	r substrate.	
Uses advised against	No information available						
Details of the supplier of the safety	data sheet						
Supplier Name Supplier Address	Oki Data Americas, Inc. 2000 Bishops Gate Blvd. Mount Laurel NJ 08054 US						
Supplier Phone Number	Phone: 1-800-654-3282 Fax: 1-856-222-5247						
Supplier Email Emergency telephone number	support@okidata.com Phone: 1-800-654-3282						
	2. HAZARDS ID	DENTIF	ICATI	ON			

# Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

# GHS Label elements, including precautionary statements

Emergency Overview				
Signal word	None			
Hazard Statements None				



Appearance Yellow

Physical State Powder(s) Solid

Odor Very slight

# **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

# **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

# **Precautionary Statements - Storage**

Store locked up

# **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

Not applicable

# Unknown Toxicity

84% of the mixture consists of ingredient(s) of unknown toxicity

### Other information

Titanium Dioxide is classified by the IARC as a Group 2B Carcinogen (possible human carcinogen) by inhalation. The IARC also stated that no significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as in paints. The formulation of the toner has Titanium Dioxide in a bounded state so it does not present a carcinogenic risk.

# Interactions with Other Chemicals

No information available.

First aid measures

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Third Party Formulation (TP # 1185548)	Proprietary	5 - 10	*
Third Party Formulation (TP # 1185548)	Proprietary	1 - 5	*
Third Party Formulation (TP # 1185548)	Proprietary	1 - 5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret

# 4. FIRST AID MEASURES

<u>I not dia madalita</u>	
General Advice	Show this safety data sheet to the doctor in attendance.
Eye Contact	Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.
Skin Contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician.
Inhalation	Remove to fresh air. If symptoms persist, call a physician.

Ingestion	Do NOT induce vomiting. Drink plenty of water. If symptoms persist, call a physician.		
Most important symptoms and e	effects, both acute and delayed		
Most Important Symptoms and Effects	Exposure to excessive amounts of dust may cause physical irriatation to respiratory tract.		
Indication of any immediate me	dical attention and special treatment needed		
Notes to Physician	Treat symptomatically.		
	5. FIRE-FIGHTING MEASURES		
Suitable Extinguishing Media Use extinguishing measures that are a	appropriate to local circumstances and the surrounding environment.		
Unsuitable extinguishing media CAUTION: Use of water spray when	fighting fire may be inefficient.		
Specific Hazards Arising from the C No information available.	<u>Chemical</u>		
Hazardous Combustion Products Carbon oxides.			
Explosion Data Sensitivity to Mechanical Impact	No.		
Sensitivity to Static Discharge	No.		
<b>Protective equipment and precaution</b> As in any fire, wear self-contained bree protective gear.	ons for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions, protective ec	guipment and emergency procedures		
Personal Precautions	Avoid contact with eyes.		
Other Information	Refer to protective measures listed in Sections 7 and 8.		
Environmental Precautions			
Environmental Precautions	Refer to protective measures listed in Sections 7 and 8.		
Methods and material for containment and cleaning up			
Methods for Containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Pick up and transfer to properly labeled containers.		

# 7. HANDLING AND STORAGE

# Precautions for safe handling

### Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

### Conditions for safe storage, including any incompatibilities

Storage	Keep container tightly closed.
---------	--------------------------------

Incompatible Products None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# **Control parameters**

# **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Third Party Formulation (TP # 1185548)	TWA: 2 mg/m <sup>3</sup> fume	(vacated) TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> fume
Third Party Formulation (TP # 1185548)	-	TWA: 20 mppcf : (80)/(% SiO2) mg/m <sup>3</sup> TWA	IDLH: 3000 mg/m <sup>3</sup> TWA: 6 mg/m <sup>3</sup>
Third Party Formulation (TP # 1185548)	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 10 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup>

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

# Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters

# Appropriate engineering controls

Engineering Measures	Showers
	Eyewash stations
	Ventilation systems

### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** No special protective equipment required.

Skin and Body Protection Wear protective gloves and protective clothing.

# **Respiratory Protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Physical and Chemical Properties

Physical State	Powder(s) Solid
Appearance	Yellow
Color	No information available

Odor Odor Threshold Very slight No information available



Property	Values
pH	No data available
Melting / freezing point	No data available
Boiling point / boiling range	No data available
Flash Point	No data available
Evaporation Rate	No data available
Flammability (solid, gas)	No data available
Flammability Limit in Air	
Upper flammability limit	No data available
Lower flammability limit	No data available
Vapor pressure	No data available
Vapor density	No data available
Specific Gravity	1.2 g/cm <sup>3</sup>
Water Solubility	Negligible
Solubility in other solvents	No data available
Partition coefficient: n-octanol/wate	rNo data available
Autoignition temperature	No data available
Decomposition temperature	>200 °C (392 °F)
Kinematic viscosity	No data available
Dynamic viscosity	No data available
Explosive properties	No data available
Oxidizing Properties	No data available

# **Other Information**

Softening Point VOC Content (%) Particle Size Particle Size Distribution No data available No data available No data available

# Remarks/ Method None known None known None known None known None known None known

None known None known None known None known None known None known None known

# **10. STABILITY AND REACTIVITY**

### **Reactivity**

No data available.

### Chemical stability

Stable under recommended storage conditions.

# Possibility of Hazardous Reactions

None under normal processing.

# Hazardous Polymerization

Hazardous polymerization does not occur.

# **Conditions to avoid**

None known based on information supplied.

# Incompatible materials

None known based on information supplied.

### **Hazardous Decomposition Products**

Carbon oxides.

# **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

**Product Information** 

Product does not present an acute toxicity hazard based on known or supplied information.



Inhalation	Specific test data for the substance or mixture is not available.
Eye Contact	Specific test data for the substance or mixture is not available.
Skin Contact	Specific test data for the substance or mixture is not available.
Ingestion	Specific test data for the substance or mixture is not available.

# **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Third Party Formulation (TP # 1185548)	> 3750 mg/kg (Rat)	> 3600 mg/kg (Rabbit)	-
Third Party Formulation (TP # 1185548)	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 2.2 mg/L (Rat)1 h
Third Party Formulation (TP # 1185548)	> 10000 mg/kg (Rat)	-	-

# Information on toxicological effects

Symptoms

No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects Ames Test (Salmonella typhimurium, Escherichia coli): Negative

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Third Party Formulation (TP # 1185548)		Group 3		
Third Party Formulation (TP # 1185548)		Group 2B		Х

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive Toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.



Chronic Toxicity	Contains a known or suspected carcinogen. The IARC reevaluated Titanium Dioxide (TiO2) as a Group 2B carcinogen (possible human carcinogen) by inhalation (based solely on animal data). Human epidemiology studies do not suggest an increased risk of cancer in humans for occupational exposure to titanium dioxide. IARC stated that exposure levels are assumed lower in the user industries, with the possible exception of workers who handle large quantities of titanium dioxide. No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as in paints.
Target Organ Effects	Respiratory system. Eyes. Skin. Gastrointestinal tract (GI). Lungs.
Aspiration Hazard	No information available.

# Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document Not applicable

# **12. ECOLOGICAL INFORMATION**

# Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Third Party Formulation (TP # 1185548)	72h EC50: = 440 mg/L (Pseudokirchneriella subcapitata)	96h LC50: = 5000 mg/L (Brachydanio rerio)		48h EC50: = 7600 mg/L

# Persistence and Degradability

No information available.

### **Bioaccumulation**

No information available

# Other adverse effects

No information available.

# **13. DISPOSAL CONSIDERATIONS**

# Waste treatment methods

Disposal methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.		
Contaminated Packaging	Dispose of contents/containers in accordance with local regulations.		
California Hazardous Waste Codes	352		

This product contains one or more substances that are listed with the State of California as a hazardous waste.

# **14. TRANSPORT INFORMATION**



NOT REGULATED NON REGULATED N/A
Not regulated
Not regulated
Not regulated
Not regulated NON REGULATED N/A
Not regulated N/A
Not regulated
Not regulated
Not regulated

# **15. REGULATORY INFORMATION**

# International Inventories

TSCA Complies DSL All components are listed either on the DSL or NDSL.

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

### US Federal Regulations

### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

# SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

# CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

# CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

# US State Regulations

# California Proposition 65

Not Regulated due to chemicals being bound in a resin matrix.



# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Third Party Formulation (TP # 1185548)		Х	Х		
Third Party Formulation (TP # 1185548)		Х	Х		
Third Party Formulation (TP # 1185548)	Х	Х	Х		

# International Regulations

# Mexico

# National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Third Party Formulation (TP # 1185548)		Mexico: TWA= 2 mg/m <sup>3</sup>
(5-10)		Mexico: STEL= 6 mg/m <sup>3</sup>
Third Party Formulation (TP # 1185548)		Mexico: TWA= 10 mg/m <sup>3</sup>
(1-5)		Mexico: STEL= 20 mg/m <sup>3</sup>

Mexico - Occupational Exposure Limits - Carcinogens

### Canada WHMIS Hazard Class

Non-controlled by definition of manufactured article

# **16. OTHER INFORMATION**

NFPA	Health Hazards 1 Flammability	0	Instability 0	Physical and Chemical Hazards -
HMIS	Health Hazards 1* Flammability	0	Physical Hazard 0	Personal Protection
Chronic Hazard Star	Legend * = Chronic Health Hazard			X
Prepared By	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501			
Revision Date Revision Note	23-March-2015 No information available			

# Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# End of Safety Data Sheet

