Version WM

Brighton Professional[™] Antibacterial Foaming Hand Soap

SDS Number: 400000000049

SEC	TION 1. IDENTIFICATION		
	Product name Product code	:	Brighton Professional™ Antibacterial Foaming Hand Soap 822852; BPR59207
	Manufacturer or supplier's d	eta	ills
	Company name of supplier Address	:	Staples, Inc. / Staples Contract & Commercial, Inc. 500 Staples Drive Framingham, MA 01702 USA
	Telephone	:	1-888-322-0912
	Emergency telephone number	:	1-888-322-0912
	Recommended use of the ch	nen	nical and restrictions on use
	Recommended use Restrictions on use	:	Antibacterial Soap This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for

employees and other users of this product. For specific intended-use guidance, please refer to the information

provided on the package or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION

: Category 3
: Category 1
: Danger
: H226 Flammable liquid and vapour. H318 Causes serious eye damage.
 Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting/

Revision Date: 02/25/2020

STAPLES

Brighton Professional[™] Antibacterial Foaming Hand Soap

/ersion WM	SDS Number: 40000000049	Revision Date: 02/25/2020
	equipment.	
	P242 Use only non-sparking to	ols
	P243 Take precautionary meas	
	P280 Wear eye protection/ face	
	Response:	•
	P305 + P351 + P338 + P310 IF	IN EYES: Rinse cautiously wit
	water for several minutes. Rem	ove contact lenses, if present
	and easy to do. Continue rinsin	g. Immediately call a POISON
	CENTER or doctor/ physician.	
	P370 + P378 In case of fire: Us	
	alcohol-resistant foam to exting	uish.
	Storage:	
	P403 + P235 Store in a well-ve	ntilated place. Keep cool.
	Disposal:	
	P501 Dispose of contents/ cont disposal plant.	ainer to an approved waste

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (%)
Ethyl Alcohol	64-17-5	>= 1 - < 5
Ammonium Laureth Sulfate	67762-19-0	>= 1 - < 5
Ammonium Lauryl Sulfate	2235-54-3	>= 1 - < 5
Propylene Glycol	57-55-6	>= 1 - < 5
Chloroxylenol	88-04-0	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. If symptoms persist, call a physician.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if irritation develops and persists.
In case of eye contact	 In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Seek medical advice.
If swallowed	: If swallowed, DO NOT induce vomiting. Rinse mouth with water. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	: Causes serious eye damage.
Protection of first-aiders	 First Aid responders should pay attention to self-protection and use the recommended protective clothing

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

Brighton Professional[™] Antibacterial Foaming Hand Soap

Version WM	SDS Number: 400000000049	Revision Date: 02/25/2020
Unsuitable extinguishing media	carbon dioxide. : High volume water jet	
 Specific hazards during firefighting Do not use a solid water stream as it may fire. Cool closed containers exposed to fire with Flash back possible over considerable dis May form explosive mixtures in air. Exposure to decomposition products may health. Carbon oxides Sulphur oxides Nitrogen oxides (NOx) 		ed to fire with water spray. iderable distance. n air.
Hazardous combustion products	: Carbon oxides Sulphur oxides Nitrogen oxides (NOx)	
Specific extinguishing methods	: Use extinguishing measures th circumstances and the surrour Use water spray to cool unope	nding environment.
Further information	: Collect contaminated fire extin must not be discharged into dr Fire residues and contaminate be disposed of in accordance	guishing water separately. This ains. d fire extinguishing water must with local regulations.
Special protective equipment for firefighters	: In the event of fire, wear self-c Use personal protective equip	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	 Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Material can create slippery conditions.
Environmental precautions	: Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	 Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapours/mists with a water spray jet. Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly while observing environmental regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	: For personal protection see section 8.
	Keep away from heat.
	Use with local exhaust ventilation.
	Avoid contact with eyes.
Conditions for safe storage	: Take measures to prevent the build up of electrostatic charge.

SAFETY DATA SHEET	STAPLES
Brighton Professional [™] Antibacterial Foaming Hand Soap)

Version WM	SDS Number: 40000000049	Revision Date: 02/25/2020

Keep in properly labelled containers. Keep containers tightly closed in a dry, cool and wellventilated place. Store in accordance with the particular national regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Propylene Glycol	57-55-6	TWA	10 mg/m3	US WEEL

Personal protective equipment

Respiratory protection	 No personal respiratory protective equipment normally required.
Hand protection	
Remarks	: No special protective equipment required.
Eye protection	 Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	 No special measures necessary provided product is used correctly.
Protective measures	: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
	Ensure that eye flushing systems and safety showers are located close to the working place.
Hygiene measures	 Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

clear, translucent, yellow-orange, ar like fruit	nber
4.5 - 8.5, (20 °C)	
59.89 °C	
No data available	
Not applicable	
Does not sustain combustion.	
No data available	
	 liquid clear, translucent, yellow-orange, ar like fruit No data available 4.5 - 8.5, (20 °C) No data available 83.00 °C 59.89 °C No data available Not applicable Does not sustain combustion. No data available

SAFETY DATA SHEET		STAPLES
Brighton Professional	™ Antibacterial Foaming	Hand Soap
Version WM	SDS Number: 400000000049	Revision Date: 02/25/2020
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: 0.9962 g/cm3	
Solubility(ies) Water solubility	: soluble	
Partition coefficient: n- octanol/water	: Not applicable	
Auto-ignition temperature	: No data available	
Thermal decomposition	: The substance or mixture is not	classified self-reactive.
Viscosity Viscosity, kinematic	: 10 - 20 mm2/s (20 °C)	
Explosive properties	: Not explosive	
Oxidizing properties	: The substance or mixture is not	t classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reactions	 Not classified as a reactivity hazard. Stable under normal conditions. Vapours may form explosive mixture with air.
Conditions to avoid Incompatible materials Hazardous decomposition products	 Heat, flames and sparks. Oxidizing agents No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes o Inhalation Eye contact Skin contact	of e	exposure
Acute toxicity		
Not classified based on available	le	information.
Product:		
Acute oral toxicity	:	Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Components:		
Ethyl Alcohol:		
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 124.7 mg/l

STAPLES

Brighton Professional[™] Antibacterial Foaming Hand Soap

rsion WM	SDS Number: 400000000049	Revision Date: 02/25/202
	Exposure time: 4 h Test atmosphere: vapour	
Ammonium Laureth Sulfat Acute oral toxicity	te: : LD50 (Rat): 4,100 mg/kg Method: OECD Test Guideline Remarks: Based on data from	
Acute dermal toxicity	 LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline Assessment: The substance of toxicity Remarks: Based on data from 	r mixture has no acute dermal
Ammonium Lauryl Sulfate Acute oral toxicity	: : LD50 (Rat): 2,000 mg/kg Method: EC Directive 92/69/EE Remarks: Based on data from	
Propylene Glycol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg	
Acute inhalation toxicity	: LC50 (Rabbit): > 159 mg/l, > 5 Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance of inhalation toxicity	
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance of toxicity	r mixture has no acute dermal
Chloroxylenol: Acute oral toxicity	: Acute toxicity estimate : 500 m Method: Expert judgement Remarks: Based on harmonise on 1272/2008, Annex VI	
Acute inhalation toxicity	: LC50 (Rat): > 6.29 mg/l Test atmosphere: dust/mist	
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg	

Not classified based on available information.

Components:

Ethyl Alcohol: Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

Ammonium Laureth Sulfate:

Species: Rabbit Method: OECD Test Guideline 404 Result: Skin irritation Remarks: Based on data from similar materials

Ammonium Lauryl Sulfate:

SAFETY DATA SHEET STAPLES Brighton Professional[™] Antibacterial Foaming Hand Soap

Version WM

SDS Number: 40000000049

Revision Date: 02/25/2020

Species: Rabbit Method: OECD Test Guideline 404 Result: Skin irritation

Propylene Glycol:

Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

Chloroxylenol:

Result: Skin irritation Remarks: Based on harmonised classification in EU regulati on 1272/2008, Annex VI

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Ethyl Alcohol: Species: Rabbit Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405

Ammonium Laureth Sulfate:

Species: Rabbit Result: Irreversible effects on the eye Remarks: Based on data from similar materials

Ammonium Lauryl Sulfate:

Species: Rabbit Result: Irreversible effects on the eye Method: OECD Test Guideline 405

Propylene Glycol:

Species: Rabbit Result: No eye irritation Method: OECD Test Guideline 405

Chloroxylenol:

Result: Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Product:

Result: Does not cause skin sensitisation.

Components:

Ethyl Alcohol: Test Type: Local lymph node assay (LLNA) Exposure routes: Skin contact Species: Mouse Result: negative

Ammonium Laureth Sulfate:

Test Type: Maximisation Test (GPMT) Exposure routes: Skin contact

SAFETY DATA SHEET STAPLES Brighton Professional[™] Antibacterial Foaming Hand Soap

Version WM

SDS Number: 40000000049

Revision Date: 02/25/2020

Species: Guinea pig Method: OECD Test Guideline 406 Result: negative Remarks: Based on data from similar materials

Ammonium Lauryl Sulfate:

Test Type: Maximisation Test (GPMT) Exposure routes: Skin contact Species: Guinea pig Result: negative Remarks: Based on data from similar materials

Propylene Glycol:

Test Type: Maximisation Test (GPMT) Exposure routes: Skin contact Species: Guinea pig Result: negative

Chloroxylenol:

Assessment: Probability or evidence of skin sensitisation in humans Remarks: Based on harmonised classification in EU regulati on 1272/2008, Annex VI

Germ cell mutagenicity

Not classified based on available information.

Components:

Ethyl Alcohol: Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	: Test Type: Rodent dominant lethal test (germ cell) (in vivo) Test species: Mouse Application Route: Ingestion Result: negative
Ammonium Laureth Sulfate:	
Genotoxicity in vitro	 Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
	 Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Test species: Mouse Application Route: Ingestion Method: OECD Test Guideline 475 Result: negative Remarks: Based on data from similar materials
Ammonium Lauryl Sulfate:	
Genotoxicity in vitro	 Test Type: In vitro mammalian cell gene mutation test Result: negative Remarks: Based on data from similar materials

STAPLES

sion WM	
	SDS Number: 40000000049 Revision Date: 02/25/202
Genotoxicity in vivo	 Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Test species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative Remarks: Based on data from similar materials
Propylene Glycol: Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	: Test Type: In vivo micronucleus test Test species: Mouse Application Route: Intraperitoneal injection Result: negative
Chloroxylenol: Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Carcinogenicity Not classified based on ava	ailable information.
Ammonium Lauryl Sulfat Species: Rat Application Route: Ingestio	
Exposure time: 2 Years Result: negative Remarks: Based on data fr	rom similar materials
Result: negative	
Result: negative Remarks: Based on data fr Propylene Glycol: Species: Rat Application Route: Ingestio Exposure time: 2 Years	
Result: negative Remarks: Based on data fr Propylene Glycol: Species: Rat Application Route: Ingestio Exposure time: 2 Years Result: negative	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed

Ethyl Alcohol:	
Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Mouse

STAPLES

Brighton Professional[™] Antibacterial Foaming Hand Soap

Dirgittori i Tolessional	Antibacteriari Vanning	Tianu Suap
Version WM	SDS Number: 400000000049	Revision Date: 02/25/2020
	Application Route: Ingestion Method: OECD Test Guideline Result: negative	416
Ammonium Laureth Sulfate: Effects on fertility	: Test Type: Two-generation rep Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from s	
Effects on foetal development	: Test Type: Two-generation rep Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from s	
Ammonium Lauryl Sulfate: Effects on foetal development	: Test Type: Embryo-foetal deve Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from s	
Propylene Glycol: Effects on fertility	: Species: Mouse Application Route: Ingestion Result: negative	
Effects on foetal development	: Test Type: Embryo-foetal deve Species: Mouse Application Route: Ingestion Result: negative	lopment

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Ethyl Alcohol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y

Ammonium Laureth Sulfate:

Species: Rat NOAEL: > 225 mg/kg Application Route: Ingestion Exposure time: 90 d Method: OECD Test Guideline 408 Remarks: Based on data from similar materials

Propylene Glycol:

Species: Rat

Version WM

SDS Number: 40000000049

Revision Date: 02/25/2020

NOAEL: 1,700 mg/kg Application Route: Ingestion Exposure time: 2 y

Chloroxylenol:

Species: Rabbit LOAEL: 180 mg/kg Application Route: Skin contact Exposure time: 90 d

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Ethyl Alcohol:		
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	:	EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
aquatic invertebrates		NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d
(Chronic toxicity) Toxicity to bacteria	:	EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h
Ammonium Laureth Sulfate: Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 7.1 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 7.4 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae	:	ErC50 (Desmodesmus subspicatus (green algae)): 27.7 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
		NOEC (Desmodesmus subspicatus (green algae)): 0.95 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 0.14 mg/l Exposure time: 28 d

STAPLES

Brighton Froncostonal	Antibacterial i Valling Hand Soap
Version WM	SDS Number: 40000000049 Revision Date: 02/25/2020
	Method: OECD Test Guideline 204 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.27 mg/l Exposure time: 21 d Remarks: Based on data from similar materials
Toxicity to bacteria	 EC10 (Pseudomonas putida): > 10 g/l Exposure time: 16 h Method: DIN 38 412 Part 8 Remarks: Based on data from similar materials
Ammonium Lauryl Sulfate: Toxicity to fish	 LC50 (Oncorhynchus mykiss (rainbow trout)): 3.6 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	 EC50 (Daphnia magna (Water flea)): 4.7 mg/l Exposure time: 48 h Method: Tested according to Directive 92/69/EEC. Remarks: Based on data from similar materials
Toxicity to algae	 ErC50 (Desmodesmus subspicatus (green algae)): > 20 mg/l Exposure time: 72 h Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materials
	EC10 (Desmodesmus subspicatus (green algae)): 5.4 mg/l Exposure time: 72 h Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Ceriodaphnia Dubia (water flea)): 0.88 mg/l Exposure time: 7 d Remarks: Based on data from similar materials
Toxicity to bacteria	 EC0 (Pseudomonas putida): 409 mg/l Exposure time: 16 h Method: DIN 38 412 Part 8 Remarks: Based on data from similar materials
Propylene Glycol: Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Ceriodaphnia Dubia (water flea)): 18,340 mg/l Exposure time: 48 h
Toxicity to algae	: EC50 (Skeletonema costatum (marine diatom)): 19,000 mg/l Exposure time: 48 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	: Chronic Toxicity Value: 2,500 mg/l Exposure time: 30 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Ceriodaphnia Dubia (water flea)): 29,000 mg/l Exposure time: 7 d

.

....

STAPLES

-	Antibacterial Foaming Hand Soap
sion WM	SDS Number: 40000000049 Revision Date: 02/25/202
Toxicity to bacteria	: NOEC (Pseudomonas putida): > 20,000 mg/l Exposure time: 18 h
Chloroxylenol: Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 0.76 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 7.7 mg/l Exposure time: 48 h
M-Factor (Acute aquatic toxicity)	: 1
Persistence and degradabilit	у
Components: Ethyl Alcohol: Biodegradability	: Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 20 d
Ammonium Laureth Sulfate: Biodegradability	 Result: Readily biodegradable. Biodegradation: 100 % Exposure time: 28 d Method: Directive 67/548/EEC Annex V, C.4.C. Remarks: Based on data from similar materials
Ammonium Lauryl Sulfate: Biodegradability	 Result: Readily biodegradable. Biodegradation: 75.7 % Exposure time: 28 d Method: OECD Test Guideline 301B Remarks: Based on data from similar materials
Propylene Glycol: Biodegradability	 Result: Readily biodegradable. Biodegradation: 98.3 % Exposure time: 28 d Method: OECD Test Guideline 301F
Bioaccumulative potential	
Components: Ethyl Alcohol: Partition coefficient: n- octanol/water	: log Pow: -0.35
Ammonium Laureth Sulfate: Partition coefficient: n- octanol/water	: log Pow: 0.3
Ammonium Lauryl Sulfate: Partition coefficient: n- octanol/water Propulane Glucol:	: log Pow: 0.8 - 0.91
Propylene Glycol: Partition coefficient: n- octanol/water Chloroxylenol:	: log Pow: -1.07
Partition coefficient: n- octanol/water	: log Pow: 3.27

STAPLES

Brighton Professional [™]	Antibacterial Foaming	Hand Soap

Version WM	SDS Number: 400000000049	Revision Date: 02/25/2020
Mobility in soil No data available		
Other adverse effects No data available		
Product:		
Regulation	40 CFR Protection of Environm Stratospheric Ozone - CAA Sec	
Remarks	This product neither contains, n Class I or Class II ODS as defir Section 602 (40 CFR 82, Subpt	ed by the U.S. Clean Air Act

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues Contaminated packaging	 Dispose of in accordance with local regulations. Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

This Section not required under 29 CFR 1910.1200

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Fire Hazard Acute Health Hazard
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Ethyl Alcohol	64-17-5	4.405 %
Propylene Glycol	57-55-6	2 %

Clean Water This product c 307		y toxic pollutants listed u	nder the U.S. Clean W	ater Act Section		
US State Reg	ulations					
Massachuset	ts Right To Know Ethyl Alcohol		64-17-5	1 - 5 %		
Pennsylvania Right To Know Water (Aqua) Ethyl Alcohol Ammonium Laureth S Ammonium Lauryl Su Propylene Glycol Isopropyl Alcohol Ammonium Sulfate		ryl Sulfate I I	7732-18-5 64-17-5 67762-19-0 2235-54-3 57-55-6 67-63-0 7783-20-2	70 - 90 % 1 - 5 % 1 - 5 % 1 - 5 % 1 - 5 % 0.1 - 1 % 0.1 - 1 %		
New Jersey F	New Jersey Right To Know Water (Aqua) Ethyl Alcohol Ammonium Laureth Sulfate Ammonium Lauryl Sulfate Propylene Glycol		7732-18-5 64-17-5 67762-19-0 2235-54-3 57-55-6	70 - 90 % 1 - 5 % 1 - 5 % 1 - 5 % 1 - 5 %		
California Pr	op 65	•	contain any chemicals cancer, birth defects, c			
The components of this product are reported in the following inventories: TSCA : On TSCA Inventory						
AICS		: On the inventory, or in	compliance with the ir	nventory		
DSL : On th		On the inventory, or in compliance with the inventory				
ENCS	ENCS : On the inventory, or in compliance with the inventory			nventory		
ISHL	ISHL : On the inventory, or in compliance with the inventory			nventory		
KECI	KECI : On the inventory, or in compliance with the inventor			nventory		
PICCS		: On the inventory, or in	compliance with the ir	nventory		
IECSC		: On the inventory, or in	compliance with the ir	nventory		

Brighton Professional[™] Antibacterial Foaming Hand Soap

SDS Number: 40000000049

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section

STAPLES

Revision Date: 02/25/2020

Inventories

NZIoC

SAFETY DATA SHEET

Version WM

450.

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

: On the inventory, or in compliance with the inventory


Version WM

SDS Number: 40000000049

Revision Date: 02/25/2020

SECTION 16. OTHER INFORMATION

Further information



Revision Date : 02/25/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.