

January, 2012
1291, 1391, 1491

SECTION 1: PRODUCT IDENTIFICATION AND EMERGENCY INFORMATION

PRODUCT (TRADE) NAME: Alcohol-Free ScreenKleen
PRODUCT IDENTIFICATION NUMBER(S): RR1291, RR1391, RR1491
CHEMICAL NAME AND SYNONYMS: NA
CHEMICAL FORMULA: NA
EMERGENCY TELEPHONE NUMBERS: Read/Right: (904)482-0091
CHEMTREC (Transportation): (800) 424-9300

SECTION 2: COMPOSITION AND INFORMATION ON INGREDIENTS

<u>COMPONENT</u>	<u>CAS#</u>	<u>ACGIH TLV (ppm)</u>
Deionized Water	0007732-18-5	NA

SECTION 3: HAZARDS IDENTIFICATION

There are no components contained in this material that are considered hazardous under 29CFR1910.1200. This product contains no silicone.

SECTION 4: FIRST AID INFORMATION

EYE CONTACT: Flush with water for 15 minutes, including under eyelids. If irritation persists, consult a physician.
SKIN CONTACT: If irritation occurs, flush skin with water for at least 15 minutes. If irritation persists, consult a physician.
INHALATION: If symptoms of overexposure develop, remove to fresh air. If symptoms persist, consult a physician.
INGESTION: Five 8 to 16 ounces of water to dilute substance. Do not induce vomiting. Consult a physician or local Poison Control Center. Never give anything by mouth to an unconscious person.

SECTION 5: FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (TCC): No flash below boil.
FLAMMABLE LIMITS (% BY VOLUME): LEL: NA UEL: NA
AUTOIGNITION TEMPERATURE °F(°C): NA
HAZARDOUS PRODUCTS OF COMBUSTION: In the event of fire, the following may be released: Carbon dioxide and/or carbon monoxide.
EXTINGUISHING MEDIA: Water spray, foam, dry chemical powder of carbon dioxide.
FIRE FIGHTING INSTRUCTIONS: Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if it can be done without risk. Use water to keep fire exposed containers cool.

NFPA RATING: HEALTH (1)
FLAMMABILITY (0)
REACTIVITY (0)

Formulation is classified as an OSHA Class IB Flammable Liquid
NA=Not Available

Section 6 : ACCIDENTAL RELEASE MEASURES

SMALL SPILL: For small spills, soak up material with an absorbent such as clay, sand or other suitable material and dispose of properly. Flush area with water to remove trace residue.

LARGE SPILL: Wear respirator and protective clothing as appropriate. Shut off source of leak if it is safe to do so. Dike and contain spilled material. Remove with vacuum trucks or pump to storage/salvage containers. Soak up residue with an absorbent such as clay, sand, or other suitable material. Flush area with water to remove trace residue.

Section 7 : HANDLING AND STORAGE

HANDLING: Handle and open containers with care. Do not handle near an open flame, heat or other source of ignition.

STORAGE: Store in a cool, well ventilated place away from incompatible materials. Do not store near an open flame, heat, or other source of ignition. Protect material from direct sunlight.

Section 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE/FACE PROTECTION: Chemical splash goggles in compliance with OSHA regulations are advised; however, OSHA regulations also permit other types of safety glasses. Consult your safety representative.

SKIN PROTECTION: Wear rubber gloves (consult your safety representative). Wear impervious clothing and boots to prevent repeated or prolonged skin contact.

RESPIRATORY PROTECTION: If workplace exposure limits of product or any component are exceeded, a NIOSH/MSHA approved air supplied respirator is advised in absence of proper environmental control. OSHA regulations also permit other NIOSH/MSHA respirators (negative pressure type) under specified conditions (consult your safety representative). Engineering controls or administrative controls should be implemented to reduce exposure.

ENGINEERING CONTROLS: Provide sufficient mechanical ventilation (general and local exhaust) to maintain exposure below the level of overexposure from known, suspected or apparent adverse effects.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT (°F(°C)):	212(100)	% VOLATILE BY VOLUME @ 25°C:	
VAPOR PRESSURE (mmHg @ 25°C):	NA	EVAPORATION RATE(BUTYL ACETATE=1):	
VAPOR DENSITY (AIR=1):	NA	FORM:	Presaturated Wipe
% SOLUBLE IN WATER @ 25°C:		ODOR:	Orange
SPECIFIC GRAVITY (G/CC@25°C)		APPEARANCE OF LIQUID:	Pale yellow

SECTION 10: STABILITY AND REACTIVITY

STABILITY: Stable

HAZARDOUS POLYMERIZATION: Will not occur

MATERIALS TO AVOID: Oxidizing materials

INCOMPATIBILITIES/CONDITIONS TO AVOID: None with proper storing and handling

HAZARDOUS DECOMPOSITION PRODUCTS: Upon combustion, the following may be produced: carbon monoxide and/or carbon dioxide

SECTION 11: TOXICOLOGICAL INFORMATION

ROUTES OF EXPOSURE: Skin absorption, eye contact, inhalation and ingestion

CARCINOGENITY: None of the components of this material are listed as carcinogens by IARC, NTP or OSHA

SECTION 12: ECOLOGICAL INFORMATION

Not Available

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL INFORMATION: Dispose in accordance with all applicable federal, state, and local regulations.
RCRA INFORMATION: If this material becomes a waste, it would not be considered hazardous under 40CFR261.

SECTION 14: TRANSPORT INFORMATION

DOT CLASSIFICATION:

Proper Shipping Name: Compounds, cleaning, liquid - NOS
Hazard Class: Non hazardous
UN Number: Does not apply
Packing Group: Does not apply
Hazard Labeling: NA

IATA/ICAO CLASSIFICATION:

Not Regulated

Proper Shipping Name:
Hazard Class:
UN Number:
Packing Group:
Hazard Labeling:

IMDG CLASSIFICATION:

Not Regulated

Proper Shipping Name:
Hazard Class:
IMDG Page#:
Packing Group:
Flash Point (°C):
Marine Pollutant:

SECTION 15: REGULATORY INFORMATION

SARA TITLE III REPORTING:

Toxic Chemical(Section 313):	None	
Extremely Hazardous Substance		Not Listed
(Section 302, 304, 311,312):		
Hazard Class:	Chronic Health	No
	Acute Health	Yes
	Fire Hazard	No
	Pressure Hazard	No
	Reactivity Hazard	No

TSCA INVENTORY STATUS

All components listed are on the TSCA inventory

SECTION 16: REGULATORY INFORMATION

This information relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. Such information is to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of this information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement.