

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**PLEDGE® MULTI SURFACE II (EPA Reg. No. 4822-576)**

Version 1.1

Print Date 04/30/2018

Revision Date 02/25/2015

SDS Number 350000021920

**1. PRODUCT AND COMPANY IDENTIFICATION**

**Product information**

**Product name** : PLEDGE® MULTI SURFACE II (EPA Reg. No. 4822-576)

**Recommended use** : Disinfectant

**Manufacturer, importer, supplier** : S.C. Johnson & Son, Inc.  
1525 Howe Street  
Racine WI 53403-2236

**Telephone** : +18005585252  
**Emergency telephone number** : 24 Hour Medical Emergency Phone: (866)231-5406  
24 Hour International Emergency Phone: (703)527-3887  
24 Hour Transport Emergency Phone: (800)424-9300

**2. HAZARDS IDENTIFICATION**

**Classification of the substance or mixture**

**Globally Harmonized System (GHS) Classification**

Hazard classification	Hazard category	Hazards identification
Gases under pressure	Compressed gas	Contains gas under pressure; may explode if heated.

**Labelling**

**Hazard symbols**

Gas cylinder

**Signal word**

Warning

**Hazard statements**

Contains gas under pressure; may explode if heated.

**Precautionary statements**

Protect from sunlight. Store in a well-ventilated place.

**Other hazards** : None identified

## Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



### PLEDGE® MULTI SURFACE II (EPA Reg. No. 4822-576)

Version 1.1

Print Date 04/30/2018

Revision Date 02/25/2015

SDS Number 350000021920

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight percent
Isopropanol	67-63-0	1.00 - 5.00
Alkyl ethylbenzalkonium	85409-23-0	0.0001 - 0.10
n-Alkyl Dimethyl Benzyl Ammonium Chloride	53516-76-0	0.0001 - 0.10

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see [www.whatsinsidescjohnson.com](http://www.whatsinsidescjohnson.com).

### 4. FIRST AID MEASURES

- Eye contact** : No special requirements
- Skin contact** : No special requirements
- Inhalation** : No special requirements.
- Ingestion** : No special requirements

### 5. FIREFIGHTING MEASURES

- Suitable extinguishing media** : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Specific hazards during firefighting** : Aerosol Product - Containers may rocket or explode in heat of fire.
- Further information** : Fight fire from maximum distance or protected area. Cool and use caution when approaching or handling fire-exposed containers. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**PLEDGE® MULTI SURFACE II (EPA Reg. No. 4822-576)**

Version 1.1

Print Date 04/30/2018

Revision Date 02/25/2015

SDS Number 350000021920

**6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions** : Remove all sources of ignition.  
Wash thoroughly after handling.
- Environmental precautions** : Outside of normal use, avoid release to the environment.
- Methods and materials for containment and cleaning up** : Sweep up and shovel into suitable containers for disposal.  
Clean residue from spill site.

**7. HANDLING AND STORAGE**

- Handling**
- Precautions for safe handling** : Avoid contact with skin, eyes and clothing.  
For personal protection see section 8.  
KEEP OUT OF REACH OF CHILDREN AND PETS.
- Advice on protection against fire and explosion** : Normal measures for preventive fire protection.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Occupational Exposure Limits**

Components	CAS-No.	mg/m3	ppm	Non-standard units	Basis
Isopropanol	67-63-0	980 mg/m3	400 ppm	-	OSHA TWA
Isopropanol	67-63-0	-	400 ppm	-	ACGIH STEL
Isopropanol	67-63-0	-	200 ppm	-	ACGIH TWA

**Personal protective equipment**

**Respiratory protection** : No special requirements.

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**PLEDGE® MULTI SURFACE II (EPA Reg. No. 4822-576)**

Version 1.1

Print Date 04/30/2018

Revision Date 02/25/2015

SDS Number 350000021920

- Hand protection** : No special requirements.
- Eye protection** : No special requirements.
- Skin and body protection** : No special requirements.
- Hygiene measures** : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

---

**9. PHYSICAL AND CHEMICAL PROPERTIES**

- Form** : aerosol  
Compressed gas
- Color** : clear
- Odor** : pleasant
- Odour Threshold** : No data available
- pH** : 8.0 - 9.0  
(undiluted)
- Melting point/freezing point** : No data available
- Initial boiling point and boiling range** : No data available
- Flash point** : does not flash
- Evaporation rate** : No data available
- Flammability (solid, gas)** : No data available
- Upper/lower flammability or explosive limits** : No data available

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**PLEDGE® MULTI SURFACE II (EPA Reg. No. 4822-576)**

Version 1.1

Print Date 04/30/2018

Revision Date 02/25/2015

SDS Number 350000021920

<b>Vapour pressure</b>	:	No data available	
<b>Vapour density</b>	:	No data available	
<b>Relative density</b>	:	0.99 g/cm <sup>3</sup> at 20 °C	
<b>Solubility(ies)</b>	:	completely soluble	
<b>Partition coefficient: n-octanol/water</b>	:	No data available	
<b>Auto-ignition temperature</b>	:	No data available	
<b>Decomposition temperature</b>	:	No data available	
<b>Viscosity, dynamic</b>	:	No data available	
<b>Viscosity, kinematic</b>	:	No data available	
<b>Oxidizing properties</b>	:	No data available	
<b>Volatile Organic Compounds Total VOC (wt. %)*</b>	:	1.7 % - additional exemptions may apply *as defined by US Federal and State Consumer Product Regulations	
<b>Other information</b>	:	None identified	:

---

**10. STABILITY AND REACTIVITY**

**Possibility of hazardous** : If accidental mixing occurs and toxic gas is formed, exit area

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**PLEDGE® MULTI SURFACE II (EPA Reg. No. 4822-576)**

Version 1.1

Print Date 04/30/2018

Revision Date 02/25/2015

SDS Number 350000021920

- reactions** : immediately. Do not return until well ventilated.
  
- Conditions to avoid** : Direct sources of heat.
  
- Incompatible materials** : Do not mix with bleach or any other household cleaners.  
Strong bases
  
- Hazardous decomposition products** : Thermal decomposition can lead to release of irritating gases and vapours.

**11. TOXICOLOGICAL INFORMATION**

- Emergency Overview** : Warning
  
- Acute oral toxicity** : LD50  
Measured  
> 5,000 mg/kg
  
- Acute inhalation toxicity** : LC50  
Measured  
> 5.11 mg/l
  
- Acute dermal toxicity** : LD50  
Measured  
> 5,000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	-
Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-

## Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



## PLEDGE® MULTI SURFACE II (EPA Reg. No. 4822-576)

Version 1.1

Print Date 04/30/2018

Revision Date 02/25/2015

SDS Number 350000021920

Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

**Aggravated Medical Condition** : None known.

## 12. ECOLOGICAL INFORMATION

**Product** : The product itself has not been tested.

### Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

### Toxicity to fish

Components	End point	Species	Value	Exposure time
Isopropanol	LC50	Pimephales promelas (fathead minnow)	9,640 mg/l	96 h
Alkyl ethylbenzalkonium	No data available			
n-Alkyl Dimethyl Benzyl Ammonium Chloride	No data available			

### Toxicity to aquatic invertebrates

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200

**PLEDGE® MULTI SURFACE II (EPA Reg. No. 4822-576)**

Version 1.1

Print Date 04/30/2018

Revision Date 02/25/2015

SDS Number 350000021920

Components	End point	Species	Value	Exposure time
Isopropanol	EC50	Daphnia magna (Water flea)	13,299 mg/l	48 h
Alkyl ethylbenzalkonium	EC50 No data available	Daphnia (water flea)	0.016 mg/l	
n-Alkyl Dimethyl Benzyl Ammonium Chloride	No data available			

**Toxicity to aquatic plants**

Components	End point	Species	Value	Exposure time
Isopropanol	EC50	Desmodesmus subspicatus (green algae)	> 1,000 mg/l	72 h
Alkyl ethylbenzalkonium	No data available			
n-Alkyl Dimethyl Benzyl Ammonium Chloride	No data available			

**Persistence and degradability**

Component	Biodegradation	Exposure time	Summary
Isopropanol	53 %	5 d	Readily biodegradable
Alkyl ethylbenzalkonium	60 %	13 d	Readily biodegradable
n-Alkyl Dimethyl Benzyl Ammonium Chloride	No data available		

**Bioaccumulative potential**

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)



**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**PLEDGE® MULTI SURFACE II (EPA Reg. No. 4822-576)**

Version 1.1

Print Date 04/30/2018

Revision Date 02/25/2015

SDS Number 350000021920

Isopropanol	0.96 estimated	0.05
Alkyl ethylbenzalkonium	No data available	No data available
n-Alkyl Dimethyl Benzyl Ammonium Chloride	No data available	No data available

**Mobility**

Component	End point	Value
Isopropanol	No data available	
Alkyl ethylbenzalkonium	No data available	
n-Alkyl Dimethyl Benzyl Ammonium Chloride	No data available	

**PBT and vPvB assessment**

Component	Results
Isopropanol	Not fulfilling PBT and vPvB criteria
Alkyl ethylbenzalkonium	Not fulfilling PBT and vPvB criteria
n-Alkyl Dimethyl Benzyl Ammonium Chloride	Not fulfilling PBT and vPvB criteria

**Other adverse effects** : None known.

---

**13. DISPOSAL CONSIDERATIONS**

Consumer may discard empty container in trash, or recycle where facilities exist.

---

**14. TRANSPORT INFORMATION**

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

## Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



## PLEDGE® MULTI SURFACE II (EPA Reg. No. 4822-576)

Version 1.1

Print Date 04/30/2018

Revision Date 02/25/2015

SDS Number 350000021920

	Land transport	Sea transport	Air transport
<b>UN number</b>	1950	1950	1950
<b>UN proper shipping name</b>	UN 1950 AEROSOLS, Non-Flammable, 2.2, LTD QTY	UN 1950 AEROSOLS, Non-Flammable, 2.2, LTD QTY	UN 1950 AEROSOLS, Non-Flammable, 2.2, LTD QTY
<b>Transport hazard class(es)</b>	2.2	2	2.2
<b>Packing group</b>	-	-	-
<b>Environmental hazards</b>	-	-	-
<b>Special precautions for user</b>	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.

### 15. REGULATORY INFORMATION

#### FIFRA Labeling

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals.

Following is the hazard information as required on the pesticide label:

Contents under pressure.

Exposure to temperatures above 130° F may cause bursting.

**Notification status** : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

**Notification status** : All ingredients of this product comply with the New Substances Notification requirements under the Canadian Environmental

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**PLEDGE® MULTI SURFACE II (EPA Reg. No. 4822-576)**

Version 1.1

Print Date 04/30/2018

Revision Date 02/25/2015

SDS Number 350000021920

Protection Act (CEPA).

**California Prop. 65** : This product is not subject to the reporting requirements under California's Proposition 65.

**Registration # / Agency**  
4822-576/US/EPA

---

**16. OTHER INFORMATION**

**HMIS Ratings**

<b>Health</b>	1
<b>Flammability</b>	0
<b>Reactivity</b>	0

**NFPA Ratings**

<b>Health</b>	1
<b>Fire</b>	0
<b>Reactivity</b>	0
<b>Special</b>	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

**Further information**

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**PLEDGE® MULTI SURFACE II (EPA Reg. No. 4822-576)**

Version 1.1

Print Date 04/30/2018

Revision Date 02/25/2015

SDS Number 350000021920

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)
-------------	--