Conforms to US OSHA Hazard Communication 29CFR1910.1200



SAFETY DATA SHEET

SK7/ SC7/ SM7/ SY7 Toner

CHS product identifier	SK7/ SC7/ SM7/ SV7 Topor			
GHS product identifier	: SK7/ SC7/ SM7/ SY7 Toner : Powder.			
Product type Description :	Part number :			
Description .				
Toner ASM SK7 SS Toner ASM SK7 DR Toner ASM SC7 SS Toner ASM SC7 DR Toner ASM SM7 SS Toner ASM SM7 DR Toner ASM SY7 SS Toner ASM SY7 DR	24B1993 24B1997 24B1994 24B1998 24B1996 24B2000 24B1995 24B1999			
For actual printer/cartridge	compatibility please reference www.lexmark.com			
Application	: Laser Printer C520, C522, C524, C530, C532, C534, C734, C736, C746, C748, CS736 CS748, X734, X736, X738, X746, X748, XS734, XS736, XS738, XS748			
Supplier's details	: Lexmark International, Inc. 740 West New Circle Road Lexington, Ky 40550			
e-mail address of person responsible for this SDS	: rcassidy@lexmark.com			
Emergency telephone number (with hours of operation)	: Informations :1-859-232-2000 Emergency :1-859-232-3333			
	ChemTel: US/Canada/Puerto Rico 1-800-255-3924 International 1-813-248-0585 (Collect calls accepted) 24/7			
Section 2. Hazard	ds identification			
OSHA/HCS status	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).			
Classification of the substance or mixture	: COMBUSTIBLE DUSTS			
	Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 100%			
GHS label elements				
Signal word	: Warning			
Hazard statements	: May form combustible dust concentrations in air.			

Precautionary statements : Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand. **Prevention** : Not applicable.

Response : Not	t applicable.
----------------	---------------

Storage : Not applicable.

: 6/1/2015.

Date of issue/Date of revision

General

^{1/11}

Section 2. Hazards identification

Disposal	: Not applicable.
Supplemental label elements	: Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Prevent dust accumulation.
Hazards not otherwise classified	 Fine dust clouds may form explosive mixtures with air. Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

Section 3. Composition/information on ingredients

Substance/mixture : Mix	ture		
Ingredient name	%	5	CAS number
carbon black	≥5	5 - <10	1333-86-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary f	irst a	id measures	<u>5</u>			
Eye contact	:	eyelids. Ch		contact lenses. Con	lifting the upper and lowe tinue to rinse for at least 1	
Inhalation	:	not breathir respiration aid to give r persist or a	ng, if breathing is irregula or oxygen by trained pers mouth-to-mouth resuscita re severe. If unconsciou mediately. Maintain an	r or if respiratory arrest sonnel. It may be data ation. Get medical at s, place in recovery p	comfortable for breathing. est occurs, provide artificia ngerous to the person pro tention if adverse health e position and get medical tight clothing such as a c	al oviding effects
Skin contact	:	shoes. Get			ontaminated clothing and clothing before reuse. Cle	ean
Ingestion	:	keep at res the exposed exposed pe unless direc kept low so effects pers If unconscio	t in a position comfortabl d person is conscious, gi erson feels sick as vomiti cted to do so by medical that vomit does not ente sist or are severe. Never ous, place in recovery po	e for breathing. If maive small quantities of ng may be dangerous personnel. If vomitin er the lungs. Get mea give anything by mo sition and get medica	emove victim to fresh air a aterial has been swallowed f water to drink. Stop if the s. Do not induce vomiting g occurs, the head should dical attention if adverse h uth to an unconscious per al attention immediately. a collar, tie, belt or waistba	d and e d be lealth rson.
Most important symptoms	/effe	<u>cts, acute ar</u>	nd delayed			
Potential acute health eff	<u>ects</u>					
Eye contact	:		o airborne concentrations irritation of the eyes.	s above statutory or r	ecommended exposure lir	mits
Inhalation	:		o airborne concentrations irritation of the nose, thre		ecommended exposure lir	mits
Skin contact	:	No known s	significant effects or critic	al hazards.		
Ingestion	:	No known s	significant effects or critic	al hazards.		
<u>Over-exposure signs/syn</u>	<u>npton</u>	<u>15</u>				
Date of issue/Date of revision		: 6/1/2015.	Date of previous issue	: 5/11/2015.	Version : 1.01	2/11

Section 4. First aid measures

Eye contact	: Adverse symptoms may include the following: irritation redness
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing
Skin contact	: No specific data.
Ingestion	: No specific data.
Indication of immediate me	dical attention and special treatment needed, if necessary
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

-	-
Extinguishing media	
Suitable extinguishing media	: Use dry chemical powder.
Unsuitable extinguishing media	: Do not use water jet.
Specific hazards arising from the chemical	: Fine dust clouds may form explosive mixtures with air.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

: 6/1/2015.

Date of issue/Date of revision

Personal precautions, protective equipment and emergency procedures			
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.	
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non- emergency personnel".	

Date of previous issue

: 5/11/2015.

3/11

Version : 1.01

Section 6. Accidental release measures

Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ont	ainment and cleaning up
Small spill	:	Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

<u>Control parameters</u> <u>Occupational exposure limits</u>

4/11

Section 8. Exposure controls/personal protection

Ingredient name	Exposure limits
carbon black	ACGIH TLV (United States, 4/2014). TWA: 3 mg/m ³ 8 hours. Form: Inhalable fraction NIOSH REL (United States, 10/2013). TWA: 3.5 mg/m ³ 10 hours. TWA: 0.1 mg of PAHs/cm ³ 10 hours. OSHA PEL (United States, 2/2013). TWA: 3.5 mg/m ³ 8 hours. OSHA PEL 1989 (United States, 3/1989). TWA: 3.5 mg/m ³ 8 hours.
Appropriate engineering controls	: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutor limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection meas	<u>res</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. If operating conditions cause high dust concentrations to be produced, use dust goggles.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

J		
Appearance		
Physical state	:	Solid. [Finely divided solid.]
Color	:	Cyan / Magenta / Yellow.
Odor	:	Faint odor.(Plastic.)
Odor threshold	:	Not available.
рН	:	Not applicable.
Melting point	:	49 to 60°C (120.2 to 140°F)
Boiling point	:	Not available.
Flash point	:	Closed cup: Not applicable.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not applicable.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive (flammable) limits	:	Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Insoluble in the following materials: cold water and hot water.
Solubility in water	:	Not available.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	1	Not available.

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.				
Chemical stability	: The product is stable.				
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.				
Conditions to avoid	: Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Prevent dust accumulation.				
Incompatible materials	: Reactive or incompatible with the following materials: oxidizing materials				
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.				
Date of issue/Date of revision	: 6/1/2015. Date of previous issue : 5/11/2015. Version : 1.01 6/11				

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
carbon black	LD50 Oral	Rat	>15400 mg/kg	-
SK7/ SC7/ SM7/ SY7 Toner	LC50 Inhalation Dusts and mists	Rat	>5000 mg/l	4 hours
	LD50 Oral	Rat	>5000 mg/kg	-

Irritation/Corrosion

Not available.

Sensitization

Not available.

Mutagenicity

Not available.

Conclusion/Summary Carcinogenicity Not available.	: Not mutagenic in Ames test.
Conclusion/Summary	: Low acute inhalation toxicity. As with exposure to high concentrations of any dust, minimal irritation of the respiratory tract may occur. Pure carbon black, a minor component of this product, has been listed by IARC as a group 2B (possible carcinogen). This classification is based on rat "lung particulate overload" studies performed with airborne particulate. Toner is not listed by IARC, NTP, or OSHA.

Classification

Product/ingredient name	OSHA	IARC	NTP
carbon black	-	2B	-

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Name		Route of exposure	Target organs
carbon black	Category 1	Not determined	lungs

Aspiration hazard

Not available.

Information on the likely : Routes of entry anticipated: Dermal, Inhalation.

routes of exposure

Potential acute health effects

Date of issue/Date of revision	: 6/1/2015.	Date of previous issue	: 5/11/2015.	Version	: 1.01	7/11
Inhalation		o airborne concentrations irritation of the nose, thro	, j	ecommended e	exposure	limits
Eye contact		o airborne concentrations irritation of the eyes.	above statutory or r	ecommended e	exposure	limits

Section 11. Toxicological information

Skin contact	: No known significant effects or critical hazards.				
Ingestion	: No known significant effects or critical hazards.				
Symptoms related to the phy	vsical, chemical and toxicological characteristics				
Eye contact	: Adverse symptoms may include the following: irritation redness				
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing				
Skin contact	: No specific data.				
Ingestion	: No specific data.				
Delayed and immediate effect	cts and also chronic effects from short and long term exposure				
Short term exposure					
Potential immediate effects	: Not available.				
Potential delayed effects	: Not available.				
Long term exposure					
Potential immediate effects	: Not available.				
Potential delayed effects	: Not available.				
Potential chronic health eff	<u>ects</u>				
Not available.					
General	: Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.				
Carcinogenicity	: No known significant effects or critical hazards.				
Mutagenicity	: No known significant effects or critical hazards. Toner is negative (nonmutagenic) in the Ames assay.				
Teratogenicity	: No known significant effects or critical hazards.				
Developmental effects	: No known significant effects or critical hazards.				
Fertility effects	: No known significant effects or critical hazards.				

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity					
Product/ingredient name	Result	Species	Exposure		
carbon black	Acute EC50 37.563 mg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours		
SK7/ SC7/ SM7/ SY7 Toner	Acute EC50 >1000 mg/l Acute EC50 >1000 mg/l	Daphnia Daphnia	24 hours 48 hours		

Persistence and degradability

Date of issue/Date of revision	: 6/1/2015.	Date of previous issue	: 5/11/2015.	Version : 1.01	8/11
--------------------------------	-------------	------------------------	--------------	----------------	------

Section 12. Ecological information

Not available.

Bioaccumulative potential

Not available.

coefficient (Koc)

Mobility in soil Soil/water partition

: Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	ΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-	-
Packing group	-	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.	No.
Additional information	-	-	-	-	-	-

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

9/11

Section 14. Transport information

Transport in bulk according : Not available. to Annex II of MARPOL 73/78 and the IBC Code

Section 15. Regulatory information

United States	
TSCA (USA)	: All ingredients are listed on the Toxic Substances Control Act (TSCA) inventory, have been registered, or are exempt.
SARA / EPCRA (USA)	 None of the ingredients in this product has a final reportable quantity (RQ) under Emergency Planning and Community Right-to Know Act (EPCRA)- Section 302: Extremely Hazardous Substances (EHS) or notification requirements for EHS under Section 304.
California Prop. 65	: This product contains no known materials at levels which the State of California has found to cause cancer, birth defects or other reproductive harm - California Proposition 65.
International regulations list	S
EINECS (Europe)	: All ingredients are listed on the European Inventory of Existing Commercial Substances (EINECS) list, have been registered on the European List of New Chemical Substances (ELINCS), or are exempt.
REACH Status	: EU (REACH): All components of the toner formulation are registered, pre-registered or exempt under REACH. Pre-registered chemicals will be registered between 2011 and 2018.
ENCS (Japan)	 All ingredients are listed on the Japanese Existing and New Chemical Substances (ENCS) list, have been registered, or are exempt.
AICS (Australia)	: All ingredients are listed in Australian Inventory of Chemical Substances (AICS), have been registered, or are exempt.
Philippines inventory (PICCS)	: All ingredients are listed on the Philippines Inventory (PICCS) or are exempt.
Korea inventory (KECI)	 All ingredients are listed on the Korean Existing Chemicals List (ECL), have been registered, or are exempt.
China inventory (IECSC)	: All ingredients are listed on the Chinese inventory (IECSC) or are exempt.
Canada	
WHMIS (Canada)	: Not controlled under WHMIS (Canada).
DSL/NDSL	: All ingredients are listed on the Canadian Domestic Substances List (DSL), have been registered on the Non-Domestic Substances List (NDSL), or are exempt.
Mexico Classification	: Health: 1 Flammability: 1 Reactivity: 0

Section 16. Other information

<u>History</u>	
Date of issue/Date of revision	: 6/1/2015.
Date of previous issue	: 5/11/2015.
Version	: 1.01
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
Date of issue/Date of revision	: 6/1/2015. Date of previous issue : 5/11/2015. Version : 1.01 10/11

Section 16. Other information

References

UN = United Nations

: HCS (U.S.A.)- Hazard Communication Standard International transport regulations IATA Dangerous Goods Regulation (DGR) 55th Edition 2014

✓ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.