

Product Name  
LC103BK, LC107BK, LC113BK, LC117BK, LC123BK, LC127XLBK, LC563BK, LC567BK, LC573BK,  
LC577XLBK, LC583BK, LC587BK, LC593BK, LC597XLBK

First Issue: Oct.26,2011  
Revised: Mar.12,2012  
Version Number: 2  
SDS No.: BHK023

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1 Product identifier**

Product Name:	LC103BK	LC107BK	LC113BK	LC117BK
Product Code:	LK6537001	LK6576001	LK6868001	LK6900001
Product Name:	LC123BK	LC127XLBK	LC563BK	LC567BK
Product Code:	LK6810001	LK6924001	LK6970001	LK6974001
Product Name:	LC573BK	LC577XLBK	LC583BK	LC587BK
Product Code:	LK6982001	LK6986001	LK7001001	LK7005001
Product Name:	LC593BK	LC597XLBK		
Product Code:	LK7013001	LK7017001		

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified use(s): Cartridge contained water based ink for inkjet printing machine

**1.3 Details of the supplier of the safety data sheet**

**Manufacturer:** BROTHER INDUSTRIES, LTD.  
5-1, Hamada-cho, Minami-ku, Nagoya 457-0822, JAPAN  
Telephone Number for Information : +81-52-824-3445

**Importer (Europe):** BROTHER INTERNATIONAL EUROPE LTD.  
Brother House, 1 Tame Street, Audenshaw, Manchester  
M34 5JE, UK  
Telephone Number for Information : +44-161-330-6531

**Importer (USA):** BROTHER INTERNATIONAL CORPORATION  
100 Somerset Corporate Boulevard, Bridgewater,  
NJ 08807-0911, USA  
Telephone Number for Information : +1-908-704-1700

**Importer (Canada):** BROTHER INTERNATIONAL CORPORATION (Canada) LTD.  
1 rue Hôtel de Ville, Dollard-des-Ormeaux, Québec, H9B 3H6, CANADA  
Telephone Number for Information : +1-514-685-0600

**Importer (Australia):** BROTHER INTERNATIONAL (AUST.) PTY. LTD. ACN 001 393 835  
Level 3, Building A, 11 Talavera Road Macquarie Park, N.S.W. 2113,  
AUSTRALIA  
Telephone Number for Information : +61-2-9887-4344

**E-Mail (competent person):** sds.ieink@brother.co.jp

**1.4 Emergency telephone number**

Emergency Phone No. (24 hours) We do not provide 24 hours cover for information contact.  
Please telephone to the above office during our business hours.

**SECTION 2: HAZARDS IDENTIFICATION**

**2.1 Classification of the substance or mixture**

**EU Classification:** Ink is not classified according to EU-Directive 1999/45/EC.

**2.2 Label elements**

Label elements according to EU Directive 1999/45EC.: None

**2.3 Other hazards**

None

Product Name  
LC103BK, LC107BK, LC113BK, LC117BK, LC123BK, LC127XLBK, LC563BK, LC567BK, LC573BK,  
LC577XLBK, LC583BK, LC587BK, LC593BK, LC597XLBK

First Issue: Oct. 26, 2011  
Revised: Mar. 12, 2012  
Version Number: 2  
SDS No.: BHK023

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

CHEMICAL NAME	CAS No.	EC No.	% by weight	EU Symbol	EU Risk Phrases
Carbon Black	1333-86-4	215-609-9	1 - 10	Not classified	Not classified
Glycerol	56-81-5	200-289-5	5 - 15	Not classified	Not classified
Diethylene glycol	111-46-6	203-872-2	1 - 9	Xn	R22
Water	7732-18-5	231-791-2	60 - 70	Not classified	Not classified

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures

Inhalation:	Remove to fresh air area and obtain medical attention immediately.
Skin Contact:	Wash with water and soap. If irritation continues, obtain medical attention.
Eye Contact:	Flush immediately with gentle running water for 15 minutes at least. If irritation continues, obtain medical attention.
Ingestion:	Rinse mouth with water, give one or two of glasses of water, and obtain medical attention immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

Inhalation:  
No harmful effects are expected under normal use.  
Over exposure to vapor or mist, may cause symptoms such as respiratory irritation, cough, dizziness, headache and nausea.

#### 4.3 Indication of any immediate medical attention and special treatment needed

None

### SECTION 5: FIRE-FIGHTING MEASURES

#### 5.1 Extinguishing media

Suitable Extinguishing Media: Water, CO<sub>2</sub>, Foam, Dry chemical.

Unsuitable Extinguishing Media: None.

#### 5.2 Special hazards arising from the substance or mixture

May produce toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides, sulfur oxides if burning.

#### 5.3 Advice for fire-fighters

Use self-contained breathing apparatus.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes, skin and clothing.

#### 6.2 Environmental precautions

Do not release to surface water or ground water.

#### 6.3 Methods and material for containment and cleaning up

Wipe up ink with absorbent towel. Wash with water to remove remaining traces of ink.

#### 6.4 Reference to other sections

See Section: 8.

Product Name  
LC103BK, LC107BK, LC113BK, LC117BK, LC123BK, LC127XLBK, LC563BK, LC567BK, LC573BK,  
LC577XLBK, LC583BK, LC587BK, LC593BK, LC597XLBK

First Issue: Oct.26,2011  
Revised: Mar.12,2012  
Version Number: 2  
SDS No.: BHK023

**SECTION 7: HANDLING AND STORAGE**

- 7.1 **Precautions for safe handling** Avoid contact with skin, eyes and clothing.
- 7.2 **Conditions for safe storage, including any incompatibilities** Keep out of reach of children. Store in a cool and dark place.
- 7.3 **Specific end use(s)** Cartridge contained water based ink for inkjet printing machine

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

8.1 **Control parameters**

**Occupational Exposure Limits:**

CHEMICAL NAME	OSHA PEL	ACGIH TLV	EU IOELV
Carbon Black	Limits for air contaminant TWA 3.5mg/m <sup>3</sup>	TWA 3mg/m <sup>3</sup> Not classifiable as a human carcinogen.	Not established
Glycerol	(as mist) Total dust TWA 15mg/m <sup>3</sup>	(as mist) TWA 10mg/m <sup>3</sup>	Not established

8.2 **Exposure controls**

- Appropriate engineering controls** Use in a ventilated area.
- Personal Protection**
- Eye/face protection Not required under normal use.
- Skin protection Not required under normal use.
- Hand protection Not required under normal use.
- Respiratory protection Not required under normal use.
- Other: Not applicable.
- Environmental Exposure Controls** Avoid release to the environment.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

9.1 **Information on basic physical and chemical properties**

- Appearance (20 °C) Black liquid
- Odor Slight odor
- Odor threshold (ppm) Not available
- pH (Value) 7 – 9
- Melting point (°C) / Freezing point (°C) Melting point(°C) : <-5°C
- Boiling point/boiling range (°C) Boiling point(°C) : >100°C
- Flash point (°C) Does not flash at 93.3°C or lower  
(Tag closed cup & Cleveland opened cup)
- Evaporation rate Not available
- Flammability (solid, gas) LEL : Not available UEL : Not available
- Explosive limit ranges Not available
- Vapor pressure (Pa) Not available
- Vapor density (Air=1) Not available
- Density (g/cm<sup>3</sup>) 1.0 – 1.1 g/ml
- Solubility (Water) Soluble
- Solubility (Other) Not available
- Partition coefficient (n-Octanol/water) Not available
- Auto ignition point (°C) >400°C

Product Name  
LC103BK, LC107BK, LC113BK, LC117BK, LC123BK, LC127XLBK, LC563BK, LC567BK, LC573BK,  
LC577XLBK, LC583BK, LC587BK, LC593BK, LC597XLBK

First Issue: Oct.26,2011  
Revised: Mar.12,2012  
Version Number: 2  
SDS No.: BHK023

	Decomposition temperature (°C)	Not available
	Viscosity (mPa. s)	1 – 5 mPa.s
	Explosive properties	Not available
	Oxidising properties	Not available
<b>9.2</b>	<b>Other information</b>	Not available

## SECTION 10: STABILITY AND REACTIVITY

<b>10.1</b>	<b>Reactivity</b>	None
<b>10.2</b>	<b>Chemical stability</b>	Stable
<b>10.3</b>	<b>Possibility of hazardous reactions</b>	Will not occur
<b>10.4</b>	<b>Conditions to avoid</b>	High-temperature or High-humidity
<b>10.5</b>	<b>Incompatible materials</b>	Acids, Bases, Oxidizing agents, Reducing agents
<b>10.6</b>	<b>Hazardous Decomposition Product(s)</b>	Carbon monoxide, Carbon dioxide, Nitrogen oxides, Sulfur oxides

## SECTION 11: TOXICOLOGICAL INFORMATION

<b>11.1</b>	<b>Information on toxicological effects</b>	
	<b>Acute toxicity (oral):</b>	LD <sub>50</sub> of ink is greater than 2000mg/kg.
	<b>Skin corrosion/irritation:</b>	Ink is classified as a NON IRRITANT
	<b>Serious eye damage/irritation:</b>	Ink is classified as a MINIMAL IRRITANT
	<b>Respiratory or skin sensitization:</b>	Respiratory sensitization : Not available Skin sensitization : Non-sensitizer
	<b>Mutagenicity:</b>	Ames test : Negative
	<b>Carcinogenicity:</b>	Specific data are not available. Carbon black has been classified by the IARC as group 2B. However, IARC reported that no significant exposure to carbon black is thought to occur during the use of products in which carbon black is bound to other materials, such as printing ink. Other ingredients of ink have not been classified as carcinogens according to IARC monographs, NTP, and OSHA regulated.
	<b>Reproductive toxicity:</b>	Not available
	<b>STOT-single exposure:</b>	Not available
	<b>STOT-repeated exposure:</b>	Not available
	<b>Aspiration hazard:</b>	Not available
	<b>Potential Health Effects:</b>	Eye : Ink may cause slight irritation. Skin : Prolonged exposure to ink may cause irritation. Ingestion : Ink may cause gastrointestinal or other adverse effects. Inhalation : Not expected to be a route of exposure under normal use. Over exposure may cause respiratory irritation.

## SECTION 12: ECOLOGICAL INFORMATION

<b>12.1</b>	<b>Toxicity</b>	Not available
<b>12.2</b>	<b>Persistence and degradability</b>	Not available
<b>12.3</b>	<b>Bioaccumulative potential</b>	Not available
<b>12.4</b>	<b>Mobility in soil</b>	Not available
<b>12.5</b>	<b>Results of PBT and vPvB assessment</b>	Not available
<b>12.6</b>	<b>Other adverse effects</b>	Not available

## SECTION 13: DISPOSAL CONSIDERATIONS

<b>13.1</b>	<b>Waste treatment methods</b>	Dispose in accordance with federal, state and local regulations.
-------------	--------------------------------	--

Product Name  
LC103BK, LC107BK, LC113BK, LC117BK, LC123BK, LC127XLBK, LC563BK, LC567BK, LC573BK,  
LC577XLBK, LC583BK, LC587BK, LC593BK, LC597XLBK

First Issue: Oct.26,2011  
Revised: Mar.12,2012  
Version Number: 2  
SDS No.: BHK023

**SECTION 14: TRANSPORT INFORMATION**

<b>14.1 UN number</b>	None
<b>14.2 Proper Shipping Name</b>	None
<b>14.3 Transport hazard class(es)</b>	None
<b>14.4 Packing Group</b>	None
	US Department of Transportation (DOT) : Not regulated as dangerous goods.
	Maritime Transport IMDG : Not regulated as dangerous goods.
	Air Transport ICAO/IATA : Not regulated as dangerous goods.
<b>14.5 Environmental hazards</b>	Not available
<b>14.6 Special precautions for user</b>	None
<b>14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable

**SECTION 15: REGULATORY INFORMATION**

<b>15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture</b>	<b>EUROPEAN REGULATIONS</b>
	EU Information: All components in ink comply with REACH rules and regulations.
	EU Hazard Label : Ink is not classified according to EU-Directive 1999/45/EC.
	<b>US REGULATIONS</b>
	US Information: All components in ink comply with TSCA rules and regulations.
	<b>Canada REGULATIONS</b>
	Canada Information: WHMIS : Not applicable. (Manufactured article)
<b>15.2 Chemical Safety Assessment</b>	None

Product Name  
LC103BK, LC107BK, LC113BK, LC117BK, LC123BK, LC127XLBK, LC563BK, LC567BK, LC573BK,  
LC577XLBK, LC583BK, LC587BK, LC593BK, LC597XLBK

First Issue: Oct. 26, 2011  
Revised: Mar. 12, 2012  
Version Number: 2  
SDS No.: BHK023

**SECTION 16: OTHER INFORMATION**

**Hazard Symbol:** Xn: Harmful  
**Risk Phrases:** R22 : Harmful if swallowed.  
**Issue Date:** Mar. 12, 2012  
**The following sections contain revisions or new statements:** Format, All sections  
**Additional information:** The information only relates to this specific ink cartridge. It may not be valid for this ink cartridge, if used in combination with any other materials or in any other process. And it is based on our best knowledge as of the date of preparation (revision).  
**References:** World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risks to Humans, Volume 93  
EU Directive 1999/45/EC  
U.S. Department of labor, 29CFR Part 1910.  
ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices  
EU Commission Directive 2009/161/EU  
**Abbreviations:** ACGIH: American Conference of Governmental Industrial Hygienists  
DOT: Department Of Transportation (US)  
IARC: International Agency for Research on Cancer  
IATA: International Air Transport Association  
ICAO: International Civil Aviation Organization  
IMDG: International Maritime Dangerous Goods  
IOELV: Indicative Occupational Exposure Limit Value  
NTP: National Toxicology Program (US)  
OSHA: Occupational Safety and Health Administration (US)  
PEL: Permissible Exposure Limit  
REACH: Registration, Evaluation, Authorization and Restriction of Chemicals (EU)  
TLV: Threshold Limit Value (ACGIH)  
TSCA: Toxic Substances Control Act (US)  
WHMIS: Workplace Hazardous Material Information System (Canada)

Product Name  
LC103C, LC105C, LC113C, LC115C, LC123C, LC125XLC, LC563C, LC565C, LC573C, LC575XLC,  
LC583C, LC585C, LC593C, LC595XLC

First Issue: Oct.26,2011  
Revised: Mar.12,2012  
Version Number: 2  
SDS No.: BHC023

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1 Product identifier**

Product Name:	LC103C	LC105C	LC113C	LC115C
Product Code:	LK6538001	LK6577001	LK6869001	LK6901001
Product Name:	LC123C	LC125XLC	LC563C	LC565C
Product Code:	LK6811001	LK6925001	LK6971001	LK6975001
Product Name:	LC573C	LC575XLC	LC583C	LC585C
Product Code:	LK6983001	LK6987001	LK7002001	LK7006001
Product Name:	LC593C	LC595XLC		
Product Code:	LK7014001	LK7018001		

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified use(s): Cartridge contained water based ink for inkjet printing machine

**1.3 Details of the supplier of the safety data sheet**

**Manufacturer:** BROTHER INDUSTRIES, LTD.  
5-1, Hamada-cho, Minami-ku, Nagoya 457-0822, JAPAN  
Telephone Number for Information : +81-52-824-3445

**Importer (Europe):** BROTHER INTERNATIONAL EUROPE LTD.  
Brother House, 1 Tame Street, Audenshaw, Manchester  
M34 5JE, UK  
Telephone Number for Information : +44-161-330-6531

**Importer (USA):** BROTHER INTERNATIONAL CORPORATION  
100 Somerset Corporate Boulevard, Bridgewater,  
NJ 08807-0911, USA  
Telephone Number for Information : +1-908-704-1700

**Importer (Canada):** BROTHER INTERNATIONAL CORPORATION (Canada) LTD.  
1 rue Hôtel de Ville, Dollard-des-Ormeaux, Québec, H9B 3H6, CANADA  
Telephone Number for Information : +1-514-685-0600

**Importer (Australia):** BROTHER INTERNATIONAL (AUST.) PTY. LTD. ACN 001 393 835  
Level 3, Building A, 11 Talavera Road Macquarie Park, N.S.W. 2113,  
AUSTRALIA  
Telephone Number for Information : +61-2-9887-4344

**E-Mail (competent person):** sds.ieink@brother.co.jp

**1.4 Emergency telephone number**

Emergency Phone No. (24 hours) We do not provide 24 hours cover for information contact.  
Please telephone to the above office during our business hours.

**SECTION 2: HAZARDS IDENTIFICATION**

**2.1 Classification of the substance or mixture**

**EU Classification:** Ink is not classified according to EU-Directive 1999/45/EC.

**2.2 Label elements**

Label elements according to EU Directive 1999/45/EC.: None

**2.3 Other hazards**

None

Product Name  
LC103C, LC105C, LC113C, LC115C, LC123C, LC125XLC, LC563C, LC565C, LC573C, LC575XLC,  
LC583C, LC585C, LC593C, LC595XLC

First Issue: Oct. 26, 2011  
Revised: Mar. 12, 2012  
Version Number: 2  
SDS No.: BHC023

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

CHEMICAL NAME	CAS No.	EC No.	% by weight	EU Symbol	EU Risk Phrases
Glycerol	56-81-5	200-289-5	10 - 20	Not classified	Not classified
Diethylene glycol	111-46-6	203-872-2	1 - 9	Xn	R22
Triethylene glycol monobutyl ether	143-22-6	205-592-6	1 - 5	Xi	R41
Cyan Dye	Registered	Registered	1 - 5	Not classified	Not classified
Water	7732-18-5	231-791-2	65 - 75	Not classified	Not classified

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures

Inhalation: Remove to fresh air area and obtain medical attention immediately.

Skin Contact: Wash with water and soap. If irritation continues, obtain medical attention.

Eye Contact: Flush immediately with gentle running water for 15 minutes at least. If irritation continues, obtain medical attention.

Ingestion: Rinse mouth with water, give one or two of glasses of water, and obtain medical attention immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

Inhalation:  
No harmful effects are expected under normal use.  
Over exposure to vapor or mist, may cause symptoms such as respiratory irritation, cough, dizziness, headache and nausea.

#### 4.3 Indication of any immediate medical attention and special treatment needed

None

### SECTION 5: FIRE-FIGHTING MEASURES

#### 5.1 Extinguishing media

Suitable Extinguishing Media: Water, CO<sub>2</sub>, Foam, Dry chemical.

Unsuitable Extinguishing Media: None.

#### 5.2 Special hazards arising from the substance or mixture

May produce toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides, sulfur oxides if burning.

#### 5.3 Advice for fire-fighters

Use self-contained breathing apparatus.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes, skin and clothing.

#### 6.2 Environmental precautions

Do not release to surface water or ground water.

#### 6.3 Methods and material for containment and cleaning up

Wipe up ink with absorbent towel. Wash with water to remove remaining traces of ink.

#### 6.4 Reference to other sections

See Section: 8.



Product Name  
LC103C, LC105C, LC113C, LC115C, LC123C, LC125XLC, LC563C, LC565C, LC573C, LC575XLC,  
LC583C, LC585C, LC593C, LC595XLC

First Issue: Oct.26,2011  
Revised: Mar.12,2012  
Version Number: 2  
SDS No.: BHC023

## SECTION 7: HANDLING AND STORAGE

- 7.1 Precautions for safe handling** Avoid contact with skin, eyes and clothing.
- 7.2 Conditions for safe storage, including any incompatibilities** Keep out of reach of children. Store in a cool and dark place.
- 7.3 Specific end use(s)** Cartridge contained water based ink for inkjet printing machine

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

#### Occupational Exposure Limits:

CHEMICAL NAME	OSHA PEL	ACGIH TLV	EU IOELV
Glycerol	(as mist) Total dust TWA 15mg/m <sup>3</sup>	(as mist) TWA 10mg/m <sup>3</sup>	Not established

### 8.2 Exposure controls

#### Appropriate engineering controls

Use in a ventilated area.

#### Personal Protection

Eye/face protection

Not required under normal use.

Skin protection

Not required under normal use.

Hand protection

Not required under normal use.

Respiratory protection

Not required under normal use.

Other:

Not applicable.

#### Environmental Exposure Controls

Avoid release to the environment.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Appearance (20 °C)	Dark blue liquid
Odor	Slight odor
Odor threshold (ppm)	Not available
pH (Value)	7 – 9
Melting point (°C) / Freezing point (°C)	Melting point(°C) : <-5°C
Boiling point/boiling range (°C)	Boiling point(°C) : >100°C
Flash point (°C)	Does not flash at 93.3°C or lower (Tag closed cup & Cleveland opened cup)
Evaporation rate	Not available
Flammability (solid, gas)	LEL : Not available UEL : Not available
Explosive limit ranges	Not available
Vapor pressure (Pa)	Not available
Vapor density (Air=1)	Not available
Density (g/cm <sup>3</sup> )	1.0 – 1.1 g/ml
Solubility (Water)	Soluble
Solubility (Other)	Not available
Partition coefficient (n-Octanol/water)	Not available
Auto ignition point (°C)	>400°C
Decomposition temperature (°C)	Not available
Viscosity (mPa. s)	1 – 5 mPa-s
Explosive properties	Not available

Product Name  
LC103C, LC105C, LC113C, LC115C, LC123C, LC125XLC, LC563C, LC565C, LC573C, LC575XLC,  
LC583C, LC585C, LC593C, LC595XLC

First Issue: Oct.26,2011  
Revised: Mar.12,2012  
Version Number: 2  
SDS No.: BHC023

Oxidising properties Not available  
9.2 Other information Not available

**SECTION 10: STABILITY AND REACTIVITY**

10.1 Reactivity None  
10.2 Chemical stability Stable  
10.3 Possibility of hazardous reactions Will not occur  
10.4 Conditions to avoid High-temperature or High-humidity  
10.5 Incompatible materials Acids, Bases, Oxidizing agents, Reducing agents  
10.6 Hazardous Decomposition Product(s) Carbon monoxide, Carbon dioxide, Nitrogen oxides, Sulfur oxides

**SECTION 11: TOXICOLOGICAL INFORMATION**

11.1 Information on toxicological effects  
Acute toxicity (oral): LD<sub>50</sub> of ink is greater than 2000mg/kg.  
Skin corrosion/irritation: Ink is classified as a NON IRRITANT  
Serious eye damage/irritation: Ink is classified as a MINIMAL IRRITANT  
Respiratory or skin sensitization: Respiratory sensitization : Not available  
Skin sensitization : Non-sensitizer  
Mutagenicity: Ames test : Negative  
Carcinogenicity: Ingredients of ink have not been classified as carcinogens according to IARC monographs, NTP, and OSHA regulated.  
Reproductive toxicity: Not available  
STOT-single exposure: Not available  
STOT-repeated exposure: Not available  
Aspiration hazard: Not available  
Potential Health Effects: Eye : Ink may cause slight irritation.  
Skin : Prolonged exposure to ink may cause irritation.  
Ingestion : Ink may cause gastrointestinal or other adverse effects.  
Inhalation : Not expected to be a route of exposure under normal use.  
Over exposure may cause respiratory irritation.

**SECTION 12: ECOLOGICAL INFORMATION**

12.1 Toxicity Not available  
12.2 Persistence and degradability Not available  
12.3 Bioaccumulative potential Not available  
12.4 Mobility in soil Not available  
12.5 Results of PBT and vPvB assessment Not available  
12.6 Other adverse effects Not available

**SECTION 13: DISPOSAL CONSIDERATIONS**

13.1 Waste treatment methods Dispose in accordance with federal, state and local regulations.

Product Name  
LC103C, LC105C, LC113C, LC115C, LC123C, LC125XLC, LC563C, LC565C, LC573C, LC575XLC,  
LC583C, LC585C, LC593C, LC595XLC

First Issue: Oct.26,2011  
Revised: Mar.12,2012  
Version Number: 2  
SDS No.: BHC023

**SECTION 14: TRANSPORT INFORMATION**

<b>14.1 UN number</b>	None
<b>14.2 Proper Shipping Name</b>	None
<b>14.3 Transport hazard class(es)</b>	None
<b>14.4 Packing Group</b>	None
	US Department of Transportation (DOT) : Not regulated as dangerous goods.
	Maritime Transport IMDG : Not regulated as dangerous goods.
	Air Transport ICAO/IATA : Not regulated as dangerous goods.
<b>14.5 Environmental hazards</b>	Not available
<b>14.6 Special precautions for user</b>	None
<b>14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable

**SECTION 15: REGULATORY INFORMATION**

<b>15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture</b>	<b>EUROPEAN REGULATIONS</b>
	EU Information: All components in ink comply with REACH rules and regulations.
	EU Hazard Label : Ink is not classified according to EU-Directive 1999/45/EC.
	<b>US REGULATIONS</b>
	US Information: All components in ink comply with TSCA rules and regulations.
	<b>Canada REGULATIONS</b>
	Canada Information: WHMIS : Not applicable. (Manufactured article)
<b>15.2 Chemical Safety Assessment</b>	None

Product Name  
LC103C, LC105C, LC113C, LC115C, LC123C, LC125XLC, LC563C, LC565C, LC573C, LC575XLC,  
LC583C, LC585C, LC593C, LC595XLC

First Issue: Oct.26,2011  
Revised: Mar.12,2012  
Version Number: 2  
SDS No.: BHC023

## SECTION 16: OTHER INFORMATION

<b>Hazard Symbol:</b>	Xn: Harmful Xi : Irritant
<b>Risk Phrases:</b>	R22 : Harmful if swallowed. R41 : Risk of serious damage to eyes.
<b>Issue Date:</b>	Mar. 12, 2012
<b>The following sections contain revisions or new statements:</b>	Format, All sections
<b>Additional information:</b>	The information only relates to this specific ink cartridge. It may not be valid for this ink cartridge, if used in combination with any other materials or in any other process. And it is based on our best knowledge as of the date of preparation (revision).
<b>References:</b>	World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risks to Humans, Volume 93 EU Directive 1999/45/EC U.S. Department of labor, 29CFR Part 1910. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices EU Commission Directive 2009/161/EU
<b>Abbreviations:</b>	ACGIH: American Conference of Governmental Industrial Hygienists DOT: Department Of Transportation (US) IARC: International Agency for Research on Cancer IATA: International Air Transport Association ICAO: International Civil Aviation Organization IMDG: International Maritime Dangerous Goods IOELV: Indicative Occupational Exposure Limit Value NTP: National Toxicology Program (US) OSHA: Occupational Safety and Health Administration (US) PEL: Permissible Exposure Limit REACH: Registration, Evaluation, Authorization and Restriction of Chemicals (EU) TLV: Threshold Limit Value(ACGIH) TSCA: Toxic Substances Control Act (US) WHMIS: Workplace Hazardous Material Information System (Canada)

Product Name  
LC103M, LC105M, LC113M, LC115M, LC123M, LC125XLM, LC563M, LC565M, LC573M, LC575XLM,  
LC583M, LC585M, LC593M, LC595XLM

First Issue: Oct.26,2011  
Revised: Mar.12,2012  
Version Number: 2  
SDS No.: BHM023

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1 Product identifier**

Product Name:	LC103M	LC105M	LC113M	LC115M
Product Code:	LK6539001	LK6578001	LK6870001	LK6902001
Product Name:	LC123M	LC125XLM	LC563M	LC565M
Product Code:	LK6812001	LK6926001	LK6972001	LK6976001
Product Name:	LC573M	LC575XLM	LC583M	LC585M
Product Code:	LK6984001	LK6988001	LK7003001	LK7007001
Product Name:	LC593M	LC595XLM		
Product Code:	LK7015001	LK7019001		

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified use(s): Cartridge contained water based ink for inkjet printing machine

**1.3 Details of the supplier of the safety data sheet**

**Manufacturer:** BROTHER INDUSTRIES, LTD.  
5-1, Hamada-cho, Minami-ku, Nagoya 457-0822, JAPAN  
Telephone Number for Information : +81-52-824-3445

**Importer (Europe):** BROTHER INTERNATIONAL EUROPE LTD.  
Brother House, 1 Tame Street, Audenshaw, Manchester  
M34 5JE, UK  
Telephone Number for Information : +44-161-330-6531

**Importer (USA):** BROTHER INTERNATIONAL CORPORATION  
100 Somerset Corporate Boulevard, Bridgewater,  
NJ 08807-0911, USA  
Telephone Number for Information : +1-908-704-1700

**Importer (Canada):** BROTHER INTERNATIONAL CORPORATION (Canada) LTD.  
1 rue Hôtel de Ville, Dollard-des-Ormeaux, Québec, H9B 3H6, CANADA  
Telephone Number for Information : +1-514-685-0600

**Importer (Australia):** BROTHER INTERNATIONAL (AUST.) PTY. LTD. ACN 001 393 835  
Level 3, Building A, 11 Talavera Road Macquarie Park, N.S.W. 2113,  
AUSTRALIA  
Telephone Number for Information : +61-2-9887-4344

**E-Mail (competent person):** sds.ieink@brother.co.jp

**1.4 Emergency telephone number**

Emergency Phone No. (24 hours) We do not provide 24 hours cover for information contact.  
Please telephone to the above office during our business hours.

**SECTION 2: HAZARDS IDENTIFICATION**

**2.1 Classification of the substance or mixture**

**EU Classification:** Ink is not classified according to EU-Directive 1999/45/EC.

**2.2 Label elements**

Label elements according to EU Directive 1999/45/EC.: None

**2.3 Other hazards**

None

Product Name  
LC103M, LC105M, LC113M, LC115M, LC123M, LC125XLM, LC563M, LC565M, LC573M, LC575XLM,  
LC583M, LC585M, LC593M, LC595XLM

First Issue: Oct. 26, 2011  
Revised: Mar. 12, 2012  
Version Number: 2  
SDS No.: BHM023

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

CHEMICAL NAME	CAS No.	EC No.	% by weight	EU Symbol	EU Risk Phrases
Glycerol	56-81-5	200-289-5	10 - 20	Not classified	Not classified
Magenta Dye	Registered	Registered	< 2.5	N	R51/53
Water	7732-18-5	231-791-2	65 - 80	Not classified	Not classified

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures

Inhalation:	Remove to fresh air area and obtain medical attention immediately.
Skin Contact:	Wash with water and soap. If irritation continues, obtain medical attention.
Eye Contact:	Flush immediately with gentle running water for 15 minutes at least. If irritation continues, obtain medical attention.
Ingestion:	Rinse mouth with water, give one or two of glasses of water, and obtain medical attention immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

Inhalation:  
No harmful effects are expected under normal use.  
Over exposure to vapor or mist, may cause symptoms such as respiratory irritation, cough, dizziness, headache and nausea.

#### 4.3 Indication of any immediate medical attention and special treatment needed

None

### SECTION 5: FIRE-FIGHTING MEASURES

#### 5.1 Extinguishing media

Suitable Extinguishing Media: Water, CO<sub>2</sub>, Foam, Dry chemical.

Unsuitable Extinguishing Media: None.

#### 5.2 Special hazards arising from the substance or mixture

May produce toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides, sulfur oxides if burning.

#### 5.3 Advice for fire-fighters

Use self-contained breathing apparatus.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes, skin and clothing.

#### 6.2 Environmental precautions

Do not release to surface water or ground water.

#### 6.3 Methods and material for containment and cleaning up

Wipe up ink with absorbent towel. Wash with water to remove remaining traces of ink.

#### 6.4 Reference to other sections

See Section: 8.

Product Name  
LC103M, LC105M, LC113M, LC115M, LC123M, LC125XLM, LC563M, LC565M, LC573M, LC575XLM,  
LC583M, LC585M, LC593M, LC595XLM

First Issue: Oct.26,2011  
Revised: Mar.12,2012  
Version Number: 2  
SDS No.: BHM023

**SECTION 7: HANDLING AND STORAGE**

- 7.1 **Precautions for safe handling** Avoid contact with skin, eyes and clothing.
- 7.2 **Conditions for safe storage, including any incompatibilities** Keep out of reach of children. Store in a cool and dark place.
- 7.3 **Specific end use(s)** Cartridge contained water based ink for inkjet printing machine

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

8.1 **Control parameters**

**Occupational Exposure Limits:**

CHEMICAL NAME	OSHA PEL	ACGIH TLV	EU IOELV
Glycerol	(as mist) Total dust TWA 15mg/m <sup>3</sup>	(as mist) TWA 10mg/m <sup>3</sup>	Not established

8.2 **Exposure controls**

**Appropriate engineering controls**

Use in a ventilated area.

**Personal Protection**

Eye/face protection

Not required under normal use.

Skin protection

Not required under normal use.

Hand protection

Not required under normal use.

Respiratory protection

Not required under normal use.

Other:

Not applicable.

**Environmental Exposure Controls**

Avoid release to the environment.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

9.1 **Information on basic physical and chemical properties**

- Appearance (20 °C) Dark red liquid
- Odor Slight odor
- Odor threshold (ppm) Not available
- pH (Value) 7 – 9
- Melting point (°C) / Freezing point (°C) Melting point(°C) : <-5°C
- Boiling point/boiling range (°C) Boiling point(°C) : >100°C
- Flash point (°C) Does not flash at 93.3°C or lower (Tag closed cup & Cleveland opened cup)
- Evaporation rate Not available
- Flammability (solid, gas) LEL : Not available UEL : Not available
- Explosive limit ranges Not available
- Vapor pressure (Pa) Not available
- Vapor density (Air=1) Not available
- Density (g/cm<sup>3</sup>) 1.0 – 1.1 g/ml
- Solubility (Water) Soluble
- Solubility (Other) Not available
- Partition coefficient (n-Octanol/water) Not available
- Auto ignition point (°C) >400°C
- Decomposition temperature (°C) Not available
- Viscosity (mPa. s) 1 – 5 mPa-s
- Explosive properties Not available

Product Name  
LC103M, LC105M, LC113M, LC115M, LC123M, LC125XLM, LC563M, LC565M, LC573M, LC575XLM,  
LC583M, LC585M, LC593M, LC595XLM

First Issue: Oct.26,2011  
Revised: Mar.12,2012  
Version Number: 2  
SDS No.: BHM023

Oxidising properties Not available  
9.2 Other information Not available

## SECTION 10: STABILITY AND REACTIVITY

10.1	Reactivity	None
10.2	Chemical stability	Stable
10.3	Possibility of hazardous reactions	Will not occur
10.4	Conditions to avoid	High-temperature or High-humidity
10.5	Incompatible materials	Acids, Bases, Oxidizing agents, Reducing agents
10.6	Hazardous Decomposition Product(s)	Carbon monoxide, Carbon dioxide, Nitrogen oxides, Sulfur oxides

## SECTION 11: TOXICOLOGICAL INFORMATION

11.1	Information on toxicological effects	
	Acute toxicity (oral):	LD <sub>50</sub> of ink is greater than 2000mg/kg.
	Skin corrosion/irritation:	Ink is classified as a NON IRRITANT
	Serious eye damage/irritation:	Ink is classified as a MINIMAL IRRITANT
	Respiratory or skin sensitization:	Respiratory sensitization : Not available Skin sensitization : Non-sensitizer
	Mutagenicity:	Ames test : Negative
	Carcinogenicity:	Ingredients of ink have not been classified as carcinogens according to IARC monographs, NTP, and OSHA regulated.
	Reproductive toxicity:	Not available
	STOT-single exposure:	Not available
	STOT-repeated exposure:	Not available
	Aspiration hazard:	Not available
	Potential Health Effects:	Eye : Ink may cause slight irritation. Skin : Prolonged exposure to ink may cause irritation. Ingestion : Ink may cause gastrointestinal or other adverse effects. Inhalation : Not expected to be a route of exposure under normal use. Over exposure may cause respiratory irritation.

## SECTION 12: ECOLOGICAL INFORMATION

12.1	Toxicity	Not available
12.2	Persistence and degradability	Not available
12.3	Bioaccumulative potential	Not available
12.4	Mobility in soil	Not available
12.5	Results of PBT and vPvB assessment	Not available
12.6	Other adverse effects	Not available

## SECTION 13: DISPOSAL CONSIDERATIONS

13.1	Waste treatment methods	Dispose in accordance with federal, state and local regulations.
------	-------------------------	--



Product Name  
LC103M, LC105M, LC113M, LC115M, LC123M, LC125XLM, LC563M, LC565M, LC573M, LC575XLM,  
LC583M, LC585M, LC593M, LC595XLM

First Issue: Oct.26,2011  
Revised: Mar.12,2012  
Version Number: 2  
SDS No.: BHM023

**SECTION 14: TRANSPORT INFORMATION**

<b>14.1 UN number</b>	None
<b>14.2 Proper Shipping Name</b>	None
<b>14.3 Transport hazard class(es)</b>	None
<b>14.4 Packing Group</b>	None
	US Department of Transportation (DOT) : Not regulated as dangerous goods.
	Maritime Transport IMDG : Not regulated as dangerous goods.
	Air Transport ICAO/IATA : Not regulated as dangerous goods.
<b>14.5 Environmental hazards</b>	Not available
<b>14.6 Special precautions for user</b>	None
<b>14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable

**SECTION 15: REGULATORY INFORMATION**

<b>15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture</b>	<b>EUROPEAN REGULATIONS</b>
	EU Information: All components in ink comply with REACH rules and regulations.
	EU Hazard Label : Ink is not classified according to EU-Directive 1999/45/EC.
	<b>US REGULATIONS</b>
	US Information: All components in ink comply with TSCA rules and regulations.
	<b>Canada REGULATIONS</b>
	Canada Information: WHMIS : Not applicable. (Manufactured article)
<b>15.2 Chemical Safety Assessment</b>	None

Product Name  
LC103M, LC105M, LC113M, LC115M, LC123M, LC125XLM, LC563M, LC565M, LC573M, LC575XLM,  
LC583M, LC585M, LC593M, LC595XLM

First Issue: Oct. 26, 2011  
Revised: Mar. 12, 2012  
Version Number: 2  
SDS No.: BHM023

**SECTION 16: OTHER INFORMATION**

**Hazard Symbol:** N ; Dangerous for the environment  
**Risk Phrases:** R51/53 : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Issue Date:** Mar. 12, 2012

**The following sections contain revisions or new statements:** Format, All sections

**Additional information:** The information only relates to this specific ink cartridge. It may not be valid for this ink cartridge, if used in combination with any other materials or in any other process. And it is based on our best knowledge as of the date of preparation (revision).

**References:** World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risks to Humans, Volume 93  
EU Directive 1999/45/EC  
U.S. Department of labor, 29CFR Part 1910.  
ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices  
EU Commission Directive 2009/161/EU

**Abbreviations:** ACGIH: American Conference of Governmental Industrial Hygienists  
DOT: Department Of Transportation (US)  
IARC: International Agency for Research on Cancer  
IATA: International Air Transport Association  
ICAO: International Civil Aviation Organization  
IMDG: International Maritime Dangerous Goods  
IOELV: Indicative Occupational Exposure Limit Value  
NTP: National Toxicology Program (US)  
OSHA: Occupational Safety and Health Administration (US)  
PEL: Permissible Exposure Limit  
REACH: Registration, Evaluation, Authorization and Restriction of Chemicals (EU)  
TLV: Threshold Limit Value (ACGIH)  
TSCA: Toxic Substances Control Act (US)  
WHMIS: Workplace Hazardous Material Information System (Canada)

Product Name  
LC103Y, LC105Y, LC113Y, LC115Y, LC123Y, LC125XLY, LC563Y, LC565Y, LC573Y, LC575XLY,  
LC583Y, LC585Y, LC593Y, LC595XLY

First Issue: Oct.26,2011  
Revised: Mar.12,2012  
Version Number: 2  
SDS No.: BHY023

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1 Product identifier**

Product Name:	LC103Y	LC105Y	LC113Y	LC115Y
Product Code:	LK6540001	LK6579001	LK6871001	LK6903001
Product Name:	LC123Y	LC125XLY	LC563Y	LC565Y
Product Code:	LK6813001	LK6927001	LK6973001	LK6977001
Product Name:	LC573Y	LC575XLY	LC583Y	LC585Y
Product Code:	LK6985001	LK6989001	LK7004001	LK7008001
Product Name:	LC593Y	LC595XLY		
Product Code:	LK7016001	LK7020001		

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified use(s): Cartridge contained water based ink for inkjet printing machine

**1.3 Details of the supplier of the safety data sheet**

**Manufacturer:** BROTHER INDUSTRIES, LTD.  
5-1, Hamada-cho, Minami-ku, Nagoya 457-0822, JAPAN  
Telephone Number for Information : +81-52-824-3445

**Importer (Europe):** BROTHER INTERNATIONAL EUROPE LTD.  
Brother House, 1 Tame Street, Audenshaw, Manchester  
M34 5JE, UK  
Telephone Number for Information : +44-161-330-6531

**Importer (USA):** BROTHER INTERNATIONAL CORPORATION  
100 Somerset Corporate Boulevard, Bridgewater,  
NJ 08807-0911, USA  
Telephone Number for Information : +1-908-704-1700

**Importer (Canada):** BROTHER INTERNATIONAL CORPORATION (Canada) LTD.  
1 rue Hôtel de Ville, Dollard-des-Ormeaux, Québec, H9B 3H6, CANADA  
Telephone Number for Information : +1-514-685-0600

**Importer (Australia):** BROTHER INTERNATIONAL (AUST.) PTY. LTD. ACN 001 393 835  
Level 3, Building A, 11 Talavera Road Macquarie Park, N.S.W. 2113,  
AUSTRALIA  
Telephone Number for Information : +61-2-9887-4344

**E-Mail (competent person):** sds.ieink@brother.co.jp

**1.4 Emergency telephone number**

Emergency Phone No. (24 hours) We do not provide 24 hours cover for information contact.  
Please telephone to the above office during our business hours.

**SECTION 2: HAZARDS IDENTIFICATION**

**2.1 Classification of the substance or mixture**

**EU Classification:** Ink is not classified according to EU-Directive 1999/45/EC.

**2.2 Label elements**

Label elements according to EU Directive 1999/45/EC.: None

**2.3 Other hazards**

None

Product Name  
LC103Y, LC105Y, LC113Y, LC115Y, LC123Y, LC125XLY, LC563Y, LC565Y, LC573Y, LC575XLY,  
LC583Y, LC585Y, LC593Y, LC595XLY

First Issue: Oct. 26, 2011  
Revised: Mar. 12, 2012  
Version Number: 2  
SDS No.: BHY023

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

CHEMICAL NAME	CAS No.	EC No.	% by weight	EU Symbol	EU Risk Phrases
Glycerol	56-81-5	200-289-5	5 - 15	Not classified	Not classified
Triethylene glycol monobutyl ether	143-22-6	205-592-6	1 - 5	Xi	R41
Yellow Dye	Registered	Registered	1 - 5	Not classified	Not classified
Water	7732-18-5	231-791-2	65 - 75	Not classified	Not classified

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures

Inhalation:	Remove to fresh air area and obtain medical attention immediately.
Skin Contact:	Wash with water and soap. If irritation continues, obtain medical attention.
Eye Contact:	Flush immediately with gentle running water for 15 minutes at least. If irritation continues, obtain medical attention.
Ingestion:	Rinse mouth with water, give one or two of glasses of water, and obtain medical attention immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

Inhalation:  
No harmful effects are expected under normal use.  
Over exposure to vapor or mist, may cause symptoms such as respiratory irritation, cough, dizziness, headache and nausea.

#### 4.3 Indication of any immediate medical attention and special treatment needed

None

### SECTION 5: FIRE-FIGHTING MEASURES

#### 5.1 Extinguishing media

Suitable Extinguishing Media: Water, CO<sub>2</sub>, Foam, Dry chemical.

Unsuitable Extinguishing Media: None.

#### 5.2 Special hazards arising from the substance or mixture

May produce toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides, sulfur oxides if burning.

#### 5.3 Advice for fire-fighters

Use self-contained breathing apparatus.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes, skin and clothing.

#### 6.2 Environmental precautions

Do not release to surface water or ground water.

#### 6.3 Methods and material for containment and cleaning up

Wipe up ink with absorbent towel. Wash with water to remove remaining traces of ink.

#### 6.4 Reference to other sections

See Section: 8.

Product Name  
LC103Y, LC105Y, LC113Y, LC115Y, LC123Y, LC125XLY, LC563Y, LC565Y, LC573Y, LC575XLY,  
LC583Y, LC585Y, LC593Y, LC595XLY

First Issue: Oct.26,2011  
Revised: Mar.12,2012  
Version Number: 2  
SDS No.: BHY023

## SECTION 7: HANDLING AND STORAGE

- 7.1 Precautions for safe handling** Avoid contact with skin, eyes and clothing.
- 7.2 Conditions for safe storage, including any incompatibilities** Keep out of reach of children. Store in a cool and dark place.
- 7.3 Specific end use(s)** Cartridge contained water based ink for inkjet printing machine

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

#### Occupational Exposure Limits:

CHEMICAL NAME	OSHA PEL	ACGIH TLV	EU IOELV
Glycerol	(as mist) Total dust TWA 15mg/m <sup>3</sup>	(as mist) TWA 10mg/m <sup>3</sup>	Not established

### 8.2 Exposure controls

#### Appropriate engineering controls

Use in a ventilated area.

#### Personal Protection

Eye/face protection

Not required under normal use.

Skin protection

Not required under normal use.

Hand protection

Not required under normal use.

Respiratory protection

Not required under normal use.

Other:

Not applicable.

#### Environmental Exposure Controls

Avoid release to the environment.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Appearance (20 °C)	Dark yellow liquid
Odor	Slight odor
Odor threshold (ppm)	Not available
pH (Value)	7 – 9
Melting point (°C) / Freezing point (°C)	Melting point(°C) : <-5°C
Boiling point/boiling range (°C)	Boiling point(°C) : >100°C
Flash point (°C)	Does not flash at 93.3°C or lower (Tag closed cup & Cleveland opened cup)
Evaporation rate	Not available
Flammability (solid, gas)	LEL : Not available UEL : Not available
Explosive limit ranges	Not available
Vapor pressure (Pa)	Not available
Vapor density (Air=1)	Not available
Density (g/cm <sup>3</sup> )	1.0 – 1.1 g/ml
Solubility (Water)	Soluble
Solubility (Other)	Not available
Partition coefficient (n-Octanol/water)	Not available
Auto ignition point (°C)	>400°C
Decomposition temperature (°C)	Not available
Viscosity (mPa. s)	1 – 5 mPa-s
Explosive properties	Not available

Product Name  
LC103Y, LC105Y, LC113Y, LC115Y, LC123Y, LC125XLY, LC563Y, LC565Y, LC573Y, LC575XLY,  
LC583Y, LC585Y, LC593Y, LC595XLY

First Issue: Oct.26,2011  
Revised: Mar.12,2012  
Version Number: 2  
SDS No.: BHY023

9.2	Oxidising properties Other information	Not available Not available
-----	---	--------------------------------

**SECTION 10: STABILITY AND REACTIVITY**

10.1	Reactivity	None
10.2	Chemical stability	Stable
10.3	Possibility of hazardous reactions	Will not occur
10.4	Conditions to avoid	High-temperature or High-humidity
10.5	Incompatible materials	Acids, Bases, Oxidizing agents, Reducing agents
10.6	Hazardous Decomposition Product(s)	Carbon monoxide, Carbon dioxide, Nitrogen oxides, Sulfur oxides

**SECTION 11: TOXICOLOGICAL INFORMATION**

11.1	Information on toxicological effects	
	Acute toxicity (oral):	LD <sub>50</sub> of ink is greater than 2000mg/kg.
	Skin corrosion/irritation:	Ink is classified as a NON IRRITANT
	Serious eye damage/irritation:	Ink is classified as a MINIMAL IRRITANT
	Respiratory or skin sensitization:	Respiratory sensitization : Not available Skin sensitization : Non-sensitizer
	Mutagenicity:	Ames test : Negative
	Carcinogenicity:	Ingredients of ink have not been classified as carcinogens according to IARC monographs, NTP, and OSHA regulated.
	Reproductive toxicity:	Not available
	STOT-single exposure:	Not available
	STOT-repeated exposure:	Not available
	Aspiration hazard:	Not available
	Potential Health Effects:	Eye : Ink may cause slight irritation. Skin : Prolonged exposure to ink may cause irritation. Ingestion : Ink may cause gastrointestinal or other adverse effects. Inhalation : Not expected to be a route of exposure under normal use. Over exposure may cause respiratory irritation.

**SECTION 12: ECOLOGICAL INFORMATION**

12.1	Toxicity	Not available
12.2	Persistence and degradability	Not available
12.3	Bioaccumulative potential	Not available
12.4	Mobility in soil	Not available
12.5	Results of PBT and vPvB assessment	Not available
12.6	Other adverse effects	Not available

**SECTION 13: DISPOSAL CONSIDERATIONS**

13.1	Waste treatment methods	Dispose in accordance with federal, state and local regulations.
------	-------------------------	--

Product Name  
LC103Y, LC105Y, LC113Y, LC115Y, LC123Y, LC125XLY, LC563Y, LC565Y, LC573Y, LC575XLY,  
LC583Y, LC585Y, LC593Y, LC595XLY

First Issue: Oct.26,2011  
Revised: Mar.12,2012  
Version Number: 2  
SDS No.: BHY023

**SECTION 14: TRANSPORT INFORMATION**

<b>14.1 UN number</b>	None
<b>14.2 Proper Shipping Name</b>	None
<b>14.3 Transport hazard class(es)</b>	None
<b>14.4 Packing Group</b>	None
	US Department of Transportation (DOT) : Not regulated as dangerous goods.
	Maritime Transport IMDG : Not regulated as dangerous goods.
	Air Transport ICAO/IATA : Not regulated as dangerous goods.
<b>14.5 Environmental hazards</b>	Not available
<b>14.6 Special precautions for user</b>	None
<b>14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable

**SECTION 15: REGULATORY INFORMATION**

<b>15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture</b>	<b>EUROPEAN REGULATIONS</b>
	EU Information: All components in ink comply with REACH rules and regulations.
	EU Hazard Label : Ink is not classified according to EU-Directive 1999/45/EC.
	<b>US REGULATIONS</b>
	US Information: All components in ink comply with TSCA rules and regulations.
	<b>Canada REGULATIONS</b>
	Canada Information: WHMIS : Not applicable. (Manufactured article)
<b>15.2 Chemical Safety Assessment</b>	None

Product Name  
LC103Y, LC105Y, LC113Y, LC115Y, LC123Y, LC125XLY, LC563Y, LC565Y, LC573Y, LC575XLY,  
LC583Y, LC585Y, LC593Y, LC595XLY

First Issue: Oct.26,2011  
Revised: Mar.12,2012  
Version Number: 2  
SDS No.: BHY023

**SECTION 16: OTHER INFORMATION**

**Hazard Symbol:** Xi : Irritant  
**Risk Phrases:** R41 : Risk of serious damage to eyes.  
**Issue Date:** Mar. 12, 2012  
**The following sections contain revisions or new statements:** Format, All sections

**Additional information:** The information only relates to this specific ink cartridge. It may not be valid for this ink cartridge, if used in combination with any other materials or in any other process. And it is based on our best knowledge as of the date of preparation (revision).

**References:** World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risks to Humans, Volume 93  
EU Directive 1999/45/EC  
U.S. Department of labor, 29CFR Part 1910.  
ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices  
EU Commission Directive 2009/161/EU

**Abbreviations:** ACGIH: American Conference of Governmental Industrial Hygienists  
DOT: Department Of Transportation (US)  
IARC: International Agency for Research on Cancer  
IATA: International Air Transport Association  
ICAO: International Civil Aviation Organization  
IMDG: International Maritime Dangerous Goods  
IOELV: Indicative Occupational Exposure Limit Value  
NTP: National Toxicology Program (US)  
OSHA: Occupational Safety and Health Administration (US)  
PEL: Permissible Exposure Limit  
REACH: Registration, Evaluation, Authorization and Restriction of Chemicals (EU)  
TLV: Threshold Limit Value (ACGIH)  
TSCA: Toxic Substances Control Act (US)  
WHMIS: Workplace Hazardous Material Information System (Canada)