

Product Name LC103BK, LC107BK, LC113BK, LC117BK, LC123BK, LC127XLBK, LC563BK, LC567BK, LC573BK, LC577XLBK, LC583BK, LC587BK, LC593BK, LC597XLBK

Firsr Issue:Oct.26,2011 Revised:Mar.12,2012 Version Number:2 SDS No.: BHK023

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

LC103BK LC107BK LC113BK Product Name: LC117BK Product Code: LK6537001 LK6576001 LK6868001 LK6900001

Product Name: LC123BK LC127XLBK LC563BK LC567BK Product Code: LK6810001 LK6924001 LK6970001 LK6974001

Product Name: LC573BK LC577XLBK LC583BK LC587BK Product Code: LK6982001 LK6986001 LK7001001 LK7005001

Product Name: LC593BK LC597XLBK Product Code: LK7013001 LK7017001

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified use(s): Cartridge contained water based ink for inkjet printing machine

1.3 Details of the supplier of the safety data sheet

> Manufacturer: BROTHER INDUSTRIES, LTD.

5-1, Hamada-cho, Minami-ku, Nagoya 457-0822, JAPAN Telephone Number for Information: +81-52-824-3445

BROTHER INTERNATIONAL EUROPE LTD. Importer (Europe):

Brother House, 1 Tame Street, Audenshaw, Manchester

M34 5JE, UK

Telephone Number for Information: +44-161-330-6531

BROTHER INTERNATIONAL CORPORATION Importer (USA):

100 Somerset Corporate Boulevard, Bridgewater,

NJ 08807-0911, USA

Telephone Number for Information: +1-908-704-1700

BROTHER INTERNATIONAL CORPORATION (Canada) LTD. Importer (Canada):

1 rue Hôtel de Ville, Dollard-des-Ormeaux, Québec, H9B 3H6, CANADA

Telephone Number for Information: +1-514-685-0600

BROTHER INTERNATIONAL (AUST.) PTY. LTD. ACN 001 393 835 Importer (Australia):

Level 3, Building A, 11 Talavera Road Macquarie Park, N.S.W. 2113,

Telephone Number for Information: +61-2-9887-4344

sds.ieink@brother.co.jp E-Mail (competent person):

1.4 **Emergency telephone number**

> Emergency Phone No. (24 hours) We do not provide 24 hours cover for information contact.

Please telephone to the above office during our business hours.

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

EU Classification: Ink is not classified according to EU-Directive 1999/45/EC.

2.2 Label elements Label elements according to EU Directive 1999/45EC.: None

2.3 Other hazards None



Product Name LC103BK, LC107BK, LC113BK, LC117BK, LC123BK, LC127XLBK, LC563BK, LC567BK, LC573BK, LC577XLBK, LC583BK, LC587BK, LC593BK, LC597XLBK Firsr Issue:Oct.26,2011 Revised:Mar.12,2012 Version Number:2 SDS No.: BHK023

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

CHEMICAL NAME	CAS No.	EC No.	% by weight	EU Symbol	EU Risk Phrases
Carbon Black	1333-86-4	215-609-9	1 - 10	Not classified	Not classified
Glycerol	56-81-5	200-289-5	5 - 15	Not classified	Not classified
Diethylene glycol	111-46-6	203-872-2	1 – 9	Xn	R22
Water	7732-18-5	231-791-2	60 - 70	Not classified	Not classified

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation: Remove to fresh air area and obtain medical attention immediately.

Skin Contact: Wash with water and soap. If irritation continues, obtain medical attention.

Eye Contact: Flush immediately with gentle running water for 15 minutes at least. If

irritation continues, obtain medical attention.

Ingestion: Rinse mouth with water, give one or two of glasses of water, and obtain

medical attention immediately.

4.2 Most important symptoms and effects, both

acute and delayed

Inhalation:

No harmful effects are expected under normal use.

Over exposure to vapor or mist, may cause symptoms such as respiratory

irritation, cough, dizziness, headache and nausea.

4.3 Indication of any immediate medical attention

and special treatment needed

None

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing Media: Water, CO₂, Foam, Dry chemical.

Unsuitable Extinguishing Media: None.

5.2 Special hazards arising from the substance or

mixture

May produce toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides,

sulfur oxides if burning.

5.3 Advice for fire-fighters Use self-contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes, skin and clothing.

6.2 Environmental precautions

Do not release to surface water or ground water.

6.3 Methods and material for containment and

cleaning up

Wipe up ink with absorbent towel. Wash with water

to remove remaining traces of ink.

6.4 Reference to other sections

See Section: 8.



Product Name LC103BK, LC113BK, LC117BK, LC123BK, LC127XLBK, LC563BK, LC567BK, LC573BK, LC577XLBK, LC583BK, LC587BK, LC593BK, LC597XLBK

Firsr Issue:Oct.26,2011 Revised:Mar.12,2012 Version Number:2 SDS No.: BHK023

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Avoid contact with skin, eyes and clothing.

7.2 Conditions for safe storage, including any

incompatibilities

Keep out of reach of children. Store in a cool and dark place.

7.3 Specific end use(s) Cartridge contained water based ink for inkjet printing machine

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure Limits:

CHEMICAL NAME	OSHA PEL	ACGIH TLV	EU IOELV
Carbon Black	Limits for air contaminant TWA3.5mg/m³	TWA 3mg/m³ Not classifiable as a human carcinogen.	Not established
Glycerol	(as mist) Total dust TWA 15mg/m³	(as mist) TWA 10mg/m³	Not established

Use in a ventilated area.

8.2 Exposure controls

Appropriate engineering controls

Personal Protection

Eye/face protection Not required under normal use.

Skin protection Not required under normal use.

Hand protection Not required under normal use.

Respiratory protection Not required under normal use.

Other: Not applicable.

Environmental Exposure Controls Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance (20 $^{\circ}$ C) Black liquid Odor Slight odor Odor threshold (ppm) Not available pH (Value) 7 – 9

 $\label{eq:melting point of control of cont$

Flash point (°C) Does not flash at 93.3°C or lower

(Tag closed cup & Cleveland opened cup)

Evaporation rate Not available

Flammability (solid, gas) LEL: Not available UEL: Not available

Explosive limit ranges Not available Vapor pressure (Pa) Not available Vapor density (Air=1) Not available Density (g/cm³) 1.0 - 1.1 g/ml Solubility (Water) Soluble Solubility (Other) Not available Partition coefficient (n-Octanol/water) Not available Auto ignition point (°C) >400°C



9.2

SAFETY DATA SHEET

Product Name LC103BK, LC107BK, LC113BK, LC117BK, LC123BK, LC127XLBK, LC563BK, LC567BK, LC573BK, LC577XLBK, LC587BK, LC593BK, LC597XLBK Firsr Issue:Oct.26,2011 Revised:Mar.12,2012 Version Number:2 SDS No.: BHK023

Decomposition temperature (°C)

Viscosity (mPa. s)

Explosive properties

Oxidising properties

Other information

Not available

Not available

Not available

SECTION 10: STABILITY AND REACTIVITY

 10.1
 Reactivity
 None

 10.2
 Chemical stability
 Stable

 10.3
 Possibility of hazardous reactions
 Will not occur

10.4 Conditions to avoid High-temperature or High-humidity

10.5 Incompatible materials Acids, Bases, Oxidizing agents, Reducing agents

10.6 Hazardous Decomposition Product(s) Carbon monoxide, Carbon dioxide, Nitrogen oxides, Sulfur oxides

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity (oral): LD_{50} of ink is greater than 2000mg/kg.Skin corrosion/irritation:Ink is classified as a NON IRRITANTSerious eye damage/irritation:Ink is classified as a MINIMAL IRRITANTRespiratory or skin sensitization:Respiratory sensitization: Not available

Skin sensitization : Non-sensitizer

Mutagenicity: Ames test : Negative

Carcinogenicity: Specific data are not available.

Carbon black has been classified by the IARC as group 2B. However, IARC reported that no significant exposure to carbon black is thought to occur during the use of products in which carbon black is bound to other materials,

such as printing ink.

Other ingredients of ink have not been classified as carcinogens according to

IARC monographs, NTP, and OSHA regulated.

Reproductive toxicity:Not availableSTOT-single exposure:Not availableSTOT-repeated exposure:Not availableAspiration hazard:Not available

Potential Health Effects: Eye: Ink may cause slight irritation.

Skin: Prolonged exposure to ink may cause irritation.

Ingestion: Ink may cause gastrointestinal or other adverse effects.

Inhalation: Not expected to be a route of exposure under normal use.

Over exposure may cause respiratory irritation.

SECTION 12: ECOLOGICAL INFORMATION

Not available 12.1 Toxicity 12.2 Persistence and degradability Not available Not available 12.3 Bioaccumulative potential Not available 12.4 Mobility in soil Results of PBT and vPvB assessment 12.5 Not available 12.6 Other adverse effects Not available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Dispose in accordance with federal, state and local regulations.



Product Name LC103BK, LC113BK, LC117BK, LC123BK, LC127XLBK, LC563BK, LC567BK, LC573BK, LC577XLBK, LC583BK, LC587BK, LC593BK, LC597XLBK

Firsr Issue:Oct.26,2011 Revised:Mar.12,2012 Version Number:2 SDS No.: BHK023

SECTION 14: TRANSPORT INFORMATION

14.1UN numberNone14.2Proper Shipping NameNone14.3Transport hazard class(es)None14.4Packing GroupNone

US Department of Transportation (DOT) : Not regulated as dangerous goods.

Maritime Transport IMDG : Not regulated as dangerous goods.

Air Transport ICAO/IATA : Not regulated as dangerous goods.

14.5 Environmental hazards Not available14.6 Special precautions for user None

14.7 Transport in bulk according to Annex II of Not applicable MARPOL73/78 and the IBC Code

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EUROPEAN REGULATIONS

EU Information: All components in ink comply with REACH rules and

regulations.

EU Hazard Label: Ink is not classified according to EU-Directive

1999/45/EC.

US REGULATIONS

US Information: All components in ink comply with TSCA rules and

regulations.

Canada REGULATIONS

Canada Information: WHMIS: Not applicable. (Manufactured article)

15.2 Chemical Safety Assessment None



Product Name LC103BK, LC113BK, LC117BK, LC123BK, LC127XLBK, LC563BK, LC567BK, LC573BK, LC577XLBK, LC583BK, LC587BK, LC593BK, LC597XLBK

Firsr Issue:Oct.26,2011 Revised:Mar.12,2012 Version Number:2 SDS No.: BHK023

SECTION 16: OTHER INFORMATION

Hazard Symbol: Xn: Harmful

Risk Phrases: R22 : Harmful if swallowed.

Issue Date: Mar. 12, 2012

The following sections contain revisions or new

statements:

Format, All sections

Additional information: The information only relates to this specific ink cartridge. It may not be valid for

this ink cartridge, if used in combination with any other materials or in any other process. And it is based on our best knowledge as of the date of

preparation (revision).

References: World Health Organization International Agency for Research on Cancer,

IARC Monographs on the Evaluation on the Carcinogenic Risks to Humans,

Volume 93

EU Directive 1999/45/EC

U.S. Department of labor, 29CFR Part 1910.

ACGIH, Threshold Limit Values for Chemical Substances and Physical

Agents and Biological Exposure Indices EU Commission Directive 2009/161/EU

Abbreviations:

ACGIH: American Conference of Governmental Industrial Hygienists

DOT: Department Of Transportation (US)

IARC: International Agency for Research on Cancer IATA: International Air Transport Association ICAO: International Civil Aviation Organization IMDG: International Maritime Dangerous Goods IOELV: Indicative Occupational Exposure Limit Value

NTP: National Toxicology Program (US)

OSHA: Occupational Safety and Health Administration (US)

PEL: Permissible Exposure Limit

REACH: Registration, Evaluation, Authorization and Restriction of

Chemicals (EU)

TLV: Threshold Limit Value(ACGIH)
TSCA: Toxic Substances Control Act (US)

WHMIS: Workplace Hazardous Material Information System (Canada)



Product Name LC103C, LC113C, LC115C, LC123C, LC125XLC, LC563C, LC565C, LC573C, LC575XLC, LC583C, LC585C, LC593C, LC595XLC

Firsr Issue:Oct.26,2011 Revised:Mar.12,2012 Version Number:2 SDS No.: BHC023

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

 Product Name:
 LC103C
 LC105C
 LC113C
 LC115C

 Product Code:
 LK6538001
 LK6577001
 LK6869001
 LK6901001

 Product Name:
 LC123C
 LC125XLC
 LC563C
 LC565C

 Product Code:
 LK6811001
 LK6925001
 LK6971001
 LK6975001

 Product Name:
 LC573C
 LC575XLC
 LC583C
 LC585C

 Product Code:
 LK6983001
 LK6987001
 LK7002001
 LK7006001

 Product Name:
 LC593C
 LC595XLC

 Product Code:
 LK7014001
 LK7018001

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified use(s): Cartridge contained water based ink for inkjet printing machine

1.3 Details of the supplier of the safety data sheet

Manufacturer: BROTHER INDUSTRIES, LTD.

5-1, Hamada-cho, Minami-ku, Nagoya 457-0822, JAPAN Telephone Number for Information: +81-52-824-3445

Importer (Europe):

BROTHER INTERNATIONAL EUROPE LTD.

Brother House, 1 Tame Street, Audenshaw, Manchester

M34 5JE, UK

Telephone Number for Information: +44-161-330-6531

Importer (USA): BROTHER INTERNATIONAL CORPORATION

100 Somerset Corporate Boulevard, Bridgewater,

NJ 08807-0911, USA

Telephone Number for Information: +1-908-704-1700

Importer (Canada): BROTHER INTERNATIONAL CORPORATION (Canada) LTD.

1 rue Hôtel de Ville, Dollard-des-Ormeaux, Québec, H9B 3H6, CANADA

Telephone Number for Information: +1-514-685-0600

Importer (Australia):

BROTHER INTERNATIONAL (AUST.) PTY. LTD. ACN 001 393 835

Level 3, Building A, 11 Talavera Road Macquarie Park, N.S.W. 2113,

AUSTRALIA

Telephone Number for Information: +61-2-9887-4344

E-Mail (competent person): sds.ieink@brother.co.jp

1.4 Emergency telephone number

Emergency Phone No. (24 hours)

We do not provide 24 hours cover for information contact.

Please telephone to the above office during our business hours.

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

EU Classification: Ink is not classified according to EU-Directive 1999/45/EC.

2.2 Label elements Label elements according to EU Directive 1999/45EC.: None

2.3 Other hazards None

Page: 1/6



Product Name LC103C, LC105C, LC113C, LC115C, LC123C, LC125XLC, LC563C, LC565C, LC573C, LC575XLC, LC583C, LC585C, LC593C, LC595XLC Firsr Issue:Oct.26,2011 Revised:Mar.12,2012 Version Number:2 SDS No.: BHC023

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

CHEMICAL NAME	CAS No.	EC No.	% by weight	EU Symbol	EU Risk Phrases
Glycerol	56-81-5	200-289-5	10 - 20	Not classified	Not classified
Diethylene glycol	111-46-6	203-872-2	1 - 9	Xn	R22
Triethylene glycol monobutyl ether	143-22-6	205-592-6	1 - 5	Xi	R41
Cyan Dye	Registered	Registered	1 - 5	Not classified	Not classified
Water	7732-18-5	231-791-2	65 - 75	Not classified	Not classified

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation: Remove to fresh air area and obtain medical attention immediately.

Skin Contact: Wash with water and soap. If irritation continues, obtain medical attention.

Eye Contact: Flush immediately with gentle running water for 15 minutes at least. If

irritation continues, obtain medical attention.

Ingestion: Rinse mouth with water, give one or two of glasses of water, and obtain

medical attention immediately.

4.2 Most important symptoms and effects, both

acute and delayed

Inhalation:

No harmful effects are expected under normal use.

Over exposure to vapor or mist, may cause symptoms such as respiratory

irritation, cough, dizziness, headache and nausea.

4.3 Indication of any immediate medical attention

and special treatment needed

None

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing Media: Water, CO₂, Foam, Dry chemical.

Unsuitable Extinguishing Media: None.

5.2 Special hazards arising from the substance or

mixture

May produce toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides,

sulfur oxides if burning.

5.3 Advice for fire-fighters Use self-contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipmentAvoid contact with eyes, skin and clothing.

and emergency procedures
 Environmental precautions
 Do not release to surface water or ground water.

6.3 Methods and material for containment and Wipe up ink with absorbent towal. W

3 Methods and material for containment and cleaning up Wipe up ink with absorbent towel. Wash with water to remove remaining traces of ink.

6.4 Reference to other sections See Section: 8.



Product Name LC103C, LC113C, LC115C, LC123C, LC125XLC, LC563C, LC565C, LC573C, LC575XLC, LC583C, LC585C, LC593C, LC595XLC

Firsr Issue:Oct.26,2011 Revised:Mar.12,2012 Version Number:2 SDS No.: BHC023

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Avoid contact with skin, eyes and clothing.

7.2 Conditions for safe storage, including any

incompatibilities Specific end use(s) Keep out of reach of children. Store in a cool and dark place.

Cartridge contained water based ink for inkjet printing machine

8.1 Control parameters

7.3

Occupational Exposure Limits:

		Ī	
CHEMICAL NAME	OSHA PEL	ACGIH TLV	EU IOELV
Glycerol	(as mist)	(as mist)	Not
	Total dust TWA 15mg/m ³	TWA 10mg/m ³	established

8.2 Exposure controls

Appropriate engineering controls

Use in a ventilated area.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal Protection

Eye/face protection Not required under normal use.

Skin protection Not required under normal use.

Hand protection Not required under normal use.

Respiratory protection Not required under normal use.

Other: Not applicable.

Environmental Exposure ControlsAvoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance (20 °C)

Odor

Odor Slight odor

Odor threshold (ppm)

pH (Value)

Dark blue liquid

Not available

7 – 9

 $\label{eq:melting-point} \begin{tabular}{ll} Melting point (°C) / Freezing point (°C) & Melting point (°C) : <-5°C \\ Boiling point (boiling range (°C) & Boiling point (°C) : >100°C \\ \end{tabular}$

Flash point (°C) Does not flash at 93.3°C or lower

(Tag closed cup & Cleveland opened cup)

Evaporation rate Not available

Flammability (solid, gas)

LEL: Not available UEL: Not available

Explosive limit ranges Not available Vapor pressure (Pa) Not available Vapor density (Air=1) Not available Density (g/cm³) 1.0 - 1.1 g/ml Solubility (Water) Soluble Solubility (Other) Not available Partition coefficient (n-Octanol/water) Not available Auto ignition point (°C) >400°C Decomposition temperature (°C) Not available Viscosity (mPa. s) 1 - 5 mPa·s Explosive properties Not available



Product Name LC103C, LC113C, LC115C, LC123C, LC125XLC, LC563C, LC565C, LC573C, LC575XLC, LC583C, LC585C, LC593C, LC595XLC

Firsr Issue:Oct.26,2011 Revised:Mar.12,2012 Version Number:2 SDS No.: BHC023

Oxidising properties

9.2 Other information

Not available

Not available

SECTION 10: STABILITY AND REACTIVITY

 10.1
 Reactivity
 None

 10.2
 Chemical stability
 Stable

 10.3
 Possibility of hazardous reactions
 Will not occur

10.4 Conditions to avoid High-temperature or High-humidity

10.5 Incompatible materials Acids, Bases, Oxidizing agents, Reducing agents

10.6 Hazardous Decomposition Product(s) Carbon monoxide, Carbon dioxide, Nitrogen oxides, Sulfur oxides

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity (oral): LD_{50} of ink is greater than 2000mg/kg.Skin corrosion/irritation:Ink is classified as a NON IRRITANTSerious eye damage/irritation:Ink is classified as a MINIMAL IRRITANTRespiratory or skin sensitization:Respiratory sensitization: Not available
Skin sensitization: Non-sensitizer

Mutagenicity: Ames test : Negative

Carcinogenicity: Ingredients of ink have not been classified as carcinogens according to IARC

monographs, NTP, and OSHA regulated.

Reproductive toxicity:Not availableSTOT-single exposure:Not availableSTOT-repeated exposure:Not availableAspiration hazard:Not available

Potential Health Effects: Eye: Ink may cause slight irritation.

Skin: Prolonged exposure to ink may cause irritation.

Ingestion: Ink may cause gastrointestinal or other adverse effects.

Inhalation: Not expected to be a route of exposure under normal use.

Over exposure may cause respiratory irritation.

SECTION 12: ECOLOGICAL INFORMATION

12.1	Toxicity	Not available
12.2	Persistence and degradability	Not available
12.3	Bioaccumulative potential	Not available
12.4	Mobility in soil	Not available
12.5	Results of PBT and vPvB assessment	Not available
12.6	Other adverse effects	Not available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Dispose in accordance with federal, state and local regulations.



Product Name LC103C, LC113C, LC115C, LC123C, LC125XLC, LC563C, LC565C, LC573C, LC575XLC, LC583C, LC585C, LC593C, LC595XLC

Firsr Issue:Oct.26,2011 Revised:Mar.12,2012 Version Number:2 SDS No.: BHC023

SECTION 14: TRANSPORT INFORMATION

14.1UN numberNone14.2Proper Shipping NameNone14.3Transport hazard class(es)None14.4Packing GroupNone

US Department of Transportation (DOT) : Not regulated as dangerous goods.

Maritime Transport IMDG : Not regulated as dangerous goods.

Air Transport ICAO/IATA : Not regulated as dangerous goods.

14.5 Environmental hazards Not available
14.6 Special precautions for user None

14.7 Transport in bulk according to Annex II of Not applicable MARPOL73/78 and the IBC Code

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EUROPEAN REGULATIONS

EU Information: All components in ink comply with REACH rules and

regulations.

EU Hazard Label: Ink is not classified according to EU-Directive

1999/45/EC.

US REGULATIONS

US Information: All components in ink comply with TSCA rules and

regulations.

Canada REGULATIONS

Canada Information: WHMIS: Not applicable. (Manufactured article)

15.2 Chemical Safety Assessment None



Product Name LC103C, LC113C, LC115C, LC123C, LC125XLC, LC563C, LC565C, LC573C, LC575XLC, LC583C, LC585C, LC593C, LC595XLC

Firsr Issue:Oct.26,2011 Revised:Mar.12,2012 Version Number:2 SDS No.: BHC023

SECTION 16: OTHER INFORMATION

Hazard Symbol: Xn: Harmful Xi: Irritant

Risk Phrases: R22 : Harmful if swallowed.

R41: Risk of serious damage to eyes.

Issue Date: Mar. 12, 2012

The following sections contain revisions or new

statements:

Format, All sections

Additional information: The information only relates to this specific ink cartridge. It may not be valid for

this ink cartridge, if used in combination with any other materials or in any other process. And it is based on our best knowledge as of the date of

preparation (revision).

References: World Health Organization International Agency for Research on Cancer,

IARC Monographs on the Evaluation on the Carcinogenic Risks to Humans,

Volume 93

EU Directive 1999/45/EC

U.S. Department of labor, 29CFR Part 1910.

ACGIH, Threshold Limit Values for Chemical Substances and Physical

Agents and Biological Exposure Indices EU Commission Directive 2009/161/EU

Abbreviations:

ACGIH: American Conference of Governmental Industrial Hygienists

DOT: Department Of Transportation (US)

IARC: International Agency for Research on Cancer IATA: International Air Transport Association ICAO: International Civil Aviation Organization IMDG: International Maritime Dangerous Goods IOELV: Indicative Occupational Exposure Limit Value

NTP: National Toxicology Program (US)

OSHA: Occupational Safety and Health Administration (US)

PEL: Permissible Exposure Limit

REACH: Registration, Evaluation, Authorization and Restriction of

Chemicals (EU)

TLV: Threshold Limit Value(ACGIH)
TSCA: Toxic Substances Control Act (US)

WHMIS: Workplace Hazardous Material Information System (Canada)



Product Name LC103M, LC113M, LC115M, LC123M, LC125XLM, LC563M, LC565M, LC573M, LC575XLM, LC583M, LC585M, LC593M, LC595XLM

Firsr Issue:Oct.26,2011 Revised:Mar.12,2012 Version Number:2 SDS No.: BHM023

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

 Product Name:
 LC103M
 LC105M
 LC113M
 LC115M

 Product Code:
 LK6539001
 LK6578001
 LK6870001
 LK6902001

 Product Name:
 LC123M
 LC125XLM
 LC563M
 LC565M

 Product Code:
 LK6812001
 LK6926001
 LK6972001
 LK6976001

 Product Name:
 LC573M
 LC575XLM
 LC583M
 LC585M

 Product Code:
 LK6984001
 LK6988001
 LK7003001
 LK7007001

 Product Name:
 LC593M
 LC595XLM

 Product Code:
 LK7015001
 LK7019001

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified use(s): Cartridge contained water based ink for inkjet printing machine

1.3 Details of the supplier of the safety data sheet

Manufacturer: BROTHER INDUSTRIES, LTD.

5-1, Hamada-cho, Minami-ku, Nagoya 457-0822, JAPAN Telephone Number for Information: +81-52-824-3445

Importer (Europe):

BROTHER INTERNATIONAL EUROPE LTD.

Brother House, 1 Tame Street, Audenshaw, Manchester

M34 5JE, UK

Telephone Number for Information: +44-161-330-6531

Importer (USA): BROTHER INTERNATIONAL CORPORATION

100 Somerset Corporate Boulevard, Bridgewater,

NJ 08807-0911, USA

Telephone Number for Information: +1-908-704-1700

Importer (Canada): BROTHER INTERNATIONAL CORPORATION (Canada) LTD.

1 rue Hôtel de Ville, Dollard-des-Ormeaux, Québec, H9B 3H6, CANADA

Telephone Number for Information: +1-514-685-0600

Importer (Australia):

BROTHER INTERNATIONAL (AUST.) PTY. LTD. ACN 001 393 835

Level 3, Building A, 11 Talavera Road Macquarie Park, N.S.W. 2113,

AUSTRALIA

Telephone Number for Information: +61-2-9887-4344

E-Mail (competent person): sds.ieink@brother.co.jp

1.4 Emergency telephone number

Emergency Phone No. (24 hours)

We do not provide 24 hours cover for information contact.

Please telephone to the above office during our business hours.

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

EU Classification: Ink is not classified according to EU-Directive 1999/45/EC.

2.2 Label elements Label elements according to EU Directive 1999/45EC.: None

2.3 Other hazards None

Page: 1/6



Product Name LC103M, LC105M, LC113M, LC115M, LC123M, LC125XLM, LC563M, LC565M, LC573M, LC575XLM, LC583M, LC585M, LC593M, LC595XLM Firsr Issue:Oct.26,2011 Revised:Mar.12,2012 Version Number:2 SDS No.: BHM023

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

CHEMICAL NAME	CAS No.	EC No.	% by weight	EU Symbol	EU Risk Phrases
Glycerol	56-81-5	200-289-5	10 - 20	Not classified	Not classified
Magenta Dye	Registered	Registered	< 2.5	N	R51/53
Water	7732-18-5	231-791-2	65 - 80	Not classified	Not classified

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation: Remove to fresh air area and obtain medical attention immediately.

Skin Contact: Wash with water and soap. If irritation continues, obtain medical attention.

Eye Contact: Flush immediately with gentle running water for 15 minutes at least. If

irritation continues, obtain medical attention.

Ingestion: Rinse mouth with water, give one or two of glasses of water, and obtain

medical attention immediately.

4.2 Most important symptoms and effects, both

acute and delayed

Inhalation:

No harmful effects are expected under normal use.

Over exposure to vapor or mist, may cause symptoms such as respiratory $% \left(1\right) =\left(1\right) \left(1\right) \left($

irritation, cough, dizziness, headache and nausea.

4.3 Indication of any immediate medical attention

and special treatment needed

None

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing Media: Water, CO₂, Foam, Dry chemical.

Unsuitable Extinguishing Media: None.

5.2 Special hazards arising from the substance or

mixture

May produce toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides,

sulfur oxides if burning.

5.3 Advice for fire-fighters Use self-contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipmentAvoid contact with eyes, skin and clothing.

and emergency procedures
6.2 Environmental precautions Do not release to surface water

Environmental precautionsDo not release to surface water or ground water.

6.3 Methods and material for containment and

cleaning up

Wipe up ink with absorbent towel. Wash with water

to remove remaining traces of ink.

6.4 Reference to other sections See Section: 8.



Product Name LC103M, LC113M, LC115M, LC123M, LC125XLM, LC563M, LC565M, LC573M, LC575XLM, LC583M, LC585M, LC593M, LC595XLM

Firsr Issue:Oct.26,2011 Revised:Mar.12,2012 Version Number:2 SDS No.: BHM023

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Avoid contact with skin, eyes and clothing.

7.2 Conditions for safe storage, including any

incompatibilities

Keep out of reach of children. Store in a cool and dark place.

7.3 Specific end use(s) Cartridge contained water based ink for inkjet printing machine

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure Limits:

CHEMICAL NAME	OSHA PEL	ACGIH TLV	EU IOELV
Glycerol (as mist)		(as mist)	Not
	Total dust TWA 15mg/m ³	TWA 10mg/m ³	established

Use in a ventilated area.

8.2 Exposure controls

Appropriate engineering controls

Personal Protection

Eye/face protection Not required under normal use.

Skin protection Not required under normal use.

Hand protection Not required under normal use.

Respiratory protection Not required under normal use.

Other: Not applicable.

Environmental Exposure ControlsAvoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance (20 °C)

Odor

Odor Slight odor

Odor threshold (ppm)

PH (Value)

Dark red liquid

Not available

7 – 9

 $\label{eq:melting-point} \begin{tabular}{ll} Melting point (°C) / Freezing point (°C) & Melting point (°C) : <-5°C \\ Boiling point (boiling range (°C) & Boiling point (°C) : >100°C \\ \end{tabular}$

Flash point (°C) Does not flash at 93.3°C or lower

(Tag closed cup & Cleveland opened cup)

Evaporation rate Not available

Flammability (solid, gas)

LEL: Not available UEL: Not available

Explosive limit ranges Not available Vapor pressure (Pa) Not available Vapor density (Air=1) Not available Density (g/cm³) 1.0 - 1.1 g/ml Solubility (Water) Soluble Solubility (Other) Not available Partition coefficient (n-Octanol/water) Not available Auto ignition point (°C) >400°C Decomposition temperature (°C) Not available Viscosity (mPa. s) 1 - 5 mPa·s Explosive properties Not available



Product Name LC103M, LC113M, LC115M, LC123M, LC125XLM, LC563M, LC565M, LC573M, LC575XLM, LC583M, LC585M, LC593M, LC595XLM

Firsr Issue:Oct.26,2011 Revised:Mar.12,2012 Version Number:2 SDS No.: BHM023

Oxidising properties Not available
9.2 Other information Not available

SECTION 10: STABILITY AND REACTIVITY

 10.1
 Reactivity
 None

 10.2
 Chemical stability
 Stable

 10.3
 Possibility of hazardous reactions
 Will not occur

10.4 Conditions to avoid High-temperature or High-humidity

10.5 Incompatible materials Acids, Bases, Oxidizing agents, Reducing agents

10.6 Hazardous Decomposition Product(s) Carbon monoxide, Carbon dioxide, Nitrogen oxides, Sulfur oxides

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity (oral): LD_{50} of ink is greater than 2000mg/kg.Skin corrosion/irritation:Ink is classified as a NON IRRITANTSerious eye damage/irritation:Ink is classified as a MINIMAL IRRITANTRespiratory or skin sensitization:Respiratory sensitization: Not available
Skin sensitization: Non-sensitizer

Mutagenicity: Ames test : Negative

Carcinogenicity: Ingredients of ink have not been classified as carcinogens according to IARC

monographs, NTP, and OSHA regulated.

Reproductive toxicity:

STOT-single exposure:

STOT-repeated exposure:

Aspiration hazard:

Not available
Not available
Not available

Potential Health Effects: Eye: Ink may cause slight irritation.

Skin: Prolonged exposure to ink may cause irritation.

Ingestion: Ink may cause gastrointestinal or other adverse effects.

Inhalation: Not expected to be a route of exposure under normal use.

Over exposure may cause respiratory irritation.

SECTION 12: ECOLOGICAL INFORMATION

12.1	Toxicity	Not available
12.2	Persistence and degradability	Not available
12.3	Bioaccumulative potential	Not available
12.4	Mobility in soil	Not available
12.5	Results of PBT and vPvB assessment	Not available
12.6	Other adverse effects	Not available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Dispose in accordance with federal, state and local regulations.



Product Name LC103M, LC105M, LC113M, LC115M, LC123M, LC125XLM, LC563M, LC565M, LC573M, LC575XLM, LC583M, LC585M, LC593M, LC595XLM Firsr Issue:Oct.26,2011 Revised:Mar.12,2012 Version Number:2 SDS No.: BHM023

SECTION 14: TRANSPORT INFORMATION

14.1UN numberNone14.2Proper Shipping NameNone14.3Transport hazard class(es)None14.4Packing GroupNone

US Department of Transportation (DOT) : Not regulated as dangerous goods.

Maritime Transport IMDG : Not regulated as dangerous goods.

Air Transport ICAO/IATA : Not regulated as dangerous goods.

14.5 Environmental hazards Not available14.6 Special precautions for user None

14.7 Transport in bulk according to Annex II of Not applicable MARPOL73/78 and the IBC Code

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EUROPEAN REGULATIONS

EU Information: All components in ink comply with REACH rules and

regulations.

EU Hazard Label: Ink is not classified according to EU-Directive

1999/45/EC.

US REGULATIONS

US Information: All components in ink comply with TSCA rules and

regulations.

Canada REGULATIONS

Canada Information: WHMIS: Not applicable. (Manufactured article)

15.2 Chemical Safety Assessment None



Product Name LC103M, LC113M, LC115M, LC123M, LC125XLM, LC563M, LC565M, LC573M, LC575XLM, LC583M, LC585M, LC593M, LC595XLM

Firsr Issue:Oct.26,2011 Revised:Mar.12,2012 Version Number:2 SDS No.: BHM023

SECTION 16: OTHER INFORMATION

Hazard Symbol: N; Dangerous for the environment

Risk Phrases: R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

Issue Date: Mar. 12, 2012

The following sections contain revisions or new

statements:

Format, All sections

Additional information: The information only relates to this specific ink cartridge. It may not be valid for

this ink cartridge, if used in combination with any other materials or in any other process. And it is based on our best knowledge as of the date of

preparation (revision).

References: World Health Organization International Agency for Research on Cancer,

IARC Monographs on the Evaluation on the Carcinogenic Risks to Humans,

Volume 93

EU Directive 1999/45/EC

U.S. Department of labor, 29CFR Part 1910.

ACGIH, Threshold Limit Values for Chemical Substances and Physical

Agents and Biological Exposure Indices EU Commission Directive 2009/161/EU

Abbreviations:

ACGIH: American Conference of Governmental Industrial Hygienists

DOT: Department Of Transportation (US)

IARC: International Agency for Research on Cancer IATA: International Air Transport Association ICAO: International Civil Aviation Organization IMDG: International Maritime Dangerous Goods IOELV: Indicative Occupational Exposure Limit Value

NTP: National Toxicology Program (US)

OSHA: Occupational Safety and Health Administration (US)

PEL: Permissible Exposure Limit

REACH: Registration, Evaluation, Authorization and Restriction of

Chemicals (EU)

TLV: Threshold Limit Value(ACGIH)
TSCA: Toxic Substances Control Act (US)

WHMIS: Workplace Hazardous Material Information System (Canada)



Product Name LC103Y, LC113Y, LC115Y, LC123Y, LC125XLY, LC563Y, LC565Y, LC573Y, LC575XLY, LC583Y, LC585Y, LC593XLY

Firsr Issue:Oct.26,2011 Revised:Mar.12,2012 Version Number:2 SDS No.: BHY023

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

 Product Name:
 LC103Y
 LC105Y
 LC113Y
 LC115Y

 Product Code:
 LK6540001
 LK6579001
 LK6871001
 LK6903001

 Product Name:
 LC123Y
 LC125XLY
 LC563Y
 LC565Y

 Product Code:
 LK6813001
 LK6927001
 LK6973001
 LK6977001

 Product Name:
 LC573Y
 LC575XLY
 LC583Y
 LC585Y

 Product Code:
 LK6985001
 LK6989001
 LK7004001
 LK7008001

 Product Name:
 LC593Y
 LC595XLY

 Product Code:
 LK7016001
 LK7020001

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified use(s): Cartridge contained water based ink for inkjet printing machine

1.3 Details of the supplier of the safety data

sheet

Manufacturer: BROTHER INDUSTRIES, LTD.

5-1, Hamada-cho, Minami-ku, Nagoya 457-0822, JAPAN Telephone Number for Information : +81-52-824-3445

Importer (Europe):

BROTHER INTERNATIONAL EUROPE LTD.

Brother House, 1 Tame Street, Audenshaw, Manchester

M34 5JE, UK

Telephone Number for Information: +44-161-330-6531

Importer (USA): BROTHER INTERNATIONAL CORPORATION

100 Somerset Corporate Boulevard, Bridgewater,

NJ 08807-0911, USA

Telephone Number for Information: +1-908-704-1700

Importer (Canada): BROTHER INTERNATIONAL CORPORATION (Canada) LTD.

1 rue Hôtel de Ville, Dollard-des-Ormeaux, Québec, H9B 3H6, CANADA

Telephone Number for Information: +1-514-685-0600

Importer (Australia):

BROTHER INTERNATIONAL (AUST.) PTY. LTD. ACN 001 393 835

Level 3, Building A, 11 Talavera Road Macquarie Park, N.S.W. 2113,

AUSTRALIA

Telephone Number for Information: +61-2-9887-4344

E-Mail (competent person): sds.ieink@brother.co.jp

1.4 Emergency telephone number

Emergency Phone No. (24 hours)

We do not provide 24 hours cover for information contact.

Please telephone to the above office during our business hours.

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

EU Classification: Ink is not classified according to EU-Directive 1999/45/EC.

2.2 Label elements Label elements according to EU Directive 1999/45EC.: None

2.3 Other hazards None

Page: 1/6



Product Name LC103Y, LC105Y, LC113Y, LC115Y, LC123Y, LC125XLY, LC563Y, LC565Y, LC573Y, LC575XLY, LC583Y, LC585Y, LC593Y, LC595XLY Firsr Issue:Oct.26,2011 Revised:Mar.12,2012 Version Number:2 SDS No.: BHY023

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

CHEMICAL NAME	CAS No.	EC No.	% by weight	EU Symbol	EU Risk Phrases
Glycerol	56-81-5	200-289-5	5 - 15	Not classified	Not classified
Triethylene glycol	143-22-6	205-592-6	1 - 5	Xi	R41
monobutyl ether					
Yellow Dye	Registered	Registered	1 - 5	Not classified	Not classified
Water	7732-18-5	231-791-2	65 - 75	Not classified	Not classified

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation: Remove to fresh air area and obtain medical attention immediately.

Skin Contact: Wash with water and soap. If irritation continues, obtain medical attention.

Eye Contact: Flush immediately with gentle running water for 15 minutes at least. If

irritation continues, obtain medical attention.

Ingestion: Rinse mouth with water, give one or two of glasses of water, and obtain

medical attention immediately.

4.2 Most important symptoms and effects, both

acute and delayed

Inhalation:

No harmful effects are expected under normal use.

Over exposure to vapor or mist, may cause symptoms such as respiratory

irritation, cough, dizziness, headache and nausea.

4.3 Indication of any immediate medical attention

and special treatment needed

None

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing Media: Water, CO₂, Foam, Dry chemical.

Unsuitable Extinguishing Media: None.

5.2 Special hazards arising from the substance or

mixture

May produce toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides,

sulfur oxides if burning.

5.3 Advice for fire-fighters Use self-contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment Avoid contact with eyes, skin and clothing. and emergency procedures

6.2 Environmental precautionsDo not release to surface water or ground water.

6.3 Methods and material for containment and

cleaning up

Wipe up ink with absorbent towel. Wash with water

to remove remaining traces of ink.

6.4 Reference to other sections See Section: 8



Product Name LC103Y, LC113Y, LC115Y, LC123Y, LC125XLY, LC563Y, LC565Y, LC573Y, LC575XLY, LC583Y, LC585Y, LC593X, LC595XLY

Firsr Issue:Oct.26,2011 Revised:Mar.12,2012 Version Number:2 SDS No.: BHY023

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Avoid contact with skin, eyes and clothing.

7.2 Conditions for safe storage, including any

incompatibilities Specific end use(s) Keep out of reach of children. Store in a cool and dark place.

Cartridge contained water based ink for inkjet printing machine

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

7.3

Occupational Exposure Limits:

CHEMICAL NAME	OSHA PEL	ACGIH TLV	EU IOELV
Glycerol	(as mist)	(as mist)	Not
	Total dust TWA 15mg/m ³	TWA 10mg/m ³	established

Use in a ventilated area.

8.2 Exposure controls

Appropriate engineering controls

Personal Protection

Eye/face protection Not required under normal use.

Skin protection Not required under normal use.

Hand protection Not required under normal use.

Respiratory protection Not required under normal use.

Other: Not applicable.

Environmental Exposure ControlsAvoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance (20 °C)

Odor

Odor Slight odor

Odor threshold (ppm)

PH (Value)

Dark yellow liquid

Not available

7 – 9

 $\label{eq:melting-point} \begin{tabular}{ll} Melting point (°C) / Freezing point (°C) & Melting point (°C) : <-5°C \\ Boiling point (boiling range (°C) & Boiling point (°C) : >100°C \\ \end{tabular}$

Flash point (°C) Does not flash at 93.3°C or lower

(Tag closed cup & Cleveland opened cup)

Evaporation rate Not available

Flammability (solid, gas)

LEL: Not available UEL: Not available

Explosive limit ranges Not available Vapor pressure (Pa) Not available Vapor density (Air=1) Not available Density (g/cm³) 1.0 - 1.1 g/ml Solubility (Water) Soluble Solubility (Other) Not available Partition coefficient (n-Octanol/water) Not available Auto ignition point (°C) >400°C Decomposition temperature (°C) Not available Viscosity (mPa. s) 1 - 5 mPa·s Explosive properties Not available



Product Name LC103Y, LC113Y, LC115Y, LC123Y, LC125XLY, LC563Y, LC565Y, LC573Y, LC575XLY, LC583Y, LC585Y, LC593X, LC595XLY

Firsr Issue:Oct.26,2011 Revised:Mar.12,2012 Version Number:2 SDS No.: BHY023

Oxidising properties

9.2 Other information

Not available

Not available

SECTION 10: STABILITY AND REACTIVITY

 10.1
 Reactivity
 None

 10.2
 Chemical stability
 Stable

 10.3
 Possibility of hazardous reactions
 Will not occur

10.4 Conditions to avoid High-temperature or High-humidity

10.5 Incompatible materials Acids, Bases, Oxidizing agents, Reducing agents

10.6 Hazardous Decomposition Product(s) Carbon monoxide, Carbon dioxide, Nitrogen oxides, Sulfur oxides

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Mutagenicity: Ames test : Negative

Carcinogenicity: Ingredients of ink have not been classified as carcinogens according to IARC

monographs, NTP, and OSHA regulated.

Reproductive toxicity:

STOT-single exposure:

STOT-repeated exposure:

Aspiration hazard:

Not available
Not available
Not available

Potential Health Effects: Eye: Ink may cause slight irritation.

Skin: Prolonged exposure to ink may cause irritation.

Ingestion: Ink may cause gastrointestinal or other adverse effects.

Inhalation: Not expected to be a route of exposure under normal use.

Over exposure may cause respiratory irritation.

SECTION 12: ECOLOGICAL INFORMATION

12.1	Toxicity	Not available
12.2	Persistence and degradability	Not available
12.3	Bioaccumulative potential	Not available
12.4	Mobility in soil	Not available
12.5	Results of PBT and vPvB assessment	Not available
12.6	Other adverse effects	Not available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Dispose in accordance with federal, state and local regulations.



Product Name LC103Y, LC113Y, LC115Y, LC123Y, LC125XLY, LC563Y, LC565Y, LC573Y, LC575XLY, LC583Y, LC585Y, LC593XLY

Firsr Issue:Oct.26,2011 Revised:Mar.12,2012 Version Number:2 SDS No.: BHY023

SECTION 14: TRANSPORT INFORMATION

14.1UN numberNone14.2Proper Shipping NameNone14.3Transport hazard class(es)None14.4Packing GroupNone

US Department of Transportation (DOT):

Maritime Transport IMDG:

Air Transport ICAO/IATA:

Not regulated as dangerous goods.

Not regulated as dangerous goods.

14.5 Environmental hazards Not available14.6 Special precautions for user None

14.7 Transport in bulk according to Annex II of Not applicable MARPOL73/78 and the IBC Code

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EUROPEAN REGULATIONS

EU Information: All components in ink comply with REACH rules and

regulations.

EU Hazard Label: Ink is not classified according to EU-Directive

1999/45/EC.

US REGULATIONS

US Information: All components in ink comply with TSCA rules and

regulations.

Canada REGULATIONS

Canada Information: WHMIS: Not applicable. (Manufactured article)

15.2 Chemical Safety Assessment None



Product Name LC103Y, LC113Y, LC115Y, LC123Y, LC125XLY, LC563Y, LC565Y, LC573Y, LC575XLY, LC583Y, LC585Y, LC593XLY

Firsr Issue:Oct.26,2011 Revised:Mar.12,2012 Version Number:2 SDS No.: BHY023

SECTION 16: OTHER INFORMATION

Hazard Symbol: Xi : Irritant

Risk Phrases: R41 : Risk of serious damage to eyes.

Issue Date: Mar. 12, 2012

The following sections contain revisions or new

statements:

Format, All sections

Additional information: The information only relates to this specific ink cartridge. It may not be valid for

this ink cartridge, if used in combination with any other materials or in any other process. And it is based on our best knowledge as of the date of

preparation (revision).

References: World Health Organization International Agency for Research on Cancer,

IARC Monographs on the Evaluation on the Carcinogenic Risks to Humans,

Volume 93

EU Directive 1999/45/EC

U.S. Department of labor, 29CFR Part 1910.

ACGIH, Threshold Limit Values for Chemical Substances and Physical

Agents and Biological Exposure Indices EU Commission Directive 2009/161/EU

Abbreviations:

ACGIH: American Conference of Governmental Industrial Hygienists

DOT: Department Of Transportation (US)

IARC: International Agency for Research on Cancer IATA: International Air Transport Association ICAO: International Civil Aviation Organization IMDG: International Maritime Dangerous Goods IOELV: Indicative Occupational Exposure Limit Value

NTP: National Toxicology Program (US)

OSHA: Occupational Safety and Health Administration (US)

PEL: Permissible Exposure Limit

REACH: Registration, Evaluation, Authorization and Restriction of

Chemicals (EU)

TLV: Threshold Limit Value(ACGIH)
TSCA: Toxic Substances Control Act (US)

WHMIS: Workplace Hazardous Material Information System (Canada)