



Floor Stripper

Item #	Description	Size	Units Per Case
BPR372005-A	Floor Stripper	5 GAL	1



Features

- Dilutes at 1:4
- Works fast even in cold water
- Rapid wetting, penetration and liquefaction
- Removes the heaviest buildups

- Low foaming
- Contains no ammonia, 2-butoxyethanol (butyl) or alkyl phenol ethoxylates







Floor Stripper

This floor stripper is a fast acting formulation that quickly penetrates and liquefies floor finish. It will effectively remove zinc and non-zinc based floor finishes. It has low odor and can be used in retail, school and health care facilities.

Physical Data

Physical form: Clear, colorless liquid

Odor: Pleasant

pH Concentrate: 10.8 – 12.0 pH Diluted (1:4): 10.5 – 11.5

Concentrated: Reduces package waste

Foam Level: Low

Shelf Life: 2 years in unopened container

Freeze/thaw stability: Excellent

Dilution ratio: 1:4

Performance Data

Finish removal: Removal ease rating of "excellent" when removing SEB80 Floor Finish and conventional finish measured by ASTM D 1792

Wetting: Shows uniform wetting of surface when applied Viscosity: Pours readily after 24 hours of exposure to 40°F Deleterious effects: No discoloration or softening of vinyl

composition tile when used as directed

Alkali residue: Alkali is minimal. No neutralization is

required before applying finish

Odor index: Low



REVISION 1

Customer: Staples

Job Title: STP Brighton TDS Conversion - Additional SKUs

Brand: Staples

Item: 000000 (BPR372005-A)

Date: 19-NOV-12

Production Artist: CCM

Ref. Project #: Linoleum Stripper_R3_F.indd

Schawk Project #: 189537A.02

Item: 000000 (BPR372005-A) Artwork Studio: Schawk (Shanghai) Printer: N/A Print Process: TBD

File Name: BPR372005-A_ Brighton Floor Stripper TDS _NA_1_R1.indo

Barcode #: Technical Drawing #: N/A

SEQ:	1	2	3	4	5					
COLOR #:	Cyan	Magenta	Yellow	Black	PANTONE 194 C					
100%										

Disclaimer: Schawk has quality checked this artwork and information for complete accuracy. Ownership of the Final Approval for content, layout, text and spelling is the client's responsibility. Please review all areas for inaccuracies, omissions or errors before committing to Final Approval. This proof is NOT intended for use as a guide or target for color and/or process image reproduction.